

November 26, 2003

Thomas Silva, President  
Conam Inspection, Inc.  
192 Internationale Blvd.  
Glendale Heights, IL

SUBJECT: NRC OFFICE OF INVESTIGATIONS REPORT NO. 3-2000-055

Dear Mr. Silva:

This letter refers to an investigation conducted by the U.S. Nuclear Regulatory Commission (NRC), Office of Investigations (OI) to determine if Conam's Radiation Safety Officer deliberately violated radiography requirements by allowing one-man radiography to be conducted at an unapproved permanent radiographic installation. Based on the evidence developed during the investigation, we did not substantiate that Conam's Radiation Safety Officer deliberately violated radiography requirements. The synopsis of the OI investigation report is enclosed.

If you have any questions or comments regarding this matter, please contact James Heller or Andrea Kock of the NRC Region III staff at telephone number (630) 829-9500.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter, its enclosure, and your response, if any, will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

You should note that final NRC documents, including the final OI report, may be made available to the public under the Freedom of Information Act (FOIA) subject to redaction of information pursuant to the FOIA. Requests under the FOIA should be made in accordance with 10 CFR 9.23, Request for Records.

Sincerely,

***/RA/***

Marc L. Dapas, Director  
Division of Nuclear Materials Safety

Enclosure: OI Synopsis

cc w/enclosure: AMS File No. RIII-2001-A-0011

\*SEE PREVIOUS CONCURRENCE

G:\EICS\AMS-LTRS\LICENSEE CLOSEOUT LETTERS\ML033390167.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	N	RIII	N	RIII	N	RIII	N	RIII	N	RIII	N
NAME	*Kock		Miller		Kryk for Paul**		Weil for Clayton**		Berson		Dapas	
DATE	11/4/03		11/21/03		11/24/03		11/25/03		11/25/03		11/26/03	

**OFFICIAL RECORD COPY**

\*\* For permission to release the OI synopsis.

## SYNOPSIS

This investigation was initiated on December 20, 2000, by the U.S. Nuclear Regulatory Commission, Office of Investigations (OI), Region III (RIII), to determine whether the Radiation Safety Officer (RSO) employed by Conam Inspection, Inc. (Conam), deliberately violated radiography requirements by allowing one-man radiography to be conducted at an unapproved permanent radiographic installation.

Based upon the evidence developed, this investigation did not substantiate the allegation that Conam's RSO deliberately violated radiography requirements by allowing one-man radiography to be conducted at an unapproved permanent radiographic installation.