




UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D. C. 20555



Reply to:  
1050 East Flamingo Rd.  
Suite 319  
Las Vegas, Nevada 89119  
Tel: (702) 388-6125  
FTS: 598-6125

TO: King Stablein  
FROM: Paul T. Prestholt, Sr. On-Site Licensing Representative  
DATE: February 19, 1988  
SUBJECT: UP-DATED PAGES FOR THE LAS VEGAS LIBRARY CONTENT LIST  
Please find enclosed replacement pages for your file.

PTP:nan

8802250044 880219  
PDR WASTE  
WM-11 DCD

NH03

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT

E-67 5138N WASTE PACKAGE TASK PUBLICATION LIST. 1/85

E-1 NW1:sc-1 SFT-C PUBLICATION LISTING - 1/2/85

E-54 UCID-18125 SEISMIC SAFETY IN NUCLEAR-WASTE DISPOSAL.  
-/CARPENTER, ET AL, 4/26/79

E-2 UCID-20069 EQ3/6 GEOCHEMICAL MODELING TASK PLAN FOR  
NEVADA NUCLEAR WASTE STORAGE INVESTIGATIONS  
-/ISHERWOOD, ET.AL., 4/10/84

E-3 UCID-20165 THE NEVADA NUCLEAR WASTE STORAGE  
INVESTIGATIONS PROJECT INTERIM ACCEPTANCE  
SPECIFICATIONS FOR DEFENSE WASTE PROCESSING  
FACILITY AND WEST VALLEY DEMONSTRATION  
PROJECT WASTE FORMS AND CANISTERIZED WASTE -  
-/OVERSBY, 8/84

E-4 UCID-20172 POTENTIAL CORROSION AND DEGRADATION  
MECHANISMS OF ZIRCALOY CLADDING ON SPENT  
NUCLEAR FUEL IN A TUFF REPOSITORY - 9/84  
-/ROTHMAN

E-5 UCID-20174 ELECTROCHEMICAL DETERMINATION OF THE  
CORROSION BEHAVIOR OF CANDIDATE ALLOYS  
PROPOSED FOR CONTAINMENT OF HIGH LEVEL  
NUCLEAR WASTE IN TUFF - 6/84  
-/GLASS, ET AL

E-6 UCID-20289 PRELIMINARY EVALUATION OF ALTERANT  
GEOPHYSICAL TOMOGRAPHY IN WELDED TUFF -  
-/RAMIREZ, ET AL, 12/84

E-7 UCID-20301 GEOLOGIC STRUCTURE MAPPING DATABASE SPENT  
FUEL TEST - CLIMAX NEVADA TEST SITE -  
-/YOW, 12/4/84

E-8 UCID-20318 OVERCORING AND CALIBRATION OF IRAD GAGE  
STRESSMETERS AT THE SPENT FUEL TEST IN  
CLIMAX GRANITE - 9/15/84  
-/MAO

LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-9 UCID-20412 PHYSICAL AND CHEMICAL CHANGES TO ROCK NEAR  
ELECTRICALLY HEATED BOREHOLES AT SPENT FUEL  
TEST - CLIMAX - 1/85  
-/BEIRIGER, ET AL
- E-10 UCID-20436 METALLURGICAL ANALYSIS OF A 304L STAINLESS  
STEEL CANISTER FROM THE SPENT FUEL TEST -  
CLIMAX - 4/85  
-/WEISS, ET AL
- E-11 UCID-20450 CONCEPT FOR WASTE PACKAGE ENVIRONMENT TESTS  
IN THE YUCCA MOUNTAIN EXPLORATORY SHAFT -  
5/85  
-/YOW
- E-12 UCID-20499 SPENT FUEL CLADDING CORROSION UNDER TUFF  
REPOSITORY CONDITIONS - INITIAL  
OBSERVATIONS - 6/85  
-/SMITH, ET AL
- E-73 UCID-20509 FY 1985 STATUS REPORT ON FEASIBILITY ASSESSMENT  
OF COPPER-BASE WASTE PACKAGE CONTAINER  
MATERIALS IN A TUFF REPOSITORY - SEPTEMBER 30,  
1985  
-/MCCRIGHT
- E-13 UCID-20523 NEGATIVE HYSTERESIS EFFECT OBSERVED DURING  
CALIBRATION OF THE U.S. BUREAU OF MINES  
BOREHOLE DEFORMATION GAUGE - 8/85  
-/GANOW
- E-14 UCID-20587 IMPROVEMENTS IN THE SOLID SOLUTION MODELING  
CAPABILITIES OF THE EQ3/6 GEOCHEMICAL CODE -  
11/85  
-/BOURCIER
- E-55 UCID-20673 SPENT FUEL TEST-CLIMAX MINEBY REVISITED,  
DECEMBER 1985  
-/BUTKOVICH

E-68 UCID-20580 THE PLUS FAMILY, A SET OF COMPUTER PROGRAMS TO  
EVALUATE ANALYTICAL SOLUTIONS OF THE DIFFUSION  
EQUATION, 3/86  
-/MONTAN

E-59 UCID-20712 SPENT FUEL TEST-CI MAX; TECHNICAL  
MEASUREMENTS, DATA MANAGEMENT SYSTEM  
DESCRIPTION AND DATA PRESENTATION, 8/85  
-/CARLSON

E-63 UCID-20758 THERMOMECHANICAL SCOPING CALCULATIONS FOR THE  
WASTE PACKAGE ENVIRONMENT TESTS, 3/86  
-/BUTKOVICH, ET AL

E-75 UCID-20780 THERMAL CALCULATIONS PERTAINING TO EXPERIMENTS  
IN THE YUCCA MOUNTAIN EXPLORATORY SHAFT, 3/86  
-/MONTAN

E-74 UCID-20847 FEASIBILITY ASSESSMENT OF COPPER-BASE WASTE  
PACKAGE CONTAINER MATERIALS IN A TUFF  
REPOSITORY, 9/30/86  
-/ACTON, ET AL

E-77 UCID-20864 GEOCHEMICAL MODELING (EQ3/6) PLAN, OFFICE OF  
CIVILIAN RADIOACTIVE WASTE MANAGEMENT PROGRAM  
-/MCKENZIE, ET AL, 8/28/86

E-80 UCID-20895 APPLICATION OF EQ3/6 TO MODELING OF NUCLEAR  
WASTE GLASS BEHAVIOR IN A TUFF REPOSITORY  
-/AINES, 5/86

E-100 UCID-20967 SCIENTIFIC INVESTIGATION PLAN FOR NNWSI WRS  
ELEMENT 1.2.2.5.1 - NNWSI WASTE PACKAGE  
PERFORMANCE ASSESSMENT, 10/14/86  
-/EGGERT, ET AL

E-105 UCID-21044 PROGRESS REPORT ON THE RESULTS OF TESTING  
ADVANCED CONCEPTUAL DESIGN METAL BARRIER  
MATERIALS UNDER RELEVANT ENVIRONMENTAL  
CONDITIONS FOR A TUFF REPOSITORY, 12/87  
-/McCRIGHT, ET AL

LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-106 UCID-21190 PLAN FOR GLASS WASTE FORM TESTING FOR NNWSI  
-/AINES, 12/87
- E-104 UCID-21272 PLAN FOR SPENT FUEL WASTE FORM TESTING FOR  
NNWSI  
-/SHAW, 11/87
- E-15 UCRL-15667 PERMEABILITY AND FLUID CHEMISTRY STUDIES OF  
SAML 126-016 THE TOPPAH SPRING MEMBER OF THE  
PAINTBRUSH TUFF, NEVADA TEST SITE: PART: II -  
-/MOORE, ET AL, 3/85
- E-16 UCRL-15723 NNWSI WASTE FORM TEST METHOD FOR UNSATURATED  
SAML 410-001 DISPOSAL CONDITIONS - 3/85  
-/BATES, ET AL.
- E-59 UCRL-15801 NNWSI WASTE FORM TESTING AT ARGONNE NATIONAL  
SAML-510-002 LABORATORY, SEMIANNUAL REPORT  
-/BATES, ET AL - JULY-DECEMBER, '85 - '86
- E-71 UCRL-15825 THE EFFECT OF GAMMA RADIATION ON GROUNDWATER  
SAML-510-001 CHEMISTRY AND GLASS LEACHING AS RELATED TO  
THE NNWSI REPOSITORY SITE. 5/86  
-/ABRAJANO, ET AL
- E-87 UCRL-15981 TRANSPORT AND REACTION KINETICS AT THE  
SAML 610-009 GLASS-SOLUTION INTERFACE REGION: RESULTS OF  
REPOSITORY-ORIENTED LEACHING EXPERIMENTS  
-/ABRAJANO, ET AL, 2/87
- E-107 UCRL-15976 MICROSTRUCTURAL CHARACTERISTICS OF PWR SPENT  
FUEL RELATIVE TO ITS LEACHING BEHAVIOR. 5/85  
-/WILSON  
(WESTINGHOUSE HANFORD COMPANY (PRESENTED AT  
AMERICAN CERAMIC SOCIETY 87 ANNUAL MEETING,  
CINCINNATI, OHIO, MAY 5-9, 1985))

- E-103 UCRL-15993 THE INFLUENCE OF COPPER ON ZIRCONIUM SPENT FUEL  
CLADDING DEGRADATION UNDER A POTENTIAL TUFF  
REPOSITORY CONDITION. 3/87  
-/SMITH  
WESTINGHOUSE HANFORD COMPANY
- E-66 UCRL-52000 ENERGY AND TECHNOLOGY REVIEW. 9/83
- E-17 UCRL-52984 RESOLUTION AND ERROR OF THE BACK PROJECTION  
TECHNIQUE ALGORITHM FOR GEOPHYSICAL  
TOMOGRAPHY - 9/80  
-/BURKHARD
- E-18 UCRL-53127 DETECTION OF WATER-FILLED AND AIR-FILLED  
UNDERGROUND CAVITIES - 12/1/80  
-/LAINE
- E-19 UCRL-53231 DATING FAULT ASSOCIATED QUATERNARY MATERIAL  
FROM THE NEVADA TEST SITE USING  
URANIUM-SERIES METHODS - 9/81  
-/KNAUSS
- E-20 UCRL 53294 - SPENT FUEL TEST - CLIMAX: TECHNICAL  
83 MEASUREMENTS INTERIM REPORT FISCAL YEAR 83 -  
2/84  
/PATRICK, ET.AL.
- E-21 UCRL-53381 STRUCTURAL GEOLOGY REPORT SPENT FUEL TEST -  
CLIMAX NEVADA TEST SITE - 10/84  
-/WILDER
- E-22 UCRL-53442 REACTION OF BULLFROG TUFF WITH J-13 WELL  
WATER AT 90°C AND 150°C - 9/15/83  
-/OVERSDY, ET.AL.
- E-23 UCRL-53496 HEATER TEST 1, CLIMAX STOCK GRANITE, NEVADA  
- 10/84  
-/MONTAN, ET.AL.

LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT

- E-24 UCRL-53531 REFERENCE WASTE FORMS AND PACKING MATERIAL FOR THE NEVADA NUCLEAR WASTE STORAGE INVESTIGATIONS PROJECT - 3/30/84  
-/OVERSBY
- E-25 UCRL-53552 REACTION OF THE TOPOPAH SPRING TUFF WITH J-13 WELL WATER AT 90°C AND 150°C - 5/30/84  
-/OVERSBY
- E-26 UCRL-53574 REACTION OF THE TOPOPAH SPRING TUFF WITH J-13 WATER AT 120°C - 7/18/84  
-/OVERSBY
- E-27 UCRL-53580 RADIATION DOSES IN GRANITE AROUND EMPLACEMENT HOLES IN THE SPENT FUEL TEST - CLIMAX (FINAL REPORT) - 7/2/84  
-/VAN KONYNENBURG
- E-28 UCRL-53594 APPLICATION OF THE RUTHENIUM AND TECHNETIUM THERMODYNAMIC DATA BASES USED IN THE EQ3/6 GEOCHEMICAL CODES - 4/85  
-/ISHERWOOD
- E-29 UCRL-53595 PRECLOSURE ANALYSIS OF CONCEPTUAL WASTE PACKAGE DESIGNS FOR A NUCLEAR WASTE REPOSITORY IN TUFF - 11/1/84  
-/O'NEAL, ET. AL.
- E-30 UCRL-53597 PETITE SISMIQUE MEASUREMENTS AT THE SPENT FUEL TEST - CLIMAX - 9/84  
-/ZUCCA
- E-31 UCRL-53598 FIXED-FUGACITY OPTION FOR THE EQ6 GEOCHEMICAL REACTION PATH CODE - 12/20/84  
-/DELANY
- E-32 UCRL-53602 TRANSPORT PROPERTIES OF TOPOPAH SPRING TUFF - 10/84  
-/LIN, ET. AL.

UCRL - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON F.I. AT LV.

- E-35 UCRL-53606 PARAMETRIC TESTING OF A DWPF GLASS - 3/85  
-/DAZAN, ET AL.
- E-34 UCRL-53622 EVALUATION OF THE IRAD FLEXIBLE-PROBE SONIC  
EXTENSOMETER - 11/84  
-/GLENN, ET AL.
- E-35 UCRL-53625 MINERALOGIC AND PETROLOGIC INVESTIGATION OF  
POST-TEST CORE SAMPLES FROM THE SPENT FUEL  
TEST - CLIMAX - 2/85  
-/RYERSON, ET AL.
- E-64 UCRL-53629 THE REACTION OF TOPOPAH SPRING TUFF WITH J-13  
WATER AT 150° C--SAMPLES FROM DRILL CORES USW  
G-1, USW GU-3, USW G-4, AND UE-25h#1 - 3/85  
-/OVERSBY
- E-69 UCRL-53630 HYDROTHERMAL INTERACTION OF CRUSHED TOPOPAH  
SPRING TUFF AND J-13 WATER AT 90, 150, AND 250°  
C USING DICKSON-TYPE, GOLD-BAG ROCKING  
AUTOCLAVES, 5/85  
KNAUSS, ET AL.
- E-62 UCRL-53631 REACTION OF TOPOPAH SPRING TUFF WITH J-13  
WATER: A GEOCHEMICAL MODELING APPROACH USING  
THE ED3/6 REACTION PATH CODE - 11/25/85  
-/DELANY
- E-36 UCRL-53632 FIELD INVESTIGATION OF KEYBLOCK STABILITY -  
4/85  
-/YOW
- E-37 UCRL-53637 INSTRUMENTATION REPORT No. 3: PERFORMANCE  
AND RELIABILITY OF INSTRUMENTATION DEPLOYED  
FOR THE SPENT FUEL TEST - CLIMAX - 12/84  
-/PATRICK, ET AL.
- E-92 UCRL-53642 PRECIPITATION KINETICS OPTION FOR THE ED6  
GEOCHEMICAL REACTION PATH CODE - 5/19/86  
-/DELANY, ET AL.



ORNL - OAK RIDGE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-103 UCRL-53645 HYDROTHERMAL INTERACTION OF SOLID WAFERS OF TOPOPAH SPRING TUFF WITH J-13 WATER AND DISTILLED WATER AT 90, 150, AND 250°C. USING DICKSON-TYPE, GOLD-BAG ROCKING AUTOCLAVES  
-/KNAUSS, ET AL - 9/85
- E-60 UCRL-53673 ESTIMATES OF IN SITU DEFORMABILITY WITH AN NX BOREHOLE JACK, SPENT FUEL TEST - CLIMAX, NEVADA TEST SITE - 12/85  
-/PATRICK, ET AL
- E-76 UCRL-53688 POST-TEST THERMOMECHANICAL CALCULATIONS AND PRELIMINARY DATA ANALYSIS FOR THE SPENT FUEL TEST--CLIMAX - 9/85  
-/BUTKOVICH ET AL
- E-83 UCRL-53698 GEOCHEMICAL GRADIENTS IN THE TOPOPAH SPRING MEMBER OF THE PAINTBRUSH TUFF: EVIDENCE FOR ERUPTION ACROSS A MAGMATIC INTERFAC. 6/86  
-/SCHURAYTZ, ET AL
- E-98 UCRL-53702 SPENT FUEL TEST--CLIMAX: AN EVALUATION OF THE TECHNICAL FEASIBILITY OF GEOLOGIC STORAGE OF SPENT NUCLEAR FUEL IN GRANITE. FINAL REPORT  
-/W.C. PATRICK, 3/30/86
- E-72 UCRL-53719 RADIATION CHEMICAL EFFECTS IN EXPERIMENTS TO STUDY THE REACTION OF GLASS IN AN ENVIRONMENT OF GAMMA-IRRADIATED AIR, GROUNDWATER, AND TUFF  
-/VAN KOIYENBURG, 5/2/86
- E-93 UCRL-53722 HYDROTHERMAL INTERACTION OF SOLID WAFERS OF TOPOPAH SPRING TUFF WITH J-13 WATER AT 90 AND 150°C USING DICKSON-TYPE, GOLD-BAG ROCKING AUTOCLAVES; LONG-TERM EXPERIMENTS, 5/87  
-/KNAUSS, ET AL
- E-91 UCRL-53726 REFERENCE WASTE PACKAGE ENVIRONMENT REPORT  
-/GLASSLEY, 10/1/86

LAWRENCE L. BERNORE NATIONAL LABORATORY PURIFICATIONS  
ON FILE AT LV

- E-97 UCRL-53728 POST-TEST THERMAL CALCULATIONS AND DATA  
2 copies ANALYSES FOR THE SPENT FUEL TEST--CLIMAX, 6/86  
-/MONTAN, ET AL
- E-70 UCRL-53735 THE TUFF REACTION VESSEL EXPERIMENT, 6/86  
-/DAZAN, ET AL
- E-95 UCRL-53761 WASTE PACKAGE PERFORMANCE ASSESSMENT:  
DETERMINISTIC SYSTEM MODEL PROGRAM SCOPE AND  
SPECIFICATION, 10/86  
-/O'CONNELL, ET AL
- E-90 UCRL-53762 SPENT-FUEL TEST--CLIMAX: AN EVALUATION OF THE  
TECHNICAL FEASIBILITY OF GEOLOGIC STORAGE OF  
SPENT NUCLEAR FUEL IN GRANITE (Executive  
Summary of Final Results) 9/2/86  
-/PATRICK
- E-99 UCRL-53767 GEOMECHANICS OF THE SPENT FUEL TEST--CLIMAX  
-/WILDER, ET AL
- E-109 UCRL-53795 REACTION OF VITRIC TOPOPAH SPRING TUFF AND J-13  
GROUND WATER UNDER HYDROTHERMAL CONDITIONS  
USING DICKSON-TYPE, GOLD-BAG ROCKING  
AUTOCLAVES, 11/86  
-/KNAUSS, ET AL
- E-38 UCPL-87018 BOREHOLE ELONGATION VERSUS IN SITU STRESS  
ORIENTATION - 12/81  
-/SPRINGER, ET AL
- E-39 UCRL-89475 POST EMPLACEMENT ENVIRONMENT OF WASTE  
PACKAGES (Materials Research Society  
Symposium, Boston, Mass Nov. 14-17, 1983)  
-/KNAUSS, ET AL.
- E-40 UCRL-89869 SPENT FUEL CLADDING CONTAINMENT CREDIT TESTS  
(Waste Management 84 Conference Tucson,  
Arizona March 11-15, 1984) - 2/84  
-/WILSON

- E-41 UCRL-89988 SELECTION OF CANDIDATE CANISTER MATERIALS FOR HIGH-LEVEL NUCLEAR WASTE CONTAINMENT IN A TUFF REPOSITORY (National Association of Corrosion Engineers 4-1-84) - 11/83  
-/MC CRIGHT, ET.AL.
- E-42 UCRL-90045 PERFORMANCE TESTING OF WASTE FORMS IN A TUFF ENVIRONMENT (Civilian Radioactive Waste Management Information Meeting, Washington, D.C. December 12-15, 1983) - 11/83  
-/OVERSBY
- E-43 UCRL-90818 THE BEHAVIOR OF ACTINIDE CONTAINING GLASSES DURING GAMMA IRRADIATION IN A SATURATED TUFF ENVIRONMENT (Materials Research Society Meeting, Boston, Mass. November 26-30, 1984)  
-/BATES, ET.AL.
- E-44 UCRL-90855 BEHAVIOR OF CARBON-14 IN WASTE PACKAGES FOR SPENT FUEL IN A REPOSITORY IN TUFF (Paper prepared for submittal to Materials Research Society Symposium of the Scientific Basis for Nuclear Waste Management, Boston, Mass., November 26-30, 1984) - 11/7/84  
-/VAN KONYNENBURG, ET.AL.  
Rev. 1
- E-45 UCRL-90875 CORROSION BEHAVIOR OF CARBON STEELS UNDER TUFF REPOSITORY ENVIRONMENTAL CONDITIONS (Materials Research Society 1984 Annual Meeting, Boston, Mass. November 26-30, 1984) - 10/84  
-/MC CRIGHT, ET.AL.
- E-46 UCRL-91257 LABORATORY EXPERIMENTS DESIGNED TO PROVIDE LIMITS ON THE RADIONUCLIDE SOURCE TERM FOR THE NNWSI PROJECT (Proceedings of Workshop on the Source Term for Radionuclide Migration from HLW or Spent Nuclear Fuel, Albuquerque, NM, November 13-15, 1984) - 11/84  
-/OVERSBY, ET.AL.

CONFERENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-47 UCRL-91258 LEACHING SAVANNAH RIVER PLANT NUCLEAR WASTE GLASS IN A SATURATED TUFF ENVIRONMENT (Materials Research Society Meeting, Boston, Mass., November 26-30, 1984) - 11/84  
-/BIBLER, ET.AL.
- E-48 UCRL-91804 BEHAVIOR OF STRESSED AND UNSTRESSED 304L SPECIMENTS IN TUFF REPOSITORY ENVIRONMENTAL CONDITIONS (Corrosion 85 NACE Annual Meeting, Boston, Mass, March 25-29, 1985) - 11/84  
-/JUHAS, ET.AL.
- E-49 UCRL-92096 DERIVATION OF A WASTE PACKAGE SOURCE TERM FOR NNWSI FROM THE RESULTS OF LABORATORY EXPERIMENTS (Materials Research Society 1985 Symposium on the Scientific Basis for Nuclear Waste Management, Stockholm, Sweden, September 9-11, 1985) - 9/85  
-/OVERSBY, ET.AL.
- E-50 UCRL-92311 GAMMA RADIATION EFFECTS ON CORROSION: I ELECTROCHEMICAL MECHANISMS FOR THE AQUEOUS CORROSION PROCESSES OF AUSTENITIC STAINLESS STEELS (Radiation Physics and Chemistry) - 2/85  
-/GLASS, ET.AL.
- E-51 UCRL-92526 THE EFFECT OF GAMMA IRRADIATION ON THE STRENGTH AND ELASTICITY OF CLIMAX STOCK AND WESTERLY GRANITES (Paper prepared for Submittal to Nuclear and Chemical Waste Management) - 3/85  
-/DURHAM, ET.AL.
- E-52 UCRL-92891 LWR SPENT FUEL CHARACTERISTICS RELEVANT TO PERFORMANCE AS A WASTEFORM IN A POTENTIAL TUFF REPOSITORY (The American Nuclear Society Winter Meeting, November 10-14, 1985, San Francisco, Calif.) - 6/85  
-/WILSON, ET.AL.

- E-53 UCRL-92941 CORROSION PROCESS OF AUSTENITIC STAINLESS STEELS AND COPPER-BASED MATERIALS IN GAMMA-IRRADIATED AQUEOUS ENVIRONMENTS (Paper prepared for submittal to Corrosion/86. Albert Thomas Convention Center, Houston, Texas, March 17-21, 1986) - 9/85  
-/GLASS, ET AL.
- E-77 UCRL-93405 EVIDENCE FOR SYNTECTONIC ACTIVITY DURING ALLUVIAL DEPOSITION, YUCCA FLAT, NEVADA  
-/ELWOOD, ET AL, 9/85
- E-57 UCRL-94031 CONTROL OF RESEARCH ORIENTED SOFTWARE DEVELOPMENT  
(Paper prepared for submittal for the 1986-ASQC Quality Congress Transaction, Anaheim, CA, May 19-21, 1986).  
-/LEWIS, ET AL
- E-65 UCRL-94087 A MONTE CARLO INVESTIGATION OF A PROPOSED SCREEN FOR NX-BOREHOLE JACK DATE, 4/86  
-/AXELROD
- E-56 UCRL 94222 PREPRINT IMPORTANT RADIONUCLIDES IN HIGH LEVEL NUCLEAR WASTE DISPOSAL: DETERMINATION USING A COMPARISON OF THE EPA AND NRC REGULATIONS  
(Paper prepared for submittal to Nuclear and Chemical Waste Management, February, 1986)  
-/OVERSBY
- E-96 UCRL-94363 HYDROLOGICAL PROPERTIES OF TOPOPAH SPRING TUFF-LABORATORY MEASUREMENTS  
-/DAILY, ET AL
- E-89 UCRL-94500 PREPRINT LONG-TERM CORROSION BEHAVIOR OF COPPER-BASE MATERIALS IN A GAMMA-IRRADIATED ENVIRONMENT  
-/YUNKER, 12/86

LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-81 UCRL-94600 AN APPLICATION OF SOFTWARE QUALITY ASSURANCE TO  
PREPRINT A SPECIFIC SCIENTIFIC CODE DEVELOPMENT  
TASK  
(Prepared for submittal to 17th California  
Quality Week, Santa Clara, CA, March 21-22,  
1986)  
-/DRONKERS
- E-83 UCRL-94633 EXPERIMENTAL STUDY OF THE DISSOLUTION SPENT  
PREPRINT FUEL AT 85° C IN NATURAL GROUND WATER  
-/WILSON, ET AL  
MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON,  
12/1-5/86
- E-82 UCRL-94658 INTEGRATED TESTING OF THE SRL-165 GLASS WASTE  
PREPRINT FORM  
-/PHINNEY, ET AL, 12/86
- E-85 UCRL-94659 SPENT FUEL AS A WASTE FORM - DATA NEEDS TO  
PREPRINT ALLOW LONG TERM PERFORMANCE ASSESSMENT UNDER  
REPOSITORY DISPOSAL CONDITIONS  
-/OVERSBY, 12/86
- E-78 UCRL-94708 CARBON-14 IN WASTE PACKAGES FOR SPENT FUEL IN A  
TUFF REPOSITORY (Prepared for submittal to  
Materials Research Society Symposium on the  
Scientific Basis for Nuclear Waste Management,  
Boston, MA, 12/1-6/86) WESTINGHOUSE HANFORD CO.  
-/VAN KONYNENBURG
- E-94 UCRL-94721 LEACHING OF ACTINIDE-DOPED NUCLEAR WASTE GLASS  
PREPRINT IN A TUFF-DOMINATED SYSTEM, 1/87  
-/BAZAN, ET AL
- E-91 UCRL-95568 TEST CONCEPT FOR WASTE PACKAGE ENVIRONMENT  
PREPRINT TESTS AT YUCCA MOUNTAIN, 6/87, (Prepared for  
submittal to 28th U.S. Symposium on Rock  
Mechanics, Tucson, AZ, 6/29-7/1/87)  
-/YOW, Jr.

LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS  
ON FILE AT LV

- E-86 UCRL-95884 THE EFFECTS OF GAMMA RADIATION ON GROUNDWATER  
PREPRINT CHEMISTRY AND GLASS REACTION IN A SATURATED  
TUFF ENVIRONMENT  
-/EBERT, ET AL & VAN KONYNENBURG, 12/23/86
- E-101 UCRL-95961 COPPER CORROSION IN IRRADIATED ENVIRONMENTS.  
PREPRINT THE INFLUENCE OF H<sub>2</sub>O<sub>2</sub> ON THE ELECTROCHEMISTRY  
OF COPPER DISSOLUTION IN HCl ELECTROLYTE, 12/86  
-/SMYRL, ET AL, for Materials Research Society  
Symposium, Boston, Ma.
- E-84 UCRL-95962 HYDROGEN SPECIATION IN HYDRATED LAYERS ON  
PREPRINT NUCLEAR WASTE GLASS  
-/AINES, ET AL, 1/15/87  
\*ARGONNE NATIONAL LABORATORY
- E-102 UCRL-96318 ELECTROMAGNETIC EXPERIMENT TO MAP IN SITU WATER  
IN HEATED WELDED TUFF; PRELIMINARY RESULTS  
-/RAMIREZ, ET AL, 3/87

• DW8 - SANDIA PUBLICATIONS ON FILE AT LAS VEGAS

- C-111 SAND85-7100 THE SPECTROM-31 COMPLIANT JOINT MODEL: A PRELIMINARY DESCRIPTION AND FEASIBILITY STUDY  
-/LABRECHE, ET AL 6/87
- C-120 SAND85-7102 CONCEPTUAL DESIGN OF FACILITIES FOR UNLOADING RADIOACTIVE WASTE FROM SHIPPING CASKS  
-/TOWNES, ET AL 8/87
- C-71 SAND85-7104 3 COPIES GROUND MOTION EVALUATIONS AT YUCCA MOUNTAIN, NEVADA WITH APPLICATIONS TO REPOSITORY CONCEPTUAL DESIGN AND SITING  
-/BLUME & ASSOCIATES
- C-83 SAND-85-7107 SUITABILITY OF NATURAL SOILS FOR FOUNDATIONS FOR SURFACE FACILITIES AT THE PROSPECTIVE YUCCA MOUNTAIN NUCLEAR WASTE REPOSITORY  
-/HO, ET AL
- C-127 SAND85-7111 INSTALLATION OF STEEL LINER IN BLIND HOLE STUDY, 9/87  
-/KENNY CONSTRUCTION COMPANY
- C-118 SAND85-7112 AN ENGINEERING STUDY OF THE IMPACT ON COSTS AND SCHEDULES OF USING A MONITORED RETRIEVABLE STORAGE FACILITY IN CONJUNCTION WITH A REPOSITORY IN TUFF AT YUCCA MOUNTAIN  
-/BECHTEL NATIONAL, INC
- C-84 SAND85-7114 HYDROLOGIC MECHANISMS GOVERNING PARTIALLY SATURATED FLUID FLOW IN FRACTURED WELDED UNITS AND POROUS NON-WELDED UNITS AT YUCCA MOUNTAIN  
-/WANG, ET AL
- C-110 SAND85-7115 NUMERICAL ANALYSES OF THE G-TUNNEL SMALL-DIAMETER HEATER EXPERIMENTS, 3/87  
-/BLANFORD, ET AL
- C-135 SAND85-7117 A FIRST SURVEY OF DISRUPTION SCENARIOS FOR A HIGH-LEVEL-WASTE REPOSITORY AT YUCCA MOUNTAIN, NEVADA  
-/ROSS 12/87
- C-92 SAND85-7118 FEASIBILITY EVALUATION FOR USING ELECTRIC DRIVE FOR TRANSPORTING NUCLEAR WASTE UNDERGROUND, 3/87  
PARSONS BRINCKERHOFF QUADE & DOUGLAS, INC.
- C-94 SAND86-0177 ROCK JOINT COMPLIANCE STUDIES, 4/87  
-/OLSSON



- C-122 SAND86-1571 EFFECT OF DRIFT VENTILATION ON REPOSITORY HYDROLOGY AND RESULTING SOLUTE TRANSPORT IMPLICATIONS  
-/HOPKINS, ET AL. 5/87
- C-136 SAND86-1955 PROPOSED PRELIMINARY DEFINITION OF THE DISTURBED-ZONE BOUNDARY APPROPRIATE FOR A REPOSITORY AT YUCCA MOUNTAIN  
-/LANGKOPF 12/87
- C-108 SAND86-2201 VERIFICATION OF GROUND MOTION DATA PROCESSING CODES, 5/87  
-/PHILLIPS
- C-137 SAND86-2533 METEOROLOGICAL TOWER DATA FOR THE YUCCA ALLUVIAL (YA) SITE AND YUCCA RIDGE (YR) SITE.  
7/83 - 10/84  
-/CHURCH, ET AL
- C-95 SAND86-7001 MODIFICATION OF ROCK MASS PERMEABILITY IN THE ZONE SURROUNDING A SHAFT IN FRACTURED, WELDED TUFF, 3/87  
-/CASE, ET AL
- C-131 SAND86-7004 DESIGN OF A MACHINE TO BORE & LINE A LONG HORIZONTAL HOLE IN TUFF, 9/87  
-/FRIANT, ET AL
- C-112 SAND86-7005 REFERENCE THERMAL AND THERMAL/MECHANICAL ANALYSES OF DRIFTS FOR VERTICAL AND HORIZONTAL EMPLACEMENT OF NUCLEAR WASTE IN A REPOSITORY IN TUFF, 5/87  
-/ST. JOHN
- C-113 SAND86-7011 INVESTIGATION OF EXCAVATION STABILITY IN A FINITE REPOSITORY, 5/87  
-/ST. JOHN, ET AL
- C-125 SAND86-7013 TECHNICAL BASIS AND PARAMETRIC STUDY OF GROUND MOTION AND SURFACE RUPTURE HAZARD EVALUATIONS AT YUCCA MOUNTAIN, NEVADA, 9/87  
-/BLUME & ASSOC.
- C-124 SAND86-7130 LABORATORY DETERMINATION OF THE MECHANICAL, ULTRASONIC AND HYDROLOGIC PROPERTIES OF WELDED TUFF FROM THE GROUSE CANYON HEATED BLOCK SITE, 8/87  
-/BOARD, ET AL
- C-105 SAND86-7133 ANALYSIS OF HORIZONTAL WASTE EMPLACEMENT BOREHOLES OF A NUCLEAR WASTE REPOSITORY IN TUFF, 3/87  
-/ARULMOJI, ET AL

- C-96 SAND85-7135 ONE-TWELFTH-SCALE MODEL OF HORIZONTAL EMPLACEMENT AND RETRIEVAL EQUIPMENT FOR RADIOACTIVE WASTE PACKAGES AT THE PROPOSED REPOSITORY IN TUFF, 12/84  
-/WHITE, ET AL
- C-133 SAND86-7136 SITE-GENERATED WASTE TREATMENT AND DISPOSAL STUDY, 10/87  
-/JARDINE, ET AL
- C-119 SAND87-0112 SIMPLE MODELS OF THE SATURATED ZONE AT YUCCA MOUNTAIN, 7/87  
-/BARR, ET AL
- C-101 SAND-87-0115 TECHNICAL CORRESPONDENCE IN SUPPORT OF THE SITE CHARACTERIZATION PLAN  
-/NIMICK, ET AL
- C-138 SAND87-0293C DRYING OF AN INITIALLY SATURATED FRACTURED VOLCANIC TUFF, 1/89  
-/RUSSO, ET AL
- C-139-A SAND87-1176 DESCRIPTION OF GROUND MOTION DATA PROCESSING  
C-139-B SAND87-1176 CODES, 2/88, VOLUMES I AND II  
-/SANDERS
- C-130 SAND87-1245 REPOSITORY WASTE-HANDLING EQUIPMENT  
UC-70 DEVELOPMENT PLAN, 11/87  
-/GLOWKA
- C-140 SAND87-1938C AN ANALYSIS OF THE G-TUNNEL HEATED BLOCK EXPERIMENT USING A COMPLIANT-JOINT ROCK-MASS MODEL, 1/88  
-/COSTIN
- C-61 SAND--7212 INVESTIGATIONS OF SENSITIVITY AND  
(PNL-5306) UNCERTAINTY IN SOME HYDROLOGIC MODELS OF YUCCA MOUNTAIN AND VICINITY  
-/JACOBSON, ET AL
- C-68 6310-85-1 RECOMMENDED MATRIX AND ROCK MASS BULK, MECHANICAL, AND THERMAL PROPERTIES FOR THERMOMECHANICAL STRATIGRAPHY OF YUCCA MOUNTAIN, VERSION 1, OCTOBER 1984  
-/NIMIC, ET AL

DWG - MISCELLANEOUS PUBLICATIONS ON FILE AT LAS VEGAS

- B-10 EGG 10282-2097 1984 BIOTIC STUDIES OF YUCCA MOUNTAIN, NEVADA TEST SITE, NYE COUNTY, NEVADA - 2/85  
\*EG&G  
-/COLLINS, ET AL.
- B-62 EGG 10282-2111 NEVADA NUCLEAR WASTE STORAGE INVESTIGATIONS: A REVIEW OF REQUIREMENTS FOR BIOLOGICAL INFORMATION IN FEDERAL, STATE, AND LOCAL ENVIRONMENTAL LAWS AND REGULATIONS, 1/87  
-/COLLINS, ET AL.  
\*EG&G
- B-59 GR-87-8 PROBABLE MAXIMUM FLOOD STUDY - 1/86  
\*ENGINEERING AND RESEARCH CENTER, DENVER, CO  
-/BULLARD
- B-11 HEDL-7452 (2 Copies) EVALUATION OF THE POTENTIAL FOR SPENT FUEL OXIDATION UNDER TUFF REPOSITORY CONDITIONS  
\*HANFORD ENGINEERING DEVELOPMENT LABORATORY  
-/EINZIGER, ET AL.
- B-12 HEDL-7455 ZIRCALOY CLADDING CORROSION DEGRADITION IN A TUFF REPOSITORY, INITIAL EXPERIMENTAL PLAN  
\*WESTINGHOUSE HANFORD COMPANY  
-/SMITH
- B-13 HEDL-7540 TECHNICAL TEST DESCRIPTION OF ACTIVITIES TO DETERMINE THE POTENTIAL FOR SPENT FUEL OXIDATION IN A TUFF REPOSITORY  
\*HANFORD ENGINEERING DEVELOPMENT LABORATORY  
-/ENZIGLER
- B-45 HEDL-7545 ZIRCALOY SPENT FUEL CLADDING ELECTROCHEMICAL CORROSION EXPERIMENT AT 170°C AND 120 PSIA H<sub>2</sub>O  
\*WESTINGHOUSE HANFORD COMPANY  
-/SMITH
- B-38 HEDL-7546 "C-RING" STRESS CORROSION CRACKING, SCOPING EXPERIMENT FOR ZIRCALOY SPENT FUEL CLADDING  
\*WESTINGHOUSE HANFORD COMPANY  
-/SMITH
- B-42 HEDL-7556 (2 copies) TEST PLAN FOR SERIES 2 THERMOGRAVIMETRIC ANALYSES OF SPENT FUEL OXIDATION  
\*WESTINGHOUSE HANFORD COMPANY  
-/EINZIGER, ET AL, PUBLISHED 2/86