

MAR 10 1993

Dr. Larry McKague
Geologic Setting Program Manager
Center for Nuclear Waste Regulatory Analyses
6220 Culebra Road
San Antonio, Texas 78228-0510

SUBJECT: COMPLETION OF INTERMEDIATE MILESTONE 5702-002-620-002
(COMPLIANCE DETERMINATION STRATEGY FOR RRT 3.2.1.4
POTENTIALLY ADVERSE CONDITION - EVIDENCE OF DISSOLUTION

Dear Dr. McKague:

The Nuclear Regulatory Commission staff has completed its review of the subject document transmitted by cover letter dated February 26, 1993. I have discussed the review with NRC lead staff (Dr. S. McDuffie) and found the subject document is an acceptable deliverable. In addition, as required by Section 7.2 of the Center's TOP-001-11 (Revision 1, Change 0), the subject Compliance Determination Strategy is approved by the NRC staff.

If you have any questions, please contact me at (301) 504-2532 or Dr. McDuffie at (301) 504-3460.

Sincerely,

131

Keith I. McConnell, Section Leader
Geology/Geophysics Section
NRC-GS Program Element Manager
Division of High-Level Waste Management

cc: M. Knapp, PMDA
B. Meehan, CAB1/ADM

DISTRIBUTION CNWRA-930049

PDR	LPDR	LSS	ACNW
Central File	BJYoungblood, HLWM	JJLinehan, HLWM	HLHP r/f
MVFederline, HLHP	RLBallard, HLGE	JHolonich, HLHP	NMSS r/f
BStiltenpole, PMDA	DBrooks, HLHP	CDefino, PMDA	WBrown, PMDA
SMcDuffie, HLGE	BLynn, HLWM		

OFC	HLGE	HLPD	HLGE	HLGE
NAME	SMcDuffie	MLee	KMcConnell	RBa
DATE	03/08/93	03/19/93	03/09/93	03/19/93

C = COVER

E = COVER & ENCLOSURE

N = NO COPY

9303190095 930310
PDR WASTE
WM-11 PDR

NH17 110
426.1
WM-11