

Peripheral Oxide

Utility: Comanche Peak 2

Assembly: GG01

Face: 1.0

Date: 10/20/03

Elevation	R02	R06	R08	R10	R12	R14
6.2	12.7	15.1	13.8	12.1	13.9	14.0
7.2	12.3	16.9	12.7	12.9	14.4	14.2
8.2	13.5	15.6	13.7	13.4	15.5	15.9
9.2	14.2	16.9	13.4	12.9	15.4	14.6
10.2	15.3	14.8	13.9	15.1	16.4	14.7
11.2	17.3	16.5	14.8	16.3	17.6	15.5
12.2	16.6	16.9	15.8	17.1	15.8	14.9
13.2	16.3	16.6	15.1	18.4	15.7	14.6
14.2	18.0	16.2	16.2	17.4	16.8	16.2
15.2	16.2	16.5	16.6	16.9	17.2	16.6
16.2	17.3	18.9	18.8	17.3	18.1	16.7
17.2	17.1	18.2	17.1	18.2	16.5	17.4
18.2	17.9	18.8	18.7	19.2	17.4	16.1
19.2	18.2	18.2	18.8	20.7	18.3	18.0
20.2	18.0	18.2	18.9	18.6	16.7	17.5
21.2	17.9	18.7	17.9	18.3	19.1	18.1
22.2	17.0	19.2	18.4	18.1	17.0	18.0
23.2	17.3	19.2	19.6	16.9	17.8	17.2
29.7	16.4	17.1	16.9	15.9	16.3	14.8
30.7	15.8	17.2	16.7	17.2	16.6	15.5
31.7	17.4	17.1	16.5	16.5	17.9	15.3
32.7	18.5	17.4	17.8	17.6	18.4	15.7
33.7	18.1	17.1	19.4	17.4	18.4	16.4
34.7	19.7	18.1	18.7	17.0	18.8	17.0
35.7	20.8	20.0	19.6	17.9	17.6	16.1
36.7	21.2	20.6	18.7	17.7	17.8	16.8
37.7	19.9	19.2	18.9	18.5	18.7	18.4
38.7	19.7	20.3	18.8	19.0	17.7	19.2
39.7	20.7	20.2	19.6	19.1	18.5	19.4
40.7	21.7	20.4	20.4	19.3	19.2	19.0
41.7	20.8	20.9	20.5	18.3	18.7	18.9
42.7	20.9	21.6	20.8	18.2	20.5	19.3
43.7	21.5	23.4	21.1	17.9	20.5	18.5
50.3	19.7	20.0	20.5	18.1	16.7	16.6
51.3	22.0	20.9	22.7	18.9	17.5	18.0
52.3	23.5	21.3	20.8	19.5	17.4	18.8
53.3	24.7	21.3	21.4	18.6	18.0	19.3
54.3	24.9	22.9	21.9	19.0	19.9	19.4
55.3	27.2	23.9	22.2	19.2	19.2	20.6
56.3	28.2	24.8	23.3	21.3	21.0	21.2
57.3	28.1	24.8	23.5	20.9	20.4	20.6

58.3	28.7	24.9	24.3	22.6	21.1	20.2
59.3	29.2	25.4	26.3	22.4	21.2	21.6
60.3	28.6	24.7	25.4	22.0	21.0	20.6
61.3	27.7	25.0	25.6	23.0	20.9	21.7
62.3	28.6	25.6	25.2	24.3	21.0	22.9
63.3	26.7	24.7	24.9	23.1	21.5	22.6
64.3	27.2	25.4	25.4	22.7	22.0	22.9

70.8	23.0	21.2	25.3	22.4	23.9	20.9
71.8	23.5	22.6	24.7	22.4	22.9	21.8
72.8	25.2	24.9	25.4	24.3	23.3	22.3
73.8	26.6	24.4	27.7	22.4	24.2	22.8
74.8	27.6	26.0	26.5	22.2	25.0	22.6
75.8	29.8	26.8	26.2	22.7	25.5	23.3
76.8	28.2	28.8	27.0	25.0	26.7	24.7
77.8	27.9	30.0	28.4	25.4	27.9	24.7
78.8	28.5	27.3	28.8	26.0	29.4	25.5
79.8	30.0	26.0	28.9	27.0	29.7	27.6
80.8	29.4	27.5	28.9	28.0	29.3	26.6
81.8	29.1	30.0	27.8	27.4	28.1	25.8
82.8	28.3	30.6	28.4	27.8	29.5	25.1
83.8	28.0	28.7	27.9	28.1	29.4	24.6
84.8	28.5	27.0	28.0	27.1	28.4	25.9

91.4	28.8	29.4	26.9	26.7	25.5	26.6
92.4	30.5	30.0	28.2	28.6	26.0	26.2
93.4	32.2	29.8	28.5	30.8	26.8	26.3
94.4	34.5	34.5	31.6	34.9	28.1	29.2
95.4	34.7	33.1	34.4	39.1	28.5	30.4
96.4	36.8	33.8	36.3	42.0	30.5	32.8
97.4	37.5	34.5	38.7	42.6	32.8	32.6
98.4	37.7	36.7	38.4	44.5	31.3	32.7
99.4	38.6	39.7	40.2	44.9	32.0	33.4
100.4	38.7	38.1	39.6	46.1	32.6	33.9
101.4	39.0	38.5	40.4	45.3	32.1	33.6
102.4	39.0	39.8	39.4	44.3	32.6	34.5
103.4	36.7	37.1	36.5	40.9	31.8	32.1
104.4	35.9	35.2	34.4	37.0	32.1	32.2
105.4	35.2	36.1	35.1	36.7	31.8	32.0


111.9	36.0	36.2	37.0	41.2	30.6	33.5
112.9	39.5	39.9	41.5	43.8	34.1	37.0
113.9	42.1	42.9	47.2	49.4	34.7	37.9
114.9	46.3	46.7	50.0	54.2	37.6	38.3
115.9	45.8	50.5	53.6	57.0	39.7	39.9
116.9	44.7	53.0	54.8	55.9	39.8	40.9
117.9	46.1	55.8	54.7	57.5	41.0	40.9
118.9	47.6	56.6	53.8	60.0	42.4	40.6
119.9	46.4	57.3	56.0	57.4	42.6	43.0

120.9	46.3	58.8	56.6	55.2	43.8	43.4
121.9	44.2	56.2	54.7	54.2	44.1	41.4
122.9	43.0	55.0	54.5	52.2	42.5	40.2
123.9	41.6	50.4	48.0	51.1	41.7	38.8
124.9	40.4	48.2	41.1	46.4	39.0	35.6
125.9	39.6	45.3	39.4	42.8	39.2	34.0

132.5	33.3	34.3	35.7	36.6	32.2	31.0
133.5	33.7	34.8	38.1	36.7	32.7	32.6
134.5	35.2	34.9	36.9	36.9	31.9	32.7
135.5	35.0	35.0	35.2	38.4	30.9	32.3
136.5	34.5	33.7	32.9	35.9	30.3	30.2
137.5	32.6	32.5	31.2	33.6	30.3	30.2
138.5	26.4	28.0	29.1	28.5	27.2	25.5
139.5	25.1	25.7	27.7	25.2	25.4	23.5
140.5	25.5	24.6	28.0	24.4	24.8	25.2
141.5	24.1	24.4	25.5	23.6	23.7	24.3
142.5	23.3	24.1	25.8	23.4	23.1	22.6
143.5	21.7	27.0	23.0	22.2	22.7	22.0
144.5	19.7	25.4	20.9	19.4	20.9	20.8
145.5	18.9	21.9	21.8	19.1	19.5	18.8
146.5	18.6	20.7	21.8	18.8	18.9	18.4

Max	47.64	58.8	56.59	59.95	44.09	43.44
-----	-------	------	-------	-------	-------	-------


### Peripheral Rod Oxide ( Comanche Peak 2, EOC7, FA GG0







7, FA GG01, FACE 1)



FR12 FR14





