

Peripheral Oxide


Utility: Comanche Peak 2

Assembly: HH39

Face: 2

Date: 14-Oct-2003

Elevation	R02	R06	R08	R10	R12	R14
6.2	6.6	12.2	12.1	13.5	11.1	12.1
7.2	5.3	12.3	11.4	12.4	10.7	13.3
8.2	6.2	11.3	12.4	13.8	13.1	14.1
9.2	6.5	10.7	11.6	12.5	12.0	14.1
10.2	8.1	11.9	13.3	13.9	13.5	14.4
11.2	9.8	12.1	14.0	14.4	12.8	14.9
12.2	8.4	11.8	13.8	13.7	13.3	14.4
13.2	9.5	12.4	15.2	15.3	15.2	15.8
14.2	8.0	13.0	14.0	14.6	14.1	13.9
15.2	8.4	13.0	15.3	15.7	15.7	16.3
16.2	8.9	14.8	16.0	15.7	15.6	17.0
17.2	7.7	13.8	15.5	15.3	15.1	15.7
18.2	9.5	15.7	16.6	16.8	16.5	16.5
19.2	8.1	15.7	14.6	15.7	14.8	15.2
20.2	9.3	15.7	14.9	16.7	16.0	16.5
21.2	9.1	16.6	15.6	17.4	16.7	16.6
22.2	8.6	16.4	14.7	16.3	15.5	15.8
23.2	10.9	16.4	14.7	16.3	15.5	16.8
29.7	12.5	13.4	12.5	12.5	13.0	13.8
30.7	13.2	13.7	12.9	14.7	15.1	15.7
31.7	13.0	14.8	13.6	14.6	14.2	15.9
32.7	14.5	14.7	13.6	14.7	16.5	15.7
33.7	16.6	16.8	14.5	15.6	16.1	15.2
34.7	15.1	16.5	13.8	14.2	14.1	14.8
35.7	16.0	17.8	15.5	15.0	16.1	16.2
36.7	16.1	17.0	15.3	15.1	15.5	15.8
37.7	15.9	16.9	15.7	16.5	15.7	15.4
38.7	17.6	18.5	17.4	16.8	16.1	16.4
39.7	16.9	17.8	16.6	16.6	16.2	15.1
40.7	18.0	18.0	18.3	17.2	18.0	16.9
41.7	17.2	18.0	17.8	17.6	18.3	16.8
42.7	16.8	16.8	17.6	17.5	17.8	16.8
43.7	17.9	15.6	17.6	17.5	15.5	16.8
50.3	12.9	13.8	11.3	11.0	10.4	11.4
51.3	13.7	14.1	11.3	10.2	10.9	12.0
52.3	14.0	12.2	11.4	9.5	12.6	12.3
53.3	16.1	14.1	13.2	11.3	13.0	13.3
54.3	15.7	13.7	12.8	11.0	11.3	12.7
55.3	15.2	14.4	14.0	12.9	12.9	14.3
56.3	16.0	15.5	12.9	12.3	13.4	13.4
57.3	15.7	14.8	13.7	12.5	12.7	14.5



58.3	16.8	15.4	14.3	13.5	13.5	14.6
59.3	16.6	15.3	14.2	12.5	13.7	13.6
60.3	15.3	15.0	15.0	14.2	14.9	15.0
61.3	16.3	15.8	14.1	13.9	13.9	14.6
62.3	14.5	15.4	14.3	14.1	13.8	14.4
63.3	15.7	15.6	15.7	15.0	15.1	16.0
64.3	15.7	16.3	15.0	14.7	14.8	13.7

70.8	10.6	11.0	10.0	11.0	11.8	10.7
71.8	8.8	9.7	9.2	10.5	11.4	10.6
72.8	11.5	11.0	10.4	12.3	13.0	12.7
73.8	11.9	12.1	10.0	11.5	13.2	12.6
74.8	13.1	12.1	10.8	13.2	13.0	12.7
75.8	13.9	13.4	12.3	14.1	14.4	14.4
76.8	12.7	12.8	10.9	12.7	12.6	12.4
77.8	14.7	14.3	12.6	14.0	14.6	15.0
78.8	13.9	13.4	12.0	13.8	14.5	14.0
79.8	13.5	13.7	12.2	13.0	14.1	13.5
80.8	14.4	13.7	13.5	14.7	14.8	14.4
81.8	12.9	12.2	12.3	14.0	11.8	14.1
82.8	13.1	13.7	13.8	15.6	14.4	15.1
83.8	13.0	14.4	13.3	14.5	14.2	13.2
84.8	13.6	14.3	12.9	14.1	12.8	13.6

91.4	10.6	11.3	9.9	9.3	7.0	6.4
92.4	10.8	12.0	10.1	9.2	8.3	7.5
93.4	11.9	12.3	10.1	8.8	9.5	7.4
94.4	13.7	14.1	10.6	9.5	9.8	8.2
95.4	13.8	14.0	10.6	9.4	10.7	9.8
96.4	15.6	15.6	11.9	11.6	10.0	8.2
97.4	15.1	14.4	12.2	11.9	12.1	10.6
98.4	14.9	15.5	12.5	12.5	12.9	10.9
99.4	15.7	15.8	13.7	13.8	11.6	11.2
100.4	15.1	14.3	12.4	12.4	12.6	12.6
101.4	15.5	15.9	13.9	13.7	11.5	10.4
102.4	14.8	15.9	13.3	12.6	12.9	12.6
103.4	13.3	16.0	12.8	13.3	11.9	11.0
104.4	14.1	16.2	13.7	14.0	11.8	11.8
105.4	14.4	16.2	12.5	13.8	14.3	14.3


111.9	13.8	13.6	14.8	11.8	14.9	11.0
112.9	13.5	12.0	12.7	10.8	13.8	12.2
113.9	14.4	13.2	13.9	11.5	15.6	11.6
114.9	15.8	14.7	13.3	11.1	17.1	11.9
115.9	16.1	15.5	13.7	11.3	17.2	14.0
116.9	18.4	17.1	15.2	12.8	18.3	12.5
117.9	18.4	16.9	14.7	12.4	17.6	13.6
118.9	18.6	18.1	16.2	14.3	20.3	14.8
119.9	18.2	18.1	15.5	14.3	19.2	13.4

120.9	17.2	17.8	15.0	14.2	18.3	14.9
121.9	17.0	18.7	16.1	15.3	19.9	14.3
122.9	16.3	16.5	14.7	14.3	18.4	16.1
123.9	17.1	16.5	16.5	16.1	17.0	15.9
124.9	17.3	17.0	16.3	15.5	16.9	14.9
125.9	17.1	15.9	15.3	14.4	15.8	16.8


132.5	11.2	10.6	10.6	13.1	12.0	15.0
133.5	11.2	12.0	10.4	12.4	11.7	14.3
134.5	13.5	12.6	12.1	13.3	14.1	15.1
135.5	13.4	13.9	11.8	13.6	12.8	15.4
136.5	12.4	12.7	11.7	13.7	12.2	14.2
137.5	13.7	13.0	12.8	14.1	13.2	15.1
138.5	11.7	11.4	11.4	12.6	11.9	14.3
139.5	11.6	11.3	11.3	12.5	11.6	13.7
140.5	11.6	11.7	12.0	13.0	12.6	14.4
141.5	10.3	10.3	11.1	12.2	11.4	12.6
142.5	10.9	12.0	12.4	13.4	11.8	13.8
143.5	10.0	10.4	10.8	11.2	10.2	13.3
144.5	8.0	10.3	9.9	10.2	10.4	13.1
145.5	8.5	10.4	10.3	9.5	11.0	14.8
146.5	8.1	8.9	9.6	9.6	9.5	13.7

max	18.6	18.7	18.3	17.6	20.3	17.0
-----	------	------	------	------	------	------

Peripheral Rod Oxide (Comanche Peak 2, FA HH39, FACE 2)



ACE 2)



R14

