

Peripheral Oxide


Utility: Comanche Peak 2

Assembly: JJ23

Face: 3

Date: 15-Oct-2003

Elevation	R02	R06	R08	R10	R12	R14
6.2	8.8	9.0	11.0	8.9	9.5	7.6
7.2	8.8	9.6	12.0	8.9	8.9	9.6
8.2	9.0	10.5	11.5	8.3	9.5	10.5
9.2	10.1	10.7	12.1	9.3	11.1	11.3
10.2	9.5	11.9	12.0	9.5	10.7	10.8
11.2	10.4	12.5	12.1	10.2	11.1	11.7
12.2	12.0	12.9	12.7	10.4	10.8	12.4
13.2	11.4	12.8	12.0	10.6	11.1	12.1
14.2	13.2	13.8	13.5	10.7	11.7	12.7
15.2	12.4	13.6	13.2	11.9	11.0	12.6
16.2	12.3	12.6	12.7	11.7	11.5	12.8
17.2	13.6	13.4	14.6	11.5	12.5	13.4
18.2	12.5	13.5	13.4	11.9	11.9	13.8
19.2	13.7	14.5	13.0	11.8	12.7	14.0
20.2	14.2	12.9	13.5	11.9	13.0	13.6
21.2	13.9	13.0	12.7	12.7	13.4	13.9
22.2	14.7	13.3	13.7	13.0	14.5	13.5
23.2	14.1	12.5	14.8	13.2	14.6	13.0
29.7	12.4	10.8	13.2	10.5	12.1	12.3
30.7	12.6	10.6	13.2	8.7	10.7	13.8
31.7	13.0	10.5	13.1	9.7	11.5	13.1
32.7	12.8	11.2	12.6	9.5	11.8	13.1
33.7	14.9	10.6	12.5	9.3	11.9	13.4
34.7	15.3	11.6	13.9	10.7	11.6	14.4
35.7	15.0	12.5	12.9	10.8	11.5	13.6
36.7	15.3	13.1	13.6	12.4	12.5	13.3
37.7	15.0	12.0	13.9	12.2	12.6	13.4
38.7	15.2	13.3	13.2	12.2	12.9	13.5
39.7	15.3	14.1	13.2	13.0	12.7	14.0
40.7	14.7	13.9	13.8	13.2	12.3	14.1
41.7	15.3	14.1	13.7	13.2	13.4	14.0
42.7	15.4	14.1	14.0	13.8	13.4	14.1
43.7	14.3	14.7	12.9	14.3	13.6	14.2
50.3	14.0	14.0	13.2	12.5	12.1	11.7
51.3	13.2	13.5	14.5	13.4	11.9	13.4
52.3	13.8	13.7	14.5	14.4	12.3	13.0
53.3	14.3	13.6	13.9	13.9	12.9	13.7
54.3	14.5	14.1	14.3	15.3	13.4	13.3
55.3	14.9	14.3	15.0	14.7	12.7	14.1
56.3	16.1	14.2	14.7	14.3	12.3	15.1
57.3	16.2	15.9	14.6	15.2	12.5	17.2
58.3	15.5	15.2	14.3	16.6	12.5	15.5
59.3	15.3	14.4	14.8	16.7	13.0	15.4



60.3	14.8	15.3	14.3	15.5	12.6	15.1
61.3	13.8	15.1	14.3	16.3	13.1	14.9
62.3	15.0	14.4	15.1	16.1	12.9	15.6
63.3	15.3	14.6	14.2	14.7	12.2	14.9
64.3	15.1	15.0	15.0	15.1	12.7	14.5


70.8	14.2	14.6	12.4	12.5	11.7	12.1
71.8	15.2	15.2	14.0	12.4	12.3	14.0
72.8	12.9	14.1	12.7	13.0	12.4	13.8
73.8	14.3	14.3	12.2	12.9	13.1	13.6
74.8	15.1	17.3	11.9	12.8	13.9	13.8
75.8	15.3	17.1	13.6	14.3	13.9	14.2
76.8	16.5	17.2	13.7	14.2	15.3	14.3
77.8	17.2	17.3	14.6	13.6	15.2	14.3
78.8	17.3	17.4	16.0	13.7	15.9	14.2
79.8	15.9	17.3	15.3	13.9	15.7	15.6
80.8	15.5	16.3	15.8	14.2	16.3	14.5
81.8	14.7	17.1	16.0	14.7	16.7	14.9
82.8	14.4	17.1	15.9	14.6	16.7	14.9
83.8	14.7	16.8	16.4	15.5	15.9	14.5
84.8	14.7	17.4	17.4	15.9	16.9	15.5

91.4	13.8	14.1	14.8	12.2	14.7	14.6
92.4	15.6	14.9	15.0	11.0	13.9	14.3
93.4	16.2	15.2	15.5	12.6	14.3	15.5
94.4	16.0	14.7	15.0	11.3	14.6	15.1
95.4	16.6	15.3	15.1	12.2	15.4	16.1
96.4	17.5	15.6	15.7	12.1	16.3	16.5
97.4	17.4	15.9	16.1	12.3	16.1	16.8
98.4	16.8	15.9	17.0	13.5	16.9	17.6
99.4	17.8	15.2	16.4	13.6	16.7	16.0
100.4	17.3	16.0	16.8	14.4	16.9	15.8
101.4	17.9	16.4	16.5	15.0	17.7	15.8
102.4	17.5	15.5	16.9	15.2	18.2	14.9
103.4	17.3	16.6	16.8	16.0	18.8	14.6
104.4	17.3	16.7	16.5	16.6	18.3	14.7
105.4	16.4	15.9	16.1	15.9	17.6	14.6

111.9	13.2	14.5	15.8	14.6	15.0	14.9
112.9	13.3	14.7	15.2	14.9	15.6	15.2
113.9	12.5	14.1	14.9	15.0	15.3	15.9
114.9	13.2	14.5	15.5	14.4	15.8	17.4
115.9	13.8	14.2	15.5	14.1	15.3	17.9
116.9	14.0	14.5	16.6	15.7	16.2	18.4
117.9	14.5	15.3	17.2	16.1	17.2	19.0
118.9	15.2	15.8	17.2	16.1	16.7	17.7
119.9	15.9	15.5	17.3	16.1	16.9	17.9
120.9	16.6	14.9	17.5	16.3	17.1	18.2
121.9	16.6	15.7	16.6	15.9	17.0	18.5
122.9	16.4	15.4	17.3	15.8	17.8	18.3
123.9	15.3	15.0	16.3	16.4	17.1	17.5

124.9	16.0	15.6	15.8	17.2	16.4	17.6
125.9	16.2	17.6	15.6	17.0	16.6	16.4
132.5	15.8	13.6	14.7	13.7	14.3	12.7
133.5	15.7	13.3	14.3	14.5	13.9	13.4
134.5	15.2	13.2	14.0	13.4	14.2	14.3
135.5	15.4	12.8	13.6	12.9	14.7	13.8
136.5	16.5	13.0	13.4	13.3	13.7	13.7
137.5	15.1	14.1	12.6	13.5	14.0	13.0
138.5	14.4	13.9	12.2	12.7	13.8	13.6
139.5	15.9	12.9	12.5	12.5	12.6	12.5
140.5	12.6	14.5	12.6	12.3	12.0	12.5
141.5	11.3	13.5	11.5	11.9	12.2	12.1
142.5	11.1	12.7	11.8	10.9	12.0	11.3
143.5	11.4	12.1	12.9	11.5	11.5	11.0
144.5	10.9	12.8	13.2	11.6	10.8	11.8
145.5	9.9	12.8	11.2	10.5	9.4	10.3
146.5	9.4	11.6	10.5	10.6	9.7	9.8
max	17.9	17.6	17.5	17.2	18.8	19.0

Peripheral Rod Oxide (Comanche Peak 2, FA JJ23, FACE 3)



(CE 3)

