

Peripheral Oxide


Utility: Comanche Peak 2

Assembly: JW01

Face: 1

Date: 15-Oct-2003


Elevation	R02	R06	R08	R10	R12	R14
5.1	-1.7	-1.0	-0.7	-2.2	-1.4	-2.7
6.1	0.3	-1.6	-2.2	-1.3	-2.2	-1.6
7.1	0.0	0.4	-1.0	-2.0	-1.3	-0.1
8.1	1.6	-0.4	-1.3	-2.0	-1.4	-0.3
9.1	1.0	0.8	-0.5	-1.0	0.1	1.5
10.1	1.3	0.2	0.4	-1.6	0.6	0.8
11.1	0.9	0.1	-0.3	-1.3	0.4	1.5
12.1	1.6	1.8	0.6	-0.9	1.0	1.6
13.1	1.5	1.6	0.3	0.2	1.1	1.5
14.1	0.9	1.6	1.6	-1.0	1.8	1.5
15.1	1.4	1.5	0.8	-0.7	1.1	1.4
16.1	0.5	2.2	1.0	0.4	2.1	2.0
17.1	1.6	1.7	1.7	0.4	1.7	2.2
18.1	1.2	2.0	1.6	0.4	1.5	2.0
19.1	2.3	2.5	2.0	1.4	1.7	2.0
20.1	1.9	2.5	0.9	1.7	1.8	2.5
21.1	1.4	2.2	2.0	1.7	2.8	2.9
22.1	2.2	1.8	2.2	3.2	1.9	4.9
23.1	0.8	2.3	2.7	1.1	2.6	2.4
29.5	0.6	0.5	0.6	1.6	0.0	-0.1
30.5	-0.1	0.5	-0.1	2.7	-0.4	0.0
31.5	-0.5	0.4	0.7	1.9	-0.2	0.6
32.5	-0.4	0.2	-0.6	2.1	0.4	0.5
33.5	-0.4	0.3	0.7	2.4	0.9	1.2
34.5	0.3	0.6	0.4	2.6	1.0	0.8
35.5	1.1	0.7	1.1	2.3	1.3	1.7
36.5	2.0	2.8	0.9	2.4	1.4	2.5
37.5	0.6	2.6	2.3	3.1	3.9	2.5
38.5	1.9	3.4	2.9	2.9	3.7	2.7
39.5	0.8	3.2	2.5	2.5	4.0	2.9
40.5	0.8	2.1	4.5	4.6	3.4	4.0
41.5	1.9	1.6	3.8	3.8	3.9	3.2
42.5	2.1	2.0	3.3	4.4	3.9	3.3
43.5	3.6	2.7	2.8	4.7	2.7	4.3
50.1	2.5	4.8	3.1	3.1	5.5	3.5
51.1	2.1	3.2	3.9	3.7	5.9	3.9
52.1	3.9	3.7	3.3	3.3	5.8	3.2
53.1	4.0	3.6	2.7	4.3	6.0	3.0
54.1	5.1	3.8	5.1	5.1	6.4	4.1
55.1	7.6	4.2	4.1	4.8	6.2	3.8
56.1	7.0	5.3	5.8	5.4	6.3	4.8
57.1	5.9	5.6	5.7	6.2	7.4	5.0
58.1	6.7	5.3	6.7	5.8	7.5	5.7



59.1	7.5	5.6	7.7	7.2	8.1	6.0
60.1	6.9	6.0	8.0	7.4	7.5	6.7
61.1	6.8	6.5	8.4	7.1	8.4	7.4
62.1	6.9	7.4	8.1	6.5	7.5	7.7
63.1	7.3	5.7	7.6	5.5	7.6	7.5
64.1	6.8	6.1	7.9	5.9	7.6	7.9
70.7	2.9	5.1	4.8	4.3	4.1	3.7
71.7	3.8	5.2	6.7	4.8	5.9	5.5
72.7	3.2	4.3	4.7	4.6	5.8	4.6
73.7	3.3	4.4	5.1	5.1	5.3	5.8
74.7	3.9	5.5	6.6	5.6	5.0	4.4
75.7	3.6	5.4	6.8	5.9	5.3	5.3
76.7	4.6	6.4	6.1	6.7	6.1	6.2
77.7	5.1	7.6	6.0	7.1	5.1	5.9
78.7	5.8	8.5	6.6	7.0	5.4	6.7
79.7	5.6	7.8	8.5	8.5	5.7	6.9
80.7	6.1	7.0	6.4	8.2	6.5	6.9
81.7	5.9	8.3	6.9	8.4	5.8	7.9
82.7	6.7	8.1	6.6	7.5	6.3	7.5
83.7	7.0	8.4	7.5	8.0	6.4	7.8
84.7	7.0	9.3	8.0	7.7	7.0	8.5
91.2	5.9	7.6	8.1	7.2	5.2	4.8
92.2	6.0	7.2	6.7	7.3	5.2	6.2
93.2	5.5	6.6	6.2	8.1	5.1	6.4
94.2	5.8	6.4	6.5	7.5	5.4	7.1
95.2	5.6	6.3	7.6	8.4	5.3	6.9
96.2	6.6	7.9	9.2	7.8	5.8	6.7
97.2	7.7	7.8	10.1	8.3	6.9	7.7
98.2	7.5	8.8	11.1	8.5	8.3	7.2
99.2	8.2	9.1	11.7	9.3	7.0	8.6
100.2	7.4	9.6	13.1	9.3	8.6	8.2
101.2	7.0	8.2	11.1	9.2	8.2	7.7
102.2	7.8	9.3	12.4	11.6	9.5	8.3
103.2	8.5	9.7	11.4	11.0	8.9	7.3
104.2	7.2	9.7	11.8	11.6	8.8	7.5
105.2	7.7	9.7	12.3	11.3	8.3	8.0
111.8	6.2	10.5	6.5	7.3	6.2	5.4
112.8	6.4	9.8	5.8	6.8	6.6	5.0
113.8	6.8	8.0	6.1	6.7	6.6	5.9
114.8	8.3	8.7	6.0	7.0	7.2	5.7
115.8	8.1	8.2	7.3	6.9	7.9	6.9
116.8	8.9	9.5	8.5	7.3	8.7	6.0
117.8	9.0	10.4	10.1	8.1	8.4	7.3
118.8	9.3	9.5	9.7	7.7	8.6	7.5
119.8	9.5	11.1	10.7	10.2	10.2	8.6
120.8	9.6	12.0	10.2	9.6	9.8	9.4
121.8	9.8	11.1	10.6	10.3	10.9	9.2
122.8	9.5	10.2	10.3	11.1	11.0	10.0
123.8	8.9	10.4	10.0	9.8	10.2	8.9

124.8	8.8	10.7	11.9	10.7	10.8	10.5
125.8	8.9	10.9	11.1	9.6	10.7	8.6
132.3	7.1	8.7	8.7	7.4	7.1	5.9
133.3	5.9	8.0	7.8	7.1	6.6	6.1
134.3	7.7	8.8	6.9	7.0	6.5	5.3
135.3	7.1	10.0	7.9	6.5	5.6	6.4
136.3	7.9	10.0	6.4	7.1	6.2	5.8
137.3	7.8	11.5	9.2	6.6	6.3	6.1
138.3	7.8	11.5	7.8	6.5	6.6	5.8
139.3	9.3	14.6	9.6	6.5	5.0	5.0
140.3	7.0	10.8	7.3	6.1	5.5	5.8
141.3	8.4	10.5	8.2	6.0	5.5	4.1
142.3	7.2	7.4	9.1	5.4	7.4	5.0
143.3	8.9	7.8	6.9	4.9	5.4	4.0
144.3	6.8	6.4	9.1	3.1	4.5	4.6
145.3	5.6	5.3	7.2	2.7	3.4	3.0
146.3	6.6	6.8	6.4	3.0	3.5	3.0
max	9.8	14.6	13.1	11.6	11.0	10.5

Peripheral Rod Oxide (Comanche Peak 2, FA JW01, FACE 1)



ACE 1)

