

Peripheral Oxide


Utility: Comanche Peak 2

Assembly: JW01

Face: 2

Date: 15-Oct-2003

Elevation	R02	R06	R08	R10	R12	R14
5.1	-0.6	-1.9	-0.4	-1.3	0.0	-1.3
6.1	-0.4	-0.6	-0.3	-0.8	0.0	-0.5
7.1	-0.3	0.6	0.2	0.6	0.3	1.1
8.1	-0.3	-0.3	0.9	-0.2	0.8	0.7
9.1	3.2	0.7	0.7	0.1	1.0	1.7
10.1	1.1	0.7	1.8	2.8	1.7	2.2
11.1	2.1	2.0	1.6	1.0	2.1	2.3
12.1	1.6	3.0	2.8	1.4	1.3	2.0
13.1	2.4	4.4	3.0	1.3	2.1	2.3
14.1	0.9	4.3	3.7	2.0	1.7	2.5
15.1	2.1	2.6	3.0	2.4	2.9	3.0
16.1	1.7	3.0	2.1	1.3	2.2	2.3
17.1	2.0	2.7	2.7	1.7	3.0	2.5
18.1	2.9	4.3	2.8	2.5	3.4	3.2
19.1	1.7	3.5	2.9	1.9	3.4	2.9
20.1	3.3	4.3	3.0	2.8	4.2	2.6
21.1	2.5	4.7	3.6	3.6	3.3	2.6
22.1	3.2	4.2	3.4	3.3	3.6	3.6
23.1	2.8	4.8	4.3	3.1	2.7	4.0
29.5	1.7	3.0	3.5	2.1	2.0	3.1
30.5	0.3	1.6	3.4	1.5	2.4	3.4
31.5	0.2	1.7	4.4	1.1	1.2	4.0
32.5	1.7	2.2	3.8	3.7	1.7	4.4
33.5	2.5	2.6	4.5	1.3	0.8	3.8
34.5	2.3	2.2	4.1	2.0	1.6	4.7
35.5	3.2	3.3	4.6	3.1	3.6	5.0
36.5	4.0	2.5	4.2	2.4	3.0	5.1
37.5	3.7	3.9	5.9	3.8	3.4	5.8
38.5	4.0	3.7	5.5	3.8	3.9	5.1
39.5	3.4	4.4	7.1	3.1	4.1	6.6
40.5	3.3	4.0	8.0	3.7	4.8	6.9
41.5	3.3	4.0	7.2	4.3	3.8	5.4
42.5	3.1	4.8	7.3	4.2	3.5	5.7
43.5	3.8	4.2	8.0	4.8	3.7	5.4
50.1	2.1	4.4	4.9	3.2	2.5	2.9
51.1	1.9	4.6	4.5	3.6	3.8	3.0
52.1	1.5	3.6	3.6	2.8	2.7	2.6
53.1	1.8	3.4	4.6	4.1	4.3	2.4
54.1	2.3	3.3	4.0	3.5	4.7	2.1
55.1	2.7	4.5	4.5	2.8	4.9	2.4



56.1	2.6	5.5	4.7	3.4	5.5	3.2
57.1	2.8	5.6	4.9	2.8	4.9	4.3
58.1	2.5	6.1	4.5	3.7	6.0	3.4
59.1	3.2	5.9	5.5	4.8	5.6	4.4
60.1	2.1	6.7	6.1	4.8	6.1	4.3
61.1	3.2	6.9	6.3	4.8	6.3	4.3
62.1	2.6	5.8	5.6	4.9	6.1	5.6
63.1	2.9	6.1	5.6	5.3	7.1	6.1
64.1	3.4	6.6	6.2	5.6	6.7	6.8

70.7	2.1	3.4	5.2	4.3	4.8	6.5
71.7	0.5	1.8	5.0	4.2	4.5	5.6
72.7	1.1	1.5	4.9	2.6	4.0	5.6
73.7	2.4	1.5	5.0	3.6	5.2	6.2
74.7	1.7	2.6	4.4	3.6	4.9	6.5
75.7	3.5	2.3	4.7	3.2	5.0	6.9
76.7	3.8	3.0	4.4	5.9	4.3	7.0
77.7	3.9	3.4	6.0	5.2	5.7	6.8
78.7	4.1	4.0	6.2	5.0	6.1	6.5
79.7	4.8	5.1	6.3	6.5	6.1	7.2
80.7	5.4	6.2	6.6	6.5	7.8	7.2
81.7	6.2	5.6	7.3	6.8	7.6	8.3
82.7	5.7	5.1	7.8	6.9	7.8	7.9
83.7	5.8	6.1	8.8	7.9	8.3	8.4
84.7	6.5	5.5	7.4	7.2	7.4	8.6

91.2	4.5	4.7	7.2	5.5	6.8	7.0
92.2	3.7	6.2	7.1	5.1	5.9	6.6
93.2	5.0	5.8	6.4	4.8	6.3	6.6
94.2	4.2	5.7	6.5	5.1	5.1	7.2
95.2	4.4	5.4	6.6	5.0	5.6	6.8
96.2	5.1	6.0	6.4	4.6	6.1	8.4
97.2	5.4	6.0	6.5	5.2	5.7	7.9
98.2	5.4	6.0	8.1	5.9	5.1	9.0
99.2	6.1	6.6	8.9	7.5	5.9	10.1
100.2	6.5	7.2	8.2	6.8	5.9	9.4
101.2	7.0	8.0	8.5	7.2	7.4	10.4
102.2	6.5	7.8	8.9	7.8	7.5	10.2
103.2	7.1	7.9	9.4	7.8	7.7	9.9
104.2	7.1	8.1	8.8	7.7	7.5	10.7
105.2	6.6	9.2	8.5	7.7	7.2	11.0


111.8	5.6	6.2	7.9	6.7	6.8	8.1
112.8	3.8	4.3	7.1	6.8	7.4	9.0
113.8	5.4	4.7	7.4	6.9	6.7	8.6
114.8	3.9	4.1	6.7	6.6	7.3	9.0
115.8	3.7	4.1	6.3	5.8	6.8	8.7
116.8	5.3	3.8	6.8	5.8	7.3	8.9
117.8	5.7	4.7	5.7	6.3	7.7	9.0

118.8	6.4	4.5	6.4	6.1	8.0	8.4
119.8	5.9	5.5	6.8	6.5	9.7	8.9
120.8	6.3	4.8	6.3	7.2	8.5	9.3
121.8	6.8	5.3	6.9	7.6	10.1	9.4
122.8	6.6	5.4	7.0	7.9	9.3	9.4
123.8	7.2	6.2	7.2	7.3	9.9	9.9
124.8	6.6	6.1	7.2	8.4	10.5	9.6
125.8	6.9	6.4	7.0	8.7	8.9	9.4

132.3	4.8	4.4	5.5	6.3	8.0	6.2
133.3	3.8	4.5	5.8	5.4	7.3	5.2
134.3	3.9	3.5	5.5	4.7	8.6	5.7
135.3	3.6	3.7	6.4	6.7	9.6	5.6
136.3	3.2	2.8	6.4	6.5	8.5	5.2
137.3	2.9	3.8	7.2	5.1	8.7	5.5
138.3	2.4	2.4	5.7	4.8	5.9	4.8
139.3	2.9	2.4	5.8	6.0	6.8	5.0
140.3	2.6	3.1	5.0	6.1	5.5	3.9
141.3	2.6	3.4	5.9	5.1	6.0	4.4
142.3	1.6	3.7	5.8	6.1	5.6	3.9
143.3	2.5	2.7	5.7	4.5	5.4	3.8
144.3	1.3	3.7	7.3	3.6	6.3	3.3
145.3	1.5	3.4	5.8	2.9	4.1	2.1
146.3	1.1	3.6	5.6	2.4	4.7	3.0

max	7.2	9.2	9.4	8.7	10.5	11.0
-----	-----	-----	-----	-----	------	------

Peripheral Rod Oxide (Comanche Peak 2, FA JW01, FACE 2)



ACE 2)

