

Peripheral Oxide


Utility: Comanche Peak 2

Assembly: JW06

Face: 2

Date: 16-Oct-2003

Elevation	R02	R06	R08	R10	R12	R14
5.1	-0.3	0.6	0.2	-0.2	-1.7	-2.8
6.1	0.6	-0.6	-0.6	-0.1	-1.9	-1.9
7.1	0.8	0.5	3.5	1.4	-1.0	-0.1
8.1	0.0	0.4	0.1	1.7	-1.7	-0.8
9.1	1.9	0.3	1.4	4.3	-0.8	-0.8
10.1	1.7	1.8	0.9	2.5	-0.5	-0.8
11.1	3.2	1.8	1.0	3.9	1.5	0.4
12.1	2.5	2.6	1.1	2.5	1.2	0.2
13.1	3.6	2.7	1.4	2.2	0.9	1.2
14.1	2.2	4.0	1.9	1.5	1.1	0.6
15.1	3.3	3.7	1.4	2.0	0.3	1.1
16.1	3.7	3.6	3.7	1.6	0.9	3.0
17.1	2.9	5.1	2.2	2.5	0.4	3.1
18.1	5.3	4.1	1.8	2.6	1.6	2.8
19.1	6.5	4.6	3.0	4.3	1.4	2.5
20.1	4.8	3.1	3.0	3.0	1.7	1.0
21.1	5.0	3.8	5.7	3.6	3.1	1.1
22.1	3.3	2.8	1.8	4.1	2.7	2.0
23.1	4.0	3.4	2.2	3.2	1.8	0.9
29.5	0.0	2.4	0.9	2.0	1.2	1.0
30.5	1.0	2.1	0.9	1.7	0.4	1.6
31.5	1.9	2.3	2.1	1.1	1.0	1.6
32.5	1.7	2.8	1.3	1.1	0.3	1.8
33.5	2.9	2.5	1.3	1.2	0.7	2.4
34.5	1.8	3.0	2.6	1.0	0.3	1.5
35.5	2.1	3.1	2.2	0.8	1.6	2.8
36.5	2.4	4.5	2.9	1.8	2.0	2.0
37.5	2.7	5.6	3.6	1.4	2.3	2.1
38.5	4.1	5.6	5.0	2.1	1.8	4.2
39.5	4.3	4.9	4.6	3.6	2.7	3.5
40.5	4.7	3.8	4.7	3.8	3.1	4.1
41.5	4.7	4.6	5.6	4.4	1.8	4.4
42.5	4.9	3.5	4.1	3.0	2.8	3.8
43.5	5.2	5.2	5.3	4.6	3.1	4.2
50.1	4.9	3.1	4.9	5.7	4.5	4.0
51.1	5.1	4.0	5.1	4.8	3.3	3.1
52.1	5.5	3.9	3.8	4.8	3.4	4.8
53.1	4.9	3.8	4.8	4.7	2.8	4.3
54.1	4.7	4.6	5.2	4.8	3.0	5.5
55.1	5.0	4.9	7.0	6.2	2.9	5.9
56.1	4.9	7.1	7.1	5.7	2.7	5.9
57.1	5.0	7.0	8.9	5.6	3.5	5.4



58.1	4.9	7.1	8.1	6.3	4.1	7.0
59.1	6.1	8.6	7.5	5.8	5.0	6.5
60.1	5.7	9.7	9.1	6.1	5.1	6.8
61.1	5.3	8.3	7.8	6.6	5.0	7.3
62.1	5.4	7.4	6.8	5.7	5.8	7.0
63.1	5.5	8.7	7.6	6.2	6.8	7.1
64.1	8.1	6.1	7.5	5.8	5.4	5.9

70.7	2.8	7.4	4.5	7.9	6.4	5.8
71.7	2.9	7.6	5.2	7.0	5.8	3.9
72.7	3.7	7.3	5.0	7.0	5.9	5.6
73.7	3.3	7.0	5.7	5.2	5.7	4.1
74.7	4.1	9.2	5.7	5.5	6.0	5.1
75.7	3.6	9.1	6.3	5.2	5.7	3.6
76.7	6.3	10.9	7.4	7.3	6.0	4.6
77.7	6.8	10.6	7.3	8.1	8.1	5.3
78.7	6.8	9.7	7.4	6.6	6.7	5.3
79.7	6.9	10.1	7.3	7.8	6.7	6.3
80.7	6.5	8.2	9.0	7.3	7.3	6.1
81.7	7.4	9.7	8.8	8.6	6.6	6.8
82.7	8.0	10.0	10.7	8.0	6.9	7.6
83.7	7.7	8.6	7.5	8.2	7.3	6.8
84.7	8.3	9.7	7.8	9.1	8.2	7.8

91.2	5.7	6.9	7.4	8.3	5.4	6.5
92.2	5.8	6.6	8.8	6.5	5.1	6.1
93.2	5.2	7.7	7.9	6.8	5.8	6.1
94.2	6.4	6.8	9.0	7.1	5.0	5.9
95.2	6.8	6.5	8.5	7.7	6.0	5.9
96.2	6.5	8.5	9.8	7.2	6.6	8.1
97.2	6.7	8.9	9.8	8.0	6.4	6.5
98.2	8.0	9.2	9.8	7.4	6.7	7.9
99.2	7.9	8.8	10.9	8.0	6.7	8.0
100.2	7.2	9.1	8.9	7.6	6.7	8.1
101.2	8.4	8.6	10.2	8.2	7.8	9.3
102.2	7.5	8.8	9.9	7.7	7.1	9.1
103.2	8.6	9.6	10.3	8.2	8.1	8.3
104.2	8.1	9.6	11.0	9.0	8.6	8.3
105.2	7.0	9.9	9.0	8.7	7.7	8.1


111.8	6.5	6.8	10.0	7.3	6.5	7.8
112.8	6.5	7.5	10.7	8.4	8.4	6.8
113.8	7.4	7.1	11.9	6.9	6.6	9.5
114.8	6.8	8.4	11.1	7.8	8.6	7.7
115.8	8.9	8.9	9.7	7.5	7.5	7.2
116.8	10.0	10.0	9.8	7.6	8.0	8.1
117.8	11.1	9.9	9.9	8.5	6.9	8.5
118.8	9.3	10.0	8.2	7.7	7.2	7.9
119.8	9.6	10.0	9.4	8.8	7.5	8.1

120.8	10.0	7.7	9.2	8.2	8.0	7.7
121.8	9.5	8.5	8.4	8.1	8.9	8.4
122.8	9.6	10.0	9.2	9.9	8.3	9.6
123.8	9.0	9.0	8.6	8.1	8.5	8.6
124.8	8.1	9.3	9.9	8.1	7.6	9.1
125.8	8.5	9.1	9.3	8.0	8.3	9.1

132.3	8.6	7.5	7.5	8.0	6.9	5.9
133.3	6.4	7.0	5.3	7.9	7.0	4.9
134.3	7.6	5.1	6.1	8.4	6.2	5.9
135.3	7.1	5.6	5.9	8.7	6.5	4.0
136.3	7.0	5.2	5.7	8.2	6.2	4.4
137.3	7.7	5.1	5.7	7.6	6.5	4.5
138.3	7.9	4.8	3.8	6.6	4.5	4.3
139.3	6.7	5.5	4.5	7.0	5.1	4.4
140.3	8.0	6.0	3.2	6.2	4.6	4.9
141.3	8.0	4.8	3.8	5.9	4.8	4.5
142.3	7.9	4.4	4.1	7.7	5.0	4.4
143.3	8.5	5.0	3.4	7.0	4.8	4.9
144.3	6.3	4.9	3.5	5.8	3.9	2.0
145.3	5.2	4.2	4.0	7.5	3.2	2.8
146.3	4.4	3.0	5.0	6.6	4.1	2.2

max	11.1	10.9	11.9	9.9	8.9	9.6
-----	------	------	------	-----	-----	-----

Peripheral Rod Oxide (Comanche Peak 2, FA JW06, FACE 2)







ACE 2)

