Project No. 20-1402-661
Book No. 284 TITLE TEF

From Page No. ___

Sept 1, 1998

Run with Hanford load 14.88 W/m³ had peak temps around 40 C at 50 yrs & cooling by 100 yrs. Discuss w/ Ron & determined that the areal loading is average over the 14 m x 1 m area at column.

Revised heat load

$$\left(\frac{85\ \text{MTU}}{\text{acre}}\right)\left(\frac{1020\ \text{W}}{\text{MTU}}\right)\left(\frac{\text{acre}}{43560\ \text{ft}^2}\right)\left(\frac{\text{ft}}{.3048\ \text{m}}\right)^2\left(\frac{14\ \text{m}^2}{(1.49\ \text{m}^2)(1.44\ \text{m})}\right) = 139.8\ \frac{\text{W}}{\text{m}^3}$$

Input file with the revised heat source data (facing page) Table 1C.7 which produced results on following pages.

~dhughson/multiflo/inputbals/multi.12

Results of location of 100°C isotherm and liquid saturation in matrix compare nicely to results of Buschbeck for Case 3 (shown on page 53 for comparison)

Apparently I have accomplished what I set out to do on page 3 Aug 4, 1998.

To Page No. ___

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by	9/2/98

TITLE TEF Project No. 20-1402-661 Book No. 284

From Page No. ___



TABLE 1C.7

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by RH	9/2/98

Project No. 20-1402-661
Book No. 284 TITLE TEF

From Page No. ___



To Page No. ___

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/2/98

TITLE TEF
Project No. 20-1402-661
Book No. 284

From Page No. ___



To Page No. ___

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/2/98

From Page No.













To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by	9/2/98

From Page No.













To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by	9/2/98

From Page No.



To Page No.

Witnessed & Understood by me, | Date | Invented by | Date 9/2/98

Recorded by DH



Figure 3-17. Temperature T distributions at (a) 50 yr, (b) 100 yr, and (c) 500 yr, and liquid-phase saturation S_{liq} distributions at (d) 50 yr, (e) 100 yr, and (f) 500 yr plotted in a vertical (x–z) plane transverse to the drift for Case 3, which assumes the point-load design, the 12/97 "modified-TH" hydrologic-parameter set, and a percolation flux of 16.0 mm/yr

W | Recorded by DH | 9/2/98

From Page No.





To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/2/98

From Page No.





To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/2/98

From Page No.













To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/3/98

From Page No.













To Page No.

Witnessed & Understood by me,	Date	Invented by	Date
		Recorded by DH	9/3/98

Project No. 20-1402-661
Book No. 284
TITLE TEF

From Page No. ____



To Page No. ____

Witnessed & Understood by me, | Date | Invented by | Date 9/3/98 | Recorded by DH

TITLE TEF
Project No. 20-1402-661
Book No. 284

From Page No. ____



To Page No. ____

Witnessed & Understood by me, | Date | Invented by | Date 9/3/98 | Recorded by DH

From Page No.



To Page No.

Witnessed & Understood by me, | Date | Invented by | Date 9/3/98 | Recorded by DH

From Page No. Sept 9, 1998

the 2D drift-scale surface to water table modeling has arrived at a conclusion in that I reasonably reproduced the results of Buscheck (ref pg 3).

This section following is concerned with Carbon balance ref.

Codell, R.B. and W.M. Murphy
Geochemical model for ^{14}C transport in unsaturated rock, Proceedings of the 3rd International Conference High Level Radioactive Waste Management Vol 2, 1992 p 1959 – 1965

What I am interested in looking at is $CaCO_3$ precipitation in fractures due to thermal alteration. The model of Codell and Murphy predicts Calcite deposition in the altered zone but is relatively simple.

To start I am going to try to reproduce their results using Multiflo 1.2β Lichtner & Seth 1998

The model can then be extended to predict thermal and hydrologic rock property alterations in the near-field altered zone.

This work is in association with Bill Murphy under account # 20-1402-561 and has direct consequences for the TEF. Thermal rock property alteration is a subject of interest to Ron Green (TEF 20-1402-661) and myself.

To Page No.

Witnessed & Understood by me, | Date | Invented by | Date 9/9/98 | Recorded by DH