

Specialty Chemicals  
Honeywell  
Route 45 north  
P.O. Box 430  
Metropolis, IL 62960

618-524-2111  
618-524-6239 Fax

January 15, 2004

**BY FACSIMILE AND  
UPS: (404) 562-4731**

Mr. Jay L. Henson  
U.S. Nuclear Regulatory Commission  
Region II  
Sam Nunn Atlanta Federal Center  
61 Forsyth St. SW Suite 23T85  
Atlanta, GA 30303-8931


**Re: Honeywell International Metropolis Works  
NRC Inspection Report and Notice of Violation dated December 17, 2003,  
NRC Docket No. 40-3392**

Dear Mr. Henson:

I am writing to confirm our conversation during the recent AIT visit in which you agreed to review an extension to the time period for Honeywell International, Inc., to respond to the above referenced Notice of Violation dated December 17, 2003, in light of the most recent December 22nd event. The letter requested a response within 30 days. We discussed the possibility of extending the response time one month understanding that the letter was delayed in the mail due to the holidays and to allow us more time to complete and review our common cause analysis in view of the most recent event of Dec. 22. Our intent is to provide corrective actions that appropriately address the root causes of these events to ensure that we operate our facility in a safe manner.

I greatly appreciate your courtesy in this regard. Please call me immediately if the above does not accurately reflect our conversation.

Very truly yours,



Darren E. Mays  
Health, Safety & Regulatory Affairs Manager

cc: Mr. Rory O'Kane (Plant Manager)

US NRC  
Attention: John Lusher, Project Manager (UPS: Ph: 301-415-7694))  
Fuel Cycle Licensing Branch, Mail Stop T-8A33  
Two White Flint North, 11545 Rockville Pike  
Rockville, MD 20852-2738