



Entergy

Entergy Operations, Inc.  
1448 S.R. 333  
Russellville, AR 72802  
Tel 501 858 5000

OCAN020403

10CFR26.71(d)

February 18, 2004

U. S. Nuclear Regulatory Commission  
Document Control Desk  
Mail Station OP1-17  
Washington, DC 20555

Subject: Arkansas Nuclear One - Units 1 and 2  
Docket Nos. 50-313 and 50-368  
License Nos. DPR-51 and NPF-6  
Fitness-for-Duty Performance Data

Dear Sir or Madam:

In accordance with 10CFR26.71(d), attached is the Arkansas Nuclear One Fitness-for-Duty Program performance data for the period July – December 2003.

The attachment contains no commitments.

Sincerely,

Glenn R. Ashley  
Manager, Licensing

GRA/dh  
Attachment

1021

cc: Dr. Bruce S. Mallett  
Regional Administrator  
U. S. Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-8064

NRC Senior Resident Inspector  
Arkansas Nuclear One  
P.O. Box 310  
London, AR 72847

U. S. Nuclear Regulatory Commission  
Attn: Mr. Thomas Alexion  
Mail Stop 0-7 D1  
Washington, DC 20555-0001

## FITNESS-FOR-DUTY PROGRAM PERFORMANCE DATA PERSONNEL SUBJECT TO 10CFR26

Entergy Operations, Inc. <hr/> Company	December 31, 2003 <hr/> 6 Months Ending
Arkansas Nuclear One <hr/> Location	
S. A. Kaufmann, Security Coordinator <hr/> Contact Name	(479) 858-7846 <hr/> Phone (Include Area Code)
Cutoffs:      Screen / Confirmation <input type="checkbox"/> Appendix A to 10CFR26	
Marijuana      50 / 15      Amphetamines      1000 / 500 <u>      </u> /	
Cocaine      300 / 150      Phencyclidine      25 / 25 <u>      </u> /	
Opiates      300 / 300      Alcohol (%BAC)      0.04% <u>      </u> /	

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
Average Number with Unescorted Access	1106		N/A		422	
Categories	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Pre-Access	30	0	N/A	N/A	720	4/3
For-Cause (Post accident)	0	0	N/A	N/A	0	0
For-Cause (Behavior)	0	0	N/A	N/A	2	1/0
Random	270	1/0	N/A	N/A	87	1/0
Follow-Up	4	0	N/A	N/A	0	0
Other	4	0	N/A	N/A	0	0
<b>Total</b>	<b>308</b>	<b>1/0</b>	<b>N/A</b>	<b>N/A</b>	<b>809</b>	<b>6/3</b>



## **Fitness-for-Duty Program Six Month Performance Report July – December 2003**

### **PROGRAM SUMMARY:**

The Arkansas Nuclear One annual random testing rate is 50 percent. During this reporting period, approximately 23.3 percent of the population was randomly tested. The rate of positive tests from random testing was 0.56 percent. The total percentage of random testing for the year was 51.7 percent.

### **POSITIVE RESULTS:**

During this six month reporting period, 1117 samples were collected and tested. Ten of these samples were confirmed positive for illegal drugs or alcohol.

### **MANAGEMENT ACTIONS:**

Six of the ten persons were pre-access contractors who tested positive for illegal drugs and were denied access. Four tested positive for THC, one for cocaine and one for amphetamines.

The remaining four persons tested positive for alcohol and were denied access. One person was a pre-access contractor, one was a contractor tested for cause due to behavioral observations and one was a randomly tested contractor. The fourth person was a randomly tested Entergy employee.

Four negative follow-up test results were returned on two employees. An additional for-cause test due to behavioral observations was administered and also returned negative results.

### **EVENTS REPORTED TO THE NRC:**

During this reporting period, a random fitness-for-duty alcohol test administered to a non-licensed, non-supervisory employee indicated the presence of alcohol. Upon investigation, it was determined that alcohol had been in the employee's possession within the protected area. The discovery of alcohol in the protected area was reported to the NRC in accordance with 10CFR26.73(a).

### **PROGRAM EVALUATION:**

No programmatic problems were identified during this reporting period.