

An Exelon Company  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

www.exeloncorp.com

Nuclear  
Exelon Generation  
4300 Winfield Road  
Warrenville, IL 60555

RS-04-036

10 CFR 26.71(d)

March 1, 2004

U. S. Nuclear Regulatory Commission  
Attn: Document Control Desk  
Washington, DC 20555

Braidwood Station, Units 1 and 2  
Facility Operating License Nos. NPF-72 and NPF-77  
NRC Docket Nos. STN-456 and STN 50-457

Byron Station, Units 1 and 2  
Facility Operating License Nos. NPF-37 and NPF-66  
NRC Docket Nos. 50-454 and 50-455

Clinton Power Station, Unit 1  
Facility Operating License No. NPF-62  
NRC Docket No. 50-461

Dresden Nuclear Power Station, Units 1, 2, and 3  
Facility Operating License Nos. DPR-2, DPR-19 and DPR-25  
NRC Docket Nos. 50-010, 50-237 and 50-249

LaSalle County Station, Units 1 and 2  
Facility Operating License Nos. NPF-11 and NPF-18  
NRC Docket Nos. 50-373 and 50-374

Limerick Generating Station, Units 1 and 2  
Facility Operating License Nos. NPF-39 and NPF-85  
NRC Docket Nos. 50-352 and 50-353

Peach Bottom Atomic Power Station, Units 2 and 3  
Facility Operating License Nos. DPR-44 and DPR-56  
NRC Docket Nos. 50-277 and 50-278

Oyster Creek Generating Station  
Facility Operating License No. DPR-16  
NRC Docket No. 50-219

Quad Cities Nuclear Power Station, Units 1 and 2  
Facility Operating License Nos. DPR-29 and DPR-30  
NRC Docket Nos. 50-254 and 50-265

4021

March 1, 2004  
U. S. Nuclear Regulatory Commission  
Page 2

Three Mile Island Nuclear Station, Unit 1  
Facility Operating License No. DPR-50  
NRC Docket No. 50-289


Subject: Fitness for Duty Performance Data Reports - Second Period - 2003

In accordance with 10 CFR 26.71(d), "Recordkeeping requirements," Exelon Generation Company (Exelon), LLC, and AmerGen Energy Company, LLC (AmerGen) are providing the compiled fitness-for-duty program performance data for their respective nuclear power stations and the corporate support employees within the scope of the rule for the six-month period ending December 31, 2003.

As required by 10 CFR 26.71(d), management actions and reported events are also provided as attachments. This performance data is reported on the January 1992 revised Fitness-For Duty (FFD) Performance Data Form developed by Nuclear Management and Resources Council (NUMARC).

Please direct any questions regarding this matter to T. W. Simpkin at (630) 657-2821.

Respectfully,



Keith R. Jury  
Director – Licensing and Regulatory Affairs  
Exelon Generating Company, LLC  
AmerGen Energy Company, LLC

Attachments

cc: Regional Administrator - NRC Region I  
Regional Administrator - Region III  
NRC Senior Resident Inspector - Braidwood Station  
NRC Senior Resident Inspector - Byron Station  
NRC Senior Resident Inspector - Clinton Power Station  
NRC Senior Resident Inspector - Dresden Nuclear Power Station  
NRC Senior Resident Inspector - LaSalle County Station  
NRC Senior Resident Inspector - Limerick Generating Station  
NRC Senior Resident Inspector - Oyster Creek Generating Station  
NRC Senior Resident Inspector - Peach Bottom Atomic Power Station  
NRC Senior Resident Inspector - Quad Cities Nuclear Power Station  
NRC Senior Resident Inspector - Three Mile Island Nuclear Station

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

**KENNETT SQUARE AND WARRENVILLE OFFICES**

Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:      Screen/Confirmation (ng/ml)      / \_\_\_\_\_ /      Appendix A to 10 CFR 26

Marijuana      50/15      Amphetamines      1000/500      \_\_\_\_\_

Cocaine      300/150      Phencyclidine      25/25      \_\_\_\_\_

Opiates      300/300      Alcohol (% BAC)      .04      \_\_\_\_\_

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		740		0		233	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		15	0	0	0	5	0
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	0	0	0	0	0	0
Random		139	0	0	0	9	0
Follow-up		3	0	0	0	0	0
Other		2	0	0	0	1	0
<b>Total</b>		159	0	0	0	16	0

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

BRAIDWOOD STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	<u>      </u> / <u>      </u>	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500
Cocaine	300/150	Phencyclidine	25/25
Opiates	300/300	Alcohol (% BAC)	.04

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		688		0		399	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		22	0	0	0	618	6
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	2	0	0	0	7	2
Random		151	0	0	0	91	0
Follow-up		8	0	0	0	29	1
Other		2	0	0	0	5	0
<b>Total</b>		<b>185</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>751</b>	<b>9</b>

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

BYRON STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / \_\_\_\_\_ / Appendix A to 10 CFR 26  
 Marijuana 50/15 Amphetamines 1000/500 \_\_\_\_\_  
 Cocaine 300/150 Phencyclidine 25/25 \_\_\_\_\_  
 Opiates 300/300 Alcohol (% BAC) .04 \_\_\_\_\_

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		707		0		354	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		37	0	0	0	1040	10
For Cause	Post Accident	4	0	0	0	4	0
	Observed Behavior	1	1	0	0	2	1
Random		190	0	0	0	86	0
Follow-up		14	0	0	0	22	1
Other		0	0	0	0	5	0
<b>Total</b>		<b>246</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1159</b>	<b>12</b>

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

**AmerGen Energy Company, LLC**  
Company

**December 31, 2003**  
Six Months Ending

**CLINTON POWER STATION**  
Location

**Susan Techau**  
Contact Name

**(630) 657-2904**  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		543		0		180	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		15	0	0	0	125	2
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	1	1	0	0	0	0
Random		139	0	0	0	41	0
Follow-up		6	1*	0	0	7	0
Other		0	0	0	0	0	0
<b>Total</b>		<b>161</b>	<b>2*</b>	<b>0</b>	<b>0</b>	<b>173</b>	<b>4</b>

\*Includes one refusal to test.

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

DRESDEN NUCLEAR POWER STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		690		0		497	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		30	0	0	0	1372	9
For Cause	Post Accident	4	0	0	0	0	0
	Observed Behavior	2	0	0	0	4	2*
Random		168	0	0	0	119	0
Follow-up		3	0	0	0	39	0
Other		2	0	0	0	1	0
<b>Total</b>		209	0	0	0	1535	11*

\*Includes one refusal to test.

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

LASALLE COUNTY STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:      Screen/Confirmation (ng/ml)      / \_\_\_\_\_ /      Appendix A to 10 CFR 26

Marijuana      50/15      Amphetamines      1000/500      \_\_\_\_\_

Cocaine      300/150      Phencyclidine      25/25      \_\_\_\_\_

Opiates      300/300      Alcohol (% BAC)      .04      \_\_\_\_\_

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		695		0		255	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		24	0	0	0	669	4
For Cause	Post Accident	1	0	0	0	1	0
	Observed Behavior	1	0	0	0	0	0
Random		198	0	0	0	67	1
Follow-up		3	0	0	0	8	0
Other		1	0	0	0	2	0
<b>Total</b>		<b>228</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>747</b>	<b>5</b>

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

LIMERICK GENERATING STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		741		0		254	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		24	0	0	0	166	1
For Cause	Post Accident	6	0	0	0	5	0
	Observed Behavior	1	0	0	0	4	2*
Random		199	0	0	0	99	0
Follow-up		43	0	0	0	7	0
Other		2	0	0	0	0	0
<b>Total</b>		<b>275</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>281</b>	<b>3*</b>

\*Includes one refusal to test.

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

**AmerGen Energy Company, LLC**  
Company

**December 31, 2003**  
Six Months Ending

**OYSTER CREEK GENERATING STATION**  
Location

**Susan Techau**  
Contact Name

**(630) 657-2904**  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		394		0		158	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		193	1	0	0	106	0
For Cause	Post Accident	2	0	0	0	2	0
	Observed Behavior	2	0	0	0	3	0
Random		120	0	0	0	64	0
Follow-up		5	0	0	0	4	0
Other		0	0	0	0	1	0
<b>Total</b>		<b>322</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>180</b>	<b>0</b>

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

PEACH BOTTOM ATOMIC POWER STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		688		0		372	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		43	0	0	0	1376	14*
For Cause	Post Accident	6	0	0	0	4	0
	Observed Behavior	1	0	0	0	4	1
Random		221	0	0	0	127	1
Follow-up		29	0	0	0	26	1
Other		0	0	0	0	1	1
<b>Total</b>		<b>300</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1538</b>	<b>18*</b>

\*Includes one refusal to test.

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon  
Company

December 31, 2003  
Six Months Ending

QUAD CITIES NUCLEAR POWER STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines 1000/500	_____
Cocaine	300/150	Phencyclidine 25/25	_____
Opiates	300/300	Alcohol (% BAC) .04	_____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		696		0		305	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		17	0	0	0	213	2
For Cause	Post Accident	4	0	0	0	2	0
	Observed Behavior	0	0	0	0	0	1*
Random		191	1	0	0	83	0
Follow-up		0	0	0	0	17	0
Other		5	0	0	0	3	0
<b>Total</b>		<b>217</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>318</b>	<b>3*</b>

\*Includes one refusal to test.

**FITNESS FOR DUTY  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC  
Company

December 31, 2003  
Six Months Ending

THREE MILE ISLAND NUCLEAR GENERATING STATION  
Location

Susan Techau  
Contact Name

(630) 657-2904  
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / \_\_\_\_\_ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 \_\_\_\_\_

Cocaine 300/150 Phencyclidine 25/25 \_\_\_\_\_

Opiates 300/300 Alcohol (% BAC) .04 \_\_\_\_\_


		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		517		0		421	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		28	0	0	0	598	9
For Cause	Post Accident	11	0	0	0	9	0
	Observed Behavior	3	0	0	0	5	2
Random		152	1	0	0	134	2
Follow-up		30	0	0	0	17	0
Other		2	0	0	0	0	0
<b>Total</b>		<b>226</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>763</b>	<b>13</b>

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –KENNETT SQUARE AND WARRENVILLE OFFICES**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
<b>TOTAL</b>	0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - BRAIDWOOD STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5 3	3	1	0	0	2	0
TOTAL	5 3	3	1	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:




**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – BYRON STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	7 5	2	0	0	0	3	0
TOTAL	7 5	2	0	0	0	4	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – CLINTON POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	1	1
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	1	0	0	0	1	0
TOTAL	0	1	0	0	0	2	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – DRESDEN NUCLEAR POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	4 2	5	0	0	0	1	1
TOTAL	4 2	5	0	0	0	1	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:




**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LASALLE COUNTY STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	3 2	1	0	0	0	1	0
TOTAL	3 2	1	0	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LIMERICK GENERATING STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 0	0	0	0	0	1	1
TOTAL	1 0	0	0	0	0	1	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – OYSTER CREEK GENERATING STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	1 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –PEACH BOTTOM ATOMIC  
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	8 0	6	0	1	0	3	1
TOTAL	8 0	6	0	1	0	3	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above  
Exelon's Threshold -----




-----Positive Tests at  
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – QUAD CITIES NUCLEAR  
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	1	0	0	0	0	1
TOTAL	1 1	2	0	0	0	0	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above  
Exelon's Threshold -----




-----Positive Tests at  
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – THREE MILE ISLAND NUCLEAR GENERATING STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	7 0	3	1	0	0	2	0
TOTAL	7 0	4	1	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:



## KENNETT SQUARE AND WARRENVILLE OFFICES

### Management Actions and Sanctions

There were zero (0) positive tests during this reporting period.

### Events Reported

There were no 24-hour reportable events during this reporting period.

### Additional Information

During the current reporting period, i.e., July-December, 2003, twenty-four (24) specimens from all locations were reported as presumptive positive for cocaine as a result of on-site screening. All twenty-four (24) of the specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officers for a confirmation rate of 100%.

## **BRAIDWOOD STATION**

### **Management Actions and Sanctions**

Nine (9) positive tests resulted in the denial or revocation of unescorted access. One (1) short-term contractor was denied access after providing a substituted or adulterated test specimen.

### **Events Reported**

There were no 24-hour reportable events during this reporting period.

## **BYRON STATION**

### **Management Actions and Sanctions**

Thirteen (13) positive tests resulted in the denial or revocation of unescorted access.

### **Events Reported**

There were no 24-hour reportable events during this reporting period.

## CLINTON POWER STATION

### Management Actions and Sanctions

Three (3) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

### Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## DRESDEN NUCLEAR POWER STATION

### Management Actions and Sanctions

Ten (10) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. One (1) short-term contractor was denied unescorted access after providing a substituted or adulterated test specimen.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## LASALLE COUNTY STATION

### Management Actions and Sanctions

Five (5) positive tests resulted in the denial or revocation of unescorted access.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## LIMERICK GENERATING STATION

### Management Actions and Sanctions

Two (2) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## OYSTER CREEK GENERATING STATION

### Management Actions and Sanctions

One (1) positive test resulted in the denial or revocation of unescorted access.

### Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## PEACH BOTTOM ATOMIC POWER STATION

### Management Actions and Sanctions

Seventeen (17) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

### Events Reported

On November 25, 2003, a follow-up test of a contract supervisor was verified as positive by the Medical Review Officer. The individual's unescorted access was revoked and a work performance investigation was completed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

## QUAD CITIES NUCLEAR POWER STATION

### Management Actions and Sanctions

Three (3) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

### Events Reported

There were no 24-hour reportable events during this reporting period.

## THREE MILE ISLAND NUCLEAR GENERATING STATION

### Management Actions and Sanctions

Fourteen (14) positive tests resulted in the denial or revocation of unescorted access. One (1) licensee employee was denied access after providing a substituted or adulterated specimen.

### Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

### Events Reported

There were no 24-hour reportable events during this reporting period.