

RECEIVED
REGION I

Merck & Co., Inc.
P.O. Box 2000
Rahway NJ 07065-0900

February 23, 2004

04 FEB 25 AM 11:17

NM582

John D. Kinneman, Chief
Nuclear Materials Safety Branch 2
Division of Nuclear Materials Safety
US Nuclear Regulatory Commission
Region I
475 Allensdale Road
King of Prussia, PA 19406-1415



Subject: Request to Approve Proposed Disposal Procedure Pursuant to 10 CFR 20.2002.
(follow up to Control Number 131892)

131982 nea

Dear Mr. Kinneman:

03014680

Merck & Co., Inc. (NRC License No. 29-00117-06) is requesting approval of a Proposed Disposal Procedure pursuant to 10 CFR 20.2002. Following our initial letter dated 8/13/02, and your response dated September 16, 2002, a teleconference was conducted on 12/12/2002 between me and Dr. Edwin Wurtz from Merck and Elizabeth Ullrich and Donna Janda from your office. The purpose of the conference was to discuss the history and disposition of 80 cubic yards of soil that is contaminated with approximately 756 µCi of tritium.

After reviewing this situation in detail with your staff, they suggested that we submit a request for a Proposed Disposal Procedure pursuant to 10 CFR 20.2002. Ms. Ulrich and Ms. Janda also suggested that we include an evaluation of the soil using the RESRAD Computer Code. Please find attached the requested Dose Assessment Report using RESRAD.

A complete description of the waste is included with the report. Because the soil has concentrations of metals that exceed non-residential standards, we propose sending the 80 cubic yards of soil to Waste Management's Model City Landfill in New York. The Model City Landfill is properly permitted to accept soil containing the described metals.

The Dose Assessment Report uses very conservative parameters related to the disposal location, local environment and nearby facilities. Even when using the most restrictive "resident farmer" scenario, the total projected dose to this individual from the soil's disposal is approximately 0.2 mrem. No licensed or unlicensed facilities should be impacted by this disposal.

The report clearly shows that doses to the public from this action are maintained As Low As Reasonably Achievable (ALARA) and are within applicable regulatory limits. The concentration of tritium in the soil is far less than many (individual) consumer products that are exempt from regulation. Items like tritium watches and tritium gun sights contain much

134555

NMSS/RGNI MATERIALS-002
REF. 131982

more radioactivity and they are disposed without regard to radioactivity in municipal landfills every day.

If you have any questions about this request or require additional information, please contact me at 732-594-1434 or vincent_williams@merck.com.

Sincerely,



Vincent Williams
Radiation Safety Officer

cc: Dr. Lou Ann Heimbrook
(w/o attachment) Dr. David Melillo
Mr. Ted Metzger
Mr. Gerald Stankovitz
Dr. Edwin Wurtz

cc: Jill Knickerbocker, CWM Chemical Services, LLC
(w/ attachment)

File: NRC Correspondence 2004

29-00117-06
03014680

**Dose Assessment Report
Merck 80R Drain Line Renovation Soil**

**Merck & Co., Inc.
Rahway, NJ**

November 2003

Prepared By:



Oak Ridge, TN

134555

A. Executive Summary

This report is an assessment of potential doses performed on behalf of Merck & Co., Inc. by Philotechnics, Ltd. resulting from the landfill disposal of approximately 80 cubic yards of soil containing trace amounts of tritium (^3H). This assessment is performed in support of a request for U.S. Nuclear Regulatory Commission (USNRC) to authorize disposal of this soil in an industrial waste landfill. This document describes the scenarios, pathways, parameters, values, and results used to assess potential doses. Three scenarios described in USNRC Policy and Guidance Directive PG-8-08 "Scenarios for Assessing Potential Doses Associated with Residual Radioactivity" were evaluated using the RESRAD¹ code. These are Scenario A, B, and C of PG-8-08 and are analogous to On-site Worker, Resident, and Resident-Farmer scenarios.

The mean concentration of ^3H in the samples collected from the soil is 7.6 pCi/g. The projected combined dose from disposal of this material is less than 0.1 mrem over the first year following disposal and essentially zero in all subsequent years under Scenario C (Resident-Farmer), the most restrictive scenario.

An upper bound analysis was also performed in which the projected doses were estimated based upon the maximum measured concentrations in the soil. The maximum measured concentration for ^3H was 16.7 pCi/g. The projected combined dose from the disposal of this material is less than 0.2 mrem over the first year following disposal and is essentially zero in all subsequent years under Scenario C (Resident-Farmer), the most restrictive scenario.

This dose assessment supports disposing the soil in an industrial waste landfill as the projected doses are negligible (i.e., <1 mrem/y) even under the very conservative assumptions of these scenarios.

¹ RESRAD v.6.21, Environmental Assessment Division, Argonne National Laboratory, September 2002.

B. Base Case Dose Assessment Summary

An assessment of potential doses resulting from disposal of 80 yd³ of soil containing trace amounts of ³H was performed using the scenarios and parameters recommended by USNRC. The soil was generated during the 80R drain line renovation project conducted at the Merck, Rahway NJ site during CY 2001 through 2003.

Samples were collected from the 80R soil and analyzed for ³H and ¹⁴C. Since ³H and ¹⁴C are present in the natural environment due to cosmogenic production as well as from nuclear weapons testing², samples were also collected from unimpacted areas of the Merck site. The measured ³H concentrations in the 80R soil were found to be greater than those in the surrounding environs. The measured ¹⁴C concentrations were consistent with those measured in unimpacted areas of the site.

Using very conservative assumptions to model the disposal and to evaluate doses, the resulting doses to the most restrictive scenario, a Resident-Farmer, are less than 0.1 mrem over the first year following disposal and are essentially zero (2.2E-14 mrem/y) within three years following placement in the landfill. Detailed information concerning the dose assessment is provided in Section C.

It is important to note that exposures to any individual within three years of landfill disposal are remote since landfills undergo a closure process and post-closure monitoring that typically take 30 years to complete. During that time residential activities would be precluded. Consequently, doses that might result from landfill disposal of the 80 yd³ (61 m³) of soil are effectively zero.

The base case scenarios assessed doses assuming the soil was disposed as a single right circular cylinder with an area of 100 m² and a thickness of 0.6 m. This assumption implies there is no mixing of soil with other landfill debris. Additional cases were run for the Resident Farmer scenario in which the soil was assumed to be mixed with other landfill debris over 1,000 m³ (1,000 m² by 1 m thick) and 10,000 m³ (10,000 m² by 1 m thick) volumes. The base case resulted in the greatest projected doses.

The scenarios were initially run using the mean of measured concentrations for ³H in the 80R soil. The mean ³H concentration was 7.6 pCi/g. This resulted in a maximum projected Resident-Farmer dose of 7.6E-2 mrem/y at t = 0.0 y following disposal. The projected doses decrease quickly to 4.9E-2 mrem/y at 0.3 y and 3.3E-5 mrem/y at t = 1.0y.

² Kathren, R., Radioactivity in the Environment: Sources, Distribution, and Surveillance, Harwood Academic Press, Philadelphia, PA, 1984, pp. 32, 110.

Table B.1 Projected Doses for Mean ^3H Sample Concentrations (Base Case)

Scenario	Maximum Dose (mrem/y)	Time Since Disposal (years)
A: On-Site Worker	3.4E-5	0.0
B: Resident	7.4E-2	0.0
C: Resident Farmer	7.6E-2	0.0

As a sensitivity analysis, potential doses were also evaluated at the maximum ^3H concentration measured in the 80R soil. This concentration was 16.7 pCi/g ^3H . This resulted in proportionally greater projected Resident-Farmer doses of 1.7E-1 mrem/y initially following disposal. This also dropped rapidly to 1.1E-1 mrem/y at $t = 0.3$ y and 7.2E-5 mrem/y at $t = 1.0$ y.

Table B.2 Projected Doses for Maximum ^3H Sample Concentrations (Base Case)

Scenario	Maximum Dose (mrem/y)	Time Since Disposal (years)
A: On-Site Worker	7.5E-5	0.0
B: Resident	1.6E-1	0.0
C: Resident-Farmer	1.7E-1	0.0

C. Disposal Dose Assessment

I. Introduction

This section contains a list of input parameters used to estimate the potential radiological impacts resulting from the disposal of approximately 80 cubic yards of soil excavated from Merck & Co, Inc. 80R drain line renovation project. This assessment is based on the scenario that the soil is removed and disposed of at an industrial waste landfill. Parameter values used in the analysis are those recommended in U.S. NRC Policy and Guidance Directive PG-8-08 entitled "Scenarios for Assessing Potential Doses Associated with Residual Radioactivity". For those values not specified in PG-8-08, values specific to the Merck case (e.g. waste volume) or values recommended by the developers of RESRAD are utilized.

II. Scenarios and Pathways

PG-8-08 provides direction on the scenarios to be considered when estimating radiological impacts. Three scenarios: "Scenario A - Worker", "Scenario B - Resident", and "Scenario C - Resident Farmer" are specified. The scenario being analyzed drives certain parameters representing assumptions about lifestyle. For example, the scenario selected determines parameters regarding the amount of time spent indoors and outdoors at the site. For scenario dependent RESRAD parameters, PG-8-08 values were utilized as provided.

"Scenario A - Worker" represents the case where the site (i.e., the disposal site) is used for light industrial purposes. Residence time on the site is taken as 2000 hours and approximately 20% of that time is spent outdoors. This individual does not drink water from onsite or consume any vegetation, milk, meat, or aquatic food from the site.

Scenario A also assumes that new construction takes place over a portion of the contaminated zone such that the walls, floor, and foundation reduce external exposures by 33%. During the 20% of the available on site time that the worker is assumed to be outdoors, the worker is assumed to be standing on the contaminated zone.

"Scenario B - Resident" represents exposures where there is a homeowner who spends the majority of time at his home on the site but works at an offsite location. In addition to considerably longer residence times than those for Scenario A the resident is assumed to drink water from a groundwater well and to consume food grown in an onsite garden.

In this scenario the resident is assumed to spend 40% of his time indoors onsite, 10% outdoors onsite, and 50% of his time away from the site. As in the worker scenario, interior dose rates are assumed to be 33% less than exterior due to the shielding effect of floors, walls, and foundations.

The drinking water well is modeled as being located in the center of the contaminated zone. This is analogous to the mass-balance option of the RESRAD code and is

appropriate for small sites (e.g., $\leq 1000\text{m}^2$)³. This water is also used to irrigate the vegetable garden. This garden is assumed to produce 25% of the resident's annual vegetable, grain, and fruit diet. The resident does not consume any milk, meat, or aquatic food produced onsite so these pathways are not used in Scenario B calculations.

"Scenario C - Resident Farmer" represents the reasonably maximally exposed resident farmer who lives on the site and also works, grows crops, and raises livestock on the site. This scenario utilizes "prudently conservative" assumptions that tend to overestimate potential doses. The use of this scenario should result in estimated doses that are greater than those likely to be encountered by future residents on the site. The Resident Farmer spends much more time outdoors than the Resident, grows and ingests a larger portion of grain and vegetables from the onsite garden, and consumes meat and milk produced onsite as well as aquatic food from a pond near the site.

The resident farmer spends 55% of his time indoors onsite, 21% outdoors onsite, and 24% away from the site. Walls, floor and foundation are assumed to reduce external exposure rates by 33%.

The garden is assumed to be located in the contaminated zone, and 50% of the resident's vegetable, fruit, and grain diet is produced from the garden. As in the Resident Scenario, the garden is irrigated with water drawn from the onsite well. The onsite well is also the source of drinking water.

Table C.1. identifies the pathways analyzed under each scenario. Since the isotope under consideration for this dose assessment is tritium, the radon pathway is suppressed in all three scenarios.

It should be noted that these scenarios provide a very conservative estimate of potential future exposures to individuals since access to an industrial waste landfill would normally be controlled for 30 years following closure. It is unlikely that a Resident or Resident Farmer would be permitted to take up occupancy within the foreseeable future.

Tritium has a relatively short half-life and is highly mobile. Consequently, the exposure window is within a few months of disposal. The only scenario which is meaningful with respect to actual doses that may be incurred is "Scenario A - Worker". Nevertheless, all three scenarios are examined to compare the projected doses for each case.

"Scenario C - Resident Farmer" represents a bounding case for considering doses from off site disposal of the soil in that off site disposal would take place at an industrial waste landfill with land use restrictions for thirty years after landfill closure. These landfill restrictions would effectively preclude the Resident or Resident Farmer scenario from developing until well after the potential for exposure from tritium has passed.

³ For cases in which the contaminated zone was assumed to be $10,000\text{m}^2$ in area, the "non-dispersion" option was selected for the saturated zone.

Table C.1. Summary of Exposure Pathways Considered

Pathway	Scenario A	Scenario B	Scenario C
External Exposure	Yes	Yes	Yes
Inhalation (Resuspension)	Yes	Yes	Yes
Radon Inhalation	No	No	No
Ingestion of Groundwater	No	Yes	Yes
Ingestion of Vegetables	No	Yes	Yes
Ingestion of Meat	No	No	Yes
Ingestion of Milk	No	No	Yes
Aquatic Food	No	No	Yes
Ingestion of Soil	No	No	Yes

III. Source Term

The source term developed for this project is based upon the volume and specific activity of the soil. Radionuclide activity is based upon samples collected from the soil and analyzed for ^3H and ^{14}C . Sample data sheets are provided as an attachment to this report. The majority of the activity present is H-3 at a mean concentration of 7.6 pCi/g. ^{14}C activity was identified at levels consistent with naturally occurring background. As a conservative assumption the background ^3H concentration was not subtracted from concentrations measured in the soil to be disposed.

Mean concentrations of ^3H and ^{14}C in the environmental samples collected from unimpacted areas of the Merck site were 1.1 pCi/g and 1.1 E-1 pCi/g, respectively. Background sample data is presented in Tables C-2 and C-3. The mean of 80R soil ^3H measurements was 7.6 pCi/g. The mean of ^{14}C measurements in the 80R soil was 1.3E-1 pCi/g. The measured ^{14}C values in the 80R soil and in the environment overlapped within the errors associated with the analyses and the mean of ^{14}C measurements was less than the analytical detection limit. Consequently, ^{14}C in the 80R soil was assumed to be that due to environmental background and was not considered further in the dose assessment. Soil sample analytical data is presented in the first appendix to this report.

Table C.2 ^3H Background Measurements

Sample #	Analysis Date	H-3 (uCi/g)	Uncertainty	MDA/MDC
B1	5/16/2001	6.55E-07	4.12E-06	6.74E-06
B2	5/16/2001	-1.32E-06	3.92E-06	6.74E-06
B3	7/26/2001	3.14E-06	3.90E-06	5.94E-06
B4	7/26/2001	6.72E-07	3.60E-06	5.86E-06
B5	7/26/2001	1.95E-06	3.70E-06	5.84E-06
B6	7/26/2001	1.84E-06	3.70E-06	5.92E-06
B7	7/26/2001	9.53E-07	3.60E-06	5.83E-06
B8	7/26/2001	8.97E-07	3.60E-06	5.90E-06
Mean		1.10E-06		

Table C.3. ^{14}C Background Measurements

Sample #	Analysis Date	C-14 ($\mu\text{Ci/g}$)	Uncertainty	MDA/MDC
B1	5/16/2001	3.37E-08	2.11E-07	3.24E-07
B2	5/16/2001	-4.83E-09	2.09E-07	3.24E-07
B3	7/26/2001	1.54E-07	2.10E-07	3.11E-07
B4	7/26/2001	1.86E-07	2.10E-07	3.10E-07
B5	7/26/2001	1.79E-07	2.10E-07	3.09E-07
B6	7/26/2001	2.13E-07	2.10E-07	3.11E-07
B7	7/26/2001	5.49E-08	2.00E-07	3.09E-07
B8	7/26/2001	9.97E-08	2.00E-07	3.10E-07
Mean		1.14E-07		

The total volume of soil to be disposed is 80 yd^3 or 61 m^3 . Assuming a density of 1.63 g/cc the total source term is 756 μCi of ^{3}H based on the mean sample results.

In the base case the soil is assumed to be disposed as a single unit 100 m^2 in area and 0.6 m thick. Credit is not taken for mixing the soil with other waste being disposed at the site. The base case was run for all three exposure scenarios (On-site Worker, Resident, and Resident-Farmer) at both the mean measured concentrations and at the maximum measured concentration. Additional cases were run for the Resident Farmer for volumes of 1,000 m^3 (1,000 m^2 area 1 m thick) 10,000 m^3 (10,000 m^2 area 1 m thick). Since the total activity in the soil is fixed, homogenous mixing with landfill debris was assumed. The resulting modeled radionuclide concentrations for the 1,000 m^3 volume were 4.6E-1 pCi/g ^{3}H at the mean measured concentrations and 1.02 pCi/g ^{3}H at the maximum measured concentrations. For the 10,000 m^3 volume, these concentrations were reduced by a factor of 10.

IV. Parameter Value Selection

Parameters used in the scenarios are presented in Tables C.4 through C.7 below. Table C.7 lists the parameters associated with the cover over the waste, the contaminated zone, and the foundation of a hypothetical building constructed within the contaminated zone.

Policy and Guidance Directive PG-8-08 assumes no cover exists over the contaminated zone, consequently, this value is taken as "0". Since the cover thickness is zero, cover erosion rate, cover density, porosity, and volumetric water content are not utilized.

The volume of the soil is 80 cubic yards (61 m^3). The soil is assumed to be placed in a 100 m^2 area, approximately 0.6 m in thickness.

The surface area of contaminated zone is calculated based upon the volume of material to be disposed, the contaminated zone thickness, and the assumption (per PG-8-08) that the contaminated zone is modeled as a right circular cylinder.

PG-8-08 values were used for contaminated zone density, total porosity, effective porosity, and hydraulic conductivity.

The Length Parallel to Aquifer Flow assumes a cylindrical contaminated zone per PG-8-08 with a thickness of 1m and an area of 100m². The diameter of the cylinder would be 11.3m as below. This would necessarily be the length of the contaminated zone parallel to aquifer flow.

$$A = \pi \left(\frac{d}{2} \right)^2 \text{ or, } d = 2\sqrt{\frac{A}{\pi}}$$

The value of 11.3m was used for this parameter. Since the Worker Scenario does not include doses via groundwater pathways, this parameter is not used in Scenario A. For the 1,000 m² area this value was 35.7 m and for the 10,000 m² area 113 m was used.

Foundation parameters including density, porosity, volumetric water content, thickness, and depth below ground, are intended to represent characteristics of a building constructed within the contaminated zone in which an individual works or lives. PG-8-08 values were utilized for these parameters.

Table C.4. Cover, Contaminated Zone, and Foundation Parameters

	Scenario A	Scenario B	Scenario C	Units
Cover Thickness	0	0	0	M
Cover Erosion Rate	NU	NU	NU	m/y
Cover Density	NU	NU	NU	g/cm ³
Cover Porosity	NU	NU	NU	---
Cover Volumetric Water Content	NU	NU	NU	---
Contaminated Zone Area	100	100	100	m ²
Contaminated Zone Thickness	1	1	1	M
Contaminated Zone Density	1.63	1.63	1.63	g/cm ³
Contaminated Zone Porosity	0.3	0.3	0.3	---
Contaminated Zone Effective Porosity	0.2	0.2	0.2	---
Contaminated Zone Hydraulic Conductivity	NU	10	10	m/y
Length of Contaminated Zone in Flow Direction	NU	11.3	11.3	M
Foundation Density	2.4	2.4	2.4	g/cm ³
Foundation Porosity	0.1	0.1	0.1	---
Foundation Volumetric Water Content	0.03	0.03	0.03	---
Foundation Thickness	0.15	0.15	0.15	M
Foundation Depth Below Ground	1	1	1	M

NU = Not Utilized in this scenario.

The layer of soil beneath the contaminated zone and above the water bearing (saturated) zone, is the unsaturated (vadose) zone. Radionuclides must traverse the unsaturated zone to reach the saturated zone. Once a radionuclide has reached the saturated zone it is free to move with groundwater to a groundwater well. This process is reflected in the

groundwater dependent pathways which include ingested water, crop irrigation, livestock watering and aquatic food consumption. The properties of the unsaturated and saturated zones influence how rapidly the radionuclides appear in groundwater and groundwater wells.

Table C.5 presents the values used to describe the characteristics of the unsaturated and saturated zones. PG-8-08 recommends the use of one saturated zone with a thickness of 1 meter. PG-8-08 values were also used for unsaturated and saturated zone total and effective porosities and hydraulic conductivities. Default values suggested by the developers of RESRAD were utilized for parameters not specified in PG-8-08.

Table C.5. Saturated and Unsaturated Zone Parameters

Parameter	Scenario A	Scenario B	Scenario C	Units
Number of Unsaturated Zones	1	1	1	---
Unsaturated Zone Thickness (Uncontaminated)	1	1	1	M
Unsaturated Zone Density	1.63	1.63	1.63	g/cm ³
Unsaturated Zone Porosity	0.3	0.3	0.3	---
Unsaturated Zone Effective Porosity	0.2	0.2	0.2	---
Unsaturated Zone Hydraulic Conductivity	NU	10	; 10	m/y
Saturated Zone Density	1.63	1.63	1.63	g/cm ³
Saturated Zone Porosity	0.3	0.3	0.3	---
Saturated Zone Effective Porosity	0.2	0.2	0.2	---
Saturated Zone Hydraulic Conductivity	NU	100	100	m/y

Meteorologic and hydrologic parameters include those relating to wind and water effects on the transport of contaminants. The values used for these parameters in each scenario are presented in Table C.6. Since these parameters are used to assess exposures due to the groundwater pathways, they are not utilized in Scenario A - Worker.

PG-8-08 parameter values and those recommended by the developers of RESRAD are identical in most cases. The PG-8-08 value for irrigation is 0.76 m/y was used instead of the RESRAD default of 0.2 m/yr. PG-8-08 also recommends performing a sensitivity analysis to examine the effects of varying groundwater well depth. The basis groundwater well depth is 10 m. This value was varied \pm 50 % to examine the impact of varying well depth on projected doses.

Table C.6. Meteorologic and Hydrologic Parameters

Parameter	Scenario A	Scenario B	Scenario C	Units
Precipitation Rate	NU	1	1	m/y
Runoff Coefficient	NU	0.2	0.2	
Irrigation Rate	NU	0.76	0.76	m/y
Evapotranspiration Coefficient	NU	0.5	0.5	---
Hydraulic Gradient	NU	0.02	0.02	---
Watershed Area	NU	1×10^6	1×10^6	m ²
Water Table Drop Rate	NU	0	0	m/y
Well Intake Depth	NU	10	10	M

Average Wind Speed	2	2	2	m/s
Average Air Exchange Rate	0.5	0.5	0.5	l/hr

Parameter values relating to ingestion, inhalation, and direct exposure to radionuclides are presented in Table C.7. These values are defined by the individual scenario being modeled. In particular, values representing the fraction of time an individual spends onsite indoors, onsite outdoors, and off-site are taken directly from the scenario assumptions.

Scenario B - Resident includes doses from a limited quantity of fruits, grains, and vegetables grown in an onsite garden and exposure due to onsite well water consumption. These pathways are not an element of Scenario A - Worker.

Scenario C – Resident Worker increases the fraction time spent onsite, increases the consumption of fruits, grains, and leafy vegetables produced onsite and the production and consumption of milk, meat and aquatic foods. These variations in scenario assumptions are reflected in the use of values livestock fodder and water intake rates, milk consumption, groundwater usage fractions.

Table C.7. Ingestion, Inhalation, and Direct Exposure Parameters

Parameter	Scenario A	Scenario B	Scenario C	Units
Fraction of Indoor Time	0.18	0.40	0.55	---
Fraction of Outdoor Time	0.05	0.10	0.21	---
Livestock Fodder Rate – Meat	NU	NU	68	kg/d
Livestock Fodder Rate – Milk	NU	NU	55	kg/d
Air-Mass Loading Factor	2×10^{-4}	2×10^{-4}	2×10^{-4}	g/m ³
Milk Consumption	NU	NU	100	l/y
Shielding Factor for Inhalation	0.50	0.50	0.50	---
Root Depth	NU	0.9	0.9	M
Soil Ingestion Rate	NU	10	18.25	g/y
Dilution Length for Airborne Dust	3	3	3	M
Fruit, Vegetable, and grain Consumption Rate	NU	83	166	kg/y
Inhalation Rate	10512	10512	10512	m ³ /y
Leafy Vegetable Ingestion Rate	NU	6	11	kg/y
Livestock Water Intake Rate – Meat	NU	NU	50	l/d
Livestock Water Intake Rate – Milk	NU	NU	160	l/d
Shielding Factor for External Gamma	0.33	0.33	0.33	---
Drinking Water Intake Rate	NU	730	730	l/y
Fraction of Drinking Water from Site	0	1	1	---
Mass Loading from Foliar Deposition	NU	1×10^{-4}	1×10^{-4}	g/m ³
Depth of Soil Mixing Layer	NU	0.15	0.15	M
Drinking Water Fraction from Groundwater	0	1	1	---
Livestock Water Fraction from Groundwater	NU	NU	1	---
Irrigation Water Fraction from Groundwater	NU	1	1	---

V. Results

The three scenarios identified in PG-8-08 were run using the RESRAD code. A sensitivity analysis was performed to review the effect of varying the depth to groundwater well intake on projected doses. The results of the individual runs, the input data sets, and the summary output data sheets are contained in attachments to this report.

Graphical presentations of the RESRAD projections are presented with the input data sets and summary report in the attachments. For each scenario plots of total dose and dose by nuclide over time are provided. Graphical presentations of dose by component pathway are also provided. The effects of varying the well intake depth \pm 5 meters from the base case depth of 10 meters, as recommended by PG-8-08 is provided for the Resident Farmer Scenario. These scenarios are identified as 80R C-1Aa and 80R C-1Ba.

The projected doses for each of the base scenarios are tabulated in Table C.8. These are the doses projected based on a total source term of approximately 756 μCi of ^{3}H (7.6 pCi/g). The highest dose for scenario A is 3.4E-5 mrem/y immediately after disposal. For scenario B the maximum dose is 7.4E-2 mrem/y occurring at immediately after disposal. For the Resident-Farmer scenario, the highest dose is 7.6E-2 mrem/y immediately after disposal. For all scenarios, dose rates are essentially 0 mrem per year from year 3 forward.

Table C.8. Scenario Total Dose Estimates (mrem/y)

Scenario – File	Max Dose	Time	t=0.2y	t=0.3y	t=1.0y	t=3.0y
A (80R A-1a.RAD)	3.4E-5	0y	4.1E-6	1.4E-6	9.1E-10	6.1E-19
B (80R B-1a.RAD)	7.4E-2	0y	6.9E-2	4.8E-2	3.2E-5	2.2E-14
C (80R C-1a.RAD)	7.6E-2	0y	7.0E-2	4.9E-2	3.3E-5	2.2E-14

Table C.9 presents the modeling results in terms of dose to source ratio (mrem/year per pCi/g). These results are useful for estimating doses due to differing concentrations of ^{3}H in soil. Values are presented for time frames from “0” years through 3 years. As above, doses are effectively zero at and beyond year 3.

Table C.9. Scenario Dose to Source Ratio (mrem/yr per pCi/g)

Scenario – File	Isotope	t=0y	t=0.2y	t=0.3y	t=1.0y	t=3.0y
A (80R A-1.RAD)	H-3	4.5E-6	5.5E-7	1.9E-7	1.2E-10	8.1E-20
B (80R B-1.RAD)	H-3	9.8E-3	9.1E-3	6.3E-3	4.2E-6	2.9E-15
C (80R C-1.RAD)	H-3	1.0E-2	9.2E-3	6.5E-3	4.3E-6	2.9E-15

Table C-10 is a complete listing of all cases run and the maximum projected dose for each case.

Since doses are low from the outset and decrease to effectively zero within 3 years, even for these very conservative scenarios. It can be concluded that offsite disposal of this soil will have a negligible radiological impact. Considering further that industrial waste disposal facilities have a thirty-year post closure monitoring period before any other use is made of the site, it can be seen this disposal activity would have zero impact.

Table C.10. Index of RESRAD Cases

Case	Scenario	Area (m ²)	Thickness (m)	Volume (m ³)	³ H Conc. (pCi/g)	Max Dose (mrem/y)	Time (y)
80R A-1a	On-Site Worker	100	0.6	60	7.6	3.4E-5	0.0
80R A-2a	On-Site Worker	100	0.6	60	16.7	7.5E-5	0.0
80R B-1a	Resident	100	0.6	60	7.6	7.4E-2	0.0
80R B-2a	Resident	100	0.6	60	16.7	1.6E-1	0.0
80R C-1a	Resident Farmer	100	0.6	60	7.6	7.6E-2	0.0
80R C-2a	Resident Farmer	100	0.6	60	16.7	1.7E-1	0.0
80R C-3a	Resident Farmer	1,000	1.0	1,000	0.46	3.2E-2	0.0
80R C-4a	Resident Farmer	1,000	1.0	1,000	1.02	7.0E-2	0.0
80R C-5a	Resident Farmer	10,000	1.0	10,000	4.6E-2	1.1E-3	0.57
80R C-6a	Resident Farmer	10,000	1.0	10,000	0.10	2.5E-3	0.57
80R C-1Aa	Resident Farmer	100	0.6	60	7.6	7.6E-2	0.0
80R C-1Ba	Resident Farmer	100	0.6	60	7.6	7.6E-2	0.0

Note: Cases 80R C-1 Aa and C-1Ba are variation of 80R C-1a modifying the groundwater well depth +/- 5 m from the base case of 10 m. 80R C-1Aa uses a well depth of 15 m, 80R C1-Ba uses a well depth of 5 m. The effect is negligible.

80R Sample Data

	Dumpster ID	H-3 uCi/g	H-3 MDC uCi/g	C-14 uCi/g	C-14 MDC uCi/g	C-14 Uncertainty
Phase I						
	DT19	3.44E-06	3.30E-08	4.58E-07	3.09E-07	2.33E-07
		3.30E-06	3.33E-08	1.98E-07	3.07E-07	2.18E-07
		1.67E-05	3.30E-08	3.66E-07	3.08E-07	2.27E-07
		1.38E-05	3.28E-08	1.69E-07	3.11E-07	2.19E-07
		7.79E-06	3.30E-08	1.13E-07	3.11E-07	2.16E-07
		7.19E-06	3.28E-08	2.67E-07	3.13E-07	2.24E-07
Phase II B	DR90	1.18E-05	3.14E-08	1.07E-07	3.17E-07	2.10E-07
	DP74	1.13E-05	3.08E-08	1.20E-08	3.16E-07	2.00E-07
Phase II B	DH49	2.36E-06	2.90E-06	5.62E-08	3.31E-07	2.20E-07
(Repeat of DH49)		1.40E-07	2.90E-06	-2.86E-08	3.31E-07	2.10E-07
		5.02E-06	2.87E-06	-4.59E-08	3.31E-07	2.10E-07
		8.33E-06	2.50E-06	-1.57E-07	3.37E-07	2.20E-07
Average Concentration		7.60E-06		1.26E-07		
Maximum Value		1.67E-05		4.58E-07		
NRC Soil Screening Values		1.10E-04		1.20E-05		

(1)

Sample Results Summary
STL Richland
Ordered by Client Sample ID, Batch No.

Date: 16-May-01

Report No.: 13408

SDG No: 17293

Client ID	Work Order Number	Parameter	Result +/- Uncertainty	Qual	Units	Yield	MDC MDA	RER
BKG 1	EC76N1AC	C-14	3.37E-08 +/- 2.11E-07 (2s)	U	uCi/g	100.00%	3.24E-07	
BKG 1	EC76N1AA	H-3	6.55E-07 +/- 4.12E-06 (2s)	U	uCi/g	100.00%	6.74E-06	
BKG 1 DUP	EC76N1AD	C-14	3.15E-08 +/- 2.11E-07 (2s)	U	uCi/g	100.00%	3.24E-07	
BKG 2	EC77C1AC	C-14	-4.83E-09 +/- 2.09E-07 (2s)	U	uCi/g	100.00%	3.24E-07	
BKG 2	EC77C1AA	H-3	-1.32E-06 +/- 3.92E-06 (2s)	U	uCi/g	100.00%	6.74E-06	
BKG 2 DUP	EC77C1AD	H-3	1.56E-06 +/- 4.19E-06 (2s)	U	uCi/g	100.00%	6.68E-06	
Number of Results:		6						

Analytical Data Package Prepared For
Merck & Co., Inc.

Radiochemical Analysis By
STL Richland

2800 G.W. Way, Richland, Wa 99352, (509) 375-3131

Assigned Laboratory Code:

Data Package Contains 21 Pages

Report No.: 13940

SDG No.	Order No.	Client Sample ID (List Order)	Lot-Sa No.	Work Order	Report DB ID	Batch No.
17750		140	J1G120296-1	EF9DW1AC	9EF9DW10	1198288
		140	J1G120296-1	EF9DW1AA	9EF9DW10	1198289
		B1	J1G120296-2	EF9EF1AC	9EF9EF10	1198288
		B1	J1G120296-2	EF9EF1AA	9EF9EF10	1198289
		B2	J1G120296-3	EF9EH1AC	9EF9EH10	1198288
		B2	J1G120296-3	EF9EH1AA	9EF9EH10	1198289
		B3	J1G120296-4	EF9EM1AC	9EF9EM10	1198288
		B3	J1G120296-4	EF9EM1AA	9EF9EM10	1198289
		B4	J1G120296-5	EF9EP1AC	9EF9EP10	1198288
		B4	J1G120296-5	EF9EP1AA	9EF9EP10	1198289
		B5	J1G120296-6	EF9ER1AC	9EF9ER10	1198288
		B5	J1G120296-6	EF9ER1AA	9EF9ER10	1198289
		B6	J1G120296-7	EF9EV1AC	9EF9EV10	1198288
		B6	J1G120296-7	EF9EV1AA	9EF9EV10	1198289

10 unidentified
 AS 83-88
 in Summary
 Due to 5/16 8Kb
 samples

(2)

Sample Results Summary

Date: 26-Jul-01

STL Richland

Ordered by Client Sample ID, Batch No.

Report No. : 13940

SDG No: 17750

Client ID	Work Order Number	Parameter	Result	+- Uncertainty	Qual	Units	Yield	MDC MDA	RER
140	EF9DW1AC	C-14	-2.76E-08	+- 2.0E-07 (2s)	U	uCi/g	100.00%	3.11E-07	
140	EF9DW1AA	H-3	1.66E-05	+- 5.0E-06 (2s)		uCi/g	100.00%	5.87E-06	
140 DUP	EF9DW1AD	C-14	7.39E-08	+- 2.0E-07 (2s)	U	uCi/g	100.00%	3.09E-07	
B1	EF9EF1AC	C-14	1.54E-07	+- 2.1E-07 (2s)	U	uCi/g	100.00%	3.11E-07	
B1	EF9EF1AA	H-3	3.14E-06	+- 3.9E-06 (2s)	U	uCi/g	100.00%	5.94E-06	
B1 DUP	EF9EF1AD	H-3	2.45E-06	+- 3.8E-06 (2s)	U	uCi/g	100.00%	5.85E-06	
B2	EF9EH1AC	C-14	1.86E-07	+- 2.1E-07 (2s)	U	uCi/g	100.00%	3.10E-07	
B2	EF9EH1AA	H-3	6.72E-07	+- 3.6E-06 (2s)	U	uCi/g	100.00%	5.86E-06	
B3	EF9EM1AC	C-14	1.79E-07	+- 2.1E-07 (2s)	U	uCi/g	100.00%	3.09E-07	
B3	EF9EM1AA	H-3	1.95E-06	+- 3.7E-06 (2s)	U	uCi/g	100.00%	5.84E-05	
B4	EF9EP1AC	C-14	2.13E-07	+- 2.1E-07 (2s)	U	uCi/g	100.00%	3.11E-07	
B4	EF9EP1AA	H-3	1.84E-06	+- 3.7E-06 (2s)	U	uCi/g	100.00%	5.92E-06	
B5	EF9ER1AC	C-14	5.49E-08	+- 2.0E-07 (2s)	U	uCi/g	100.00%	3.09E-07	
B5	EF9ER1AA	H-3	9.35E-07	+- 3.6E-06 (2s)	U	uCi/g	100.00%	5.83E-06	
B6	EF9EV1AC	C-14	9.97E-08	+- 2.0E-07 (2s)	U	uCi/g	100.00%	3.10E-07	
B6	EF9EV1AA	H-3	8.97E-07	+- 3.6E-06 (2s)	U	uCi/g	100.00%	5.90E-06	

Number of Results: 16

(3)

Sample Results Summary

Date: 08-May-01

STL Richland

Ordered by Client Sample ID, Batch No.

Report No. : 13361

SDG No: 17218

Client ID	Work Order Number	Parameter	Result +- Uncertainty	Qual	Units	Yield	MDC MDA	RER
1-A	ECL3Q1AC	C-14	4.58E-07 +- 2.33E-07 (2s)	J	uCi/g	100.00%	3.09E-07	
1-A	ECL3Q1AA	H-3	3.44E-06 +- 2.00E-07 (2s)	J	uCi/g	100.00%	3.30E-08	
1-A DUP	ECL3Q1AD	C-14	2.87E-07 +- 2.24E-07 (2s)	U	uCi/g	100.00%	3.09E-07	
1-B	ECL331AC	C-14	1.98E-07 +- 2.18E-07 (2s)	U	uCi/g	100.00%	3.07E-07	
1-B	ECL331AA	H-3	3.30E-06 +- 1.93E-07 (2s)	J	uCi/g	100.00%	3.33E-08	
2-A	ECL3X1AC	C-14	3.66E-07 +- 2.27E-07 (2s)	J	uCi/g	100.00%	3.08E-07	
2-A	ECL3X1AA	H-3	1.67E-05 +- 8.23E-07 (2s)		uCi/g	100.00%	3.30E-08	
2-A DUP	ECL3X1AD	H-3	1.61E-05 +- 7.96E-07 (2s)		uCi/g	100.00%	3.30E-08	
2-B	ECL341AC	C-14	1.69E-07 +- 2.19E-07 (2s)	U	uCi/g	100.00%	3.11E-07	
2-B	ECL341AA	H-3	1.38E-05 +- 6.87E-07 (2s)		uCi/g	100.00%	3.28E-08	
3-A	ECL321AC	C-14	1.13E-07 +- 2.16E-07 (2s)	U	uCi/g	100.00%	3.11E-07	
3-A	ECL321AA	H-3	7.79E-06 +- 4.06E-07 (2s)	J	uCi/g	100.00%	3.30E-08	
3-B	ECL351AC	C-14	2.67E-07 +- 2.24E-07 (2s)	U	uCi/g	100.00%	3.13E-07	
3-B	ECL351AA	H-3	7.19E-06 +- 3.77E-07 (2s)	J	uCi/g	100.00%	3.28E-08	

Number of Results: 14

At: Complete copy in 2001 Decommissioning File. 0006

Sample Results Summary

Date: 18-Jan-02

STL Richland

Ordered by Client Sample ID, Batch No.

Report No.: 18617

SDG No: 19281

Client ID	Work Order Number	Parameter	Result	+ -	Uncertainty	Qual	Units	Yield	MDC MDA	RER
SAMPLE 1	ERGXG1AC	C-14	-6.62E-08	+ -	2.0E-07 (2s)	U	uCi/g	100.00%	3.17E-07	
SAMPLE 1	ERGXG1AA	H-3	1.20E-04	+ -	5.6E-06 (2s)		uCi/g	100.00%	3.17E-08	
SAMPLE 1 DUP	ERGXG1AD	C-14	-1.58E-08	+ -	2.0E-07 (2s)	U	uCi/g	100.00%	3.17E-07	
SAMPLE 2	ERGXR1AC	C-14	1.07E-07	+ -	2.1E-07 (2s)	U	uCi/g	100.00%	3.17E-07	
SAMPLE 2	ERGXR1AA	H-3	1.18E-05	+ -	5.9E-07 (2s)		uCi/g	100.00%	3.14E-08	
SAMPLE 2 DUP	ERGXR1AD	H-3	1.20E-05	+ -	6.0E-07 (2s)		uCi/g	100.00%	3.16E-08	
SAMPLE 3	ERGXV1AC	C-14	1.20E-08	+ -	2.0E-07 (2s)	U	uCi/g	100.00%	3.16E-07	
SAMPLE 3	ERGXV1AA	H-3	1.13E-05	+ -	5.7E-07 (2s)		uCi/g	100.00%	3.08E-08	

Number of Results: 8

0006

STL Richland

ITLRchSaSum V3.81 A97

RER - Replicate Error Ratio = $(S-D)/[\sqrt{(\sum(TPUs)+\sum(TPUs))}]$ as defined by ICPT BOA.

U Qual - Analyzed for, but the result is less than the Mdc/Mda/Total Uncert or gamma scan software did not identify the nuclide.

(5)

Sample Results Summary
STL Richland
Ordered by Client Sample ID, Batch No.

Date: 28-May-02 6

Report No. : 19657

SDG No: 20200

Client ID	Work Order Number	Parameter	Result +/- Uncertainty (2s)	Qual	Units	Yield	MDC/MDA	RER
80R SEWER 01	E1LPX1AC	C-14	5.62E-08 +/- 2.2E-07	U	uCi/g	100.00%	3.31E-07	
80R SEWER 01	E1LPX1AA	H-3	2.31E-06 +/- 2.0E-06	U	uCi/g	100.00%	2.90E-06	
80R SEWER 01 DUP	E1LPX1AD	C-14	1.99E-08 +/- 2.1E-07	U	uCi/g	100.00%	3.31E-07	
80R SEWER 02	E1LQP1AC	C-14	-2.86E-08 +/- 2.1E-07	U	uCi/g	100.00%	3.31E-07	
80R SEWER 02	E1LQP1AA	H-3	1.40E-07 +/- 1.8E-06	U	uCi/g	100.00%	2.90E-06	
80R SEWER 02 DUP	E1LQP1AD	H-3	1.72E-06 +/- 1.9E-06	U	uCi/g	100.00%	2.89E-06	
80R SEWER 03	E1LQW1AC	C-14	-4.59E-08 +/- 2.1E-07	U	uCi/g	100.00%	3.31E-07	
80R SEWER 03	E1LQW1AA	H-3	5.02E-06 +/- 2.2E-06	J	uCi/g	100.00%	2.87E-06	

Number of Results: 8

Sample Results Summary

STL Richland

Ordered by Client Sample ID, Batch No.

Date: 29-May-026

Report No.: 19663

SDG No: 20235

Client ID	Work Order Number	Parameter	Result +- Uncertainty (2s)	Qual	Units	Yield	MDC MDA	RER
80 K Sewer 04	E1XXXK1AC	C-14	-1.57E-07 +- 2.2E-07	U	uCi/g	100.00%	3.37E-07	
80 K Sewer 04	E1XXXK1AA	H-3	8.33E-06 +- 2.3E-06	J	uCi/g	100.00%	2.50E-06	
80 K Sewer 04 DUP	E1XXXK1AD	C-14	-1.91E-08 +- 2.3E-07	U	uCi/g	100.00%	3.37E-07	
80 K Sewer 04 DUP	E1XXXK1AE	H-3	6.67E-06 +- 2.2E-06	J	uCi/g	100.00%	2.52E-06	

Number of Results: 4

land


hSaSum V3.88 A97

RER - Replicate Error Ratio = $(S-D)/[\sqrt{(\sum(TPUs)} + \sum(TPUs))}]$ as defined by ICPT BOA.

J Qual - No U qualifier has been assigned and the result is below the Reporting Limit, RL (CRDL) or Report Value is Estimated.


U Qual - Analyzed for, but the result is less than the Mdc/Mda|Total Uncert or gamma scan software did not identify the

DOSE: All Nuclides Summed, All Pathways Summed



80R A-1a RAD 11/04/2003 14:55 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R A-1a.RAD 11/04/2003 14:55

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 14:55 Page 2
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	not used	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	7.600E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	not used	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	not used	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	not used	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	not used	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	not used	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	not used	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	not used	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	not used	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	not used	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	not used	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	not used	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	not used	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	not used	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	not used	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	not used	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	not used	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	not used	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	not used	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	not used	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	1.800E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	5.000E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radius of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	EGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	EGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	EGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	EGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSEL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 14:55 Page 7
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Summary of Pathway Selections

Pathway		User Selection
1 -- external gamma		active
2 -- inhalation (w/o radon)		active
3 -- plant ingestion		suppressed
4 -- meat ingestion		suppressed
5 -- milk ingestion		suppressed
6 -- aquatic foods		suppressed
7 -- drinking water		suppressed
8 -- soil ingestion		suppressed
9 -- radon		suppressed
Find peak pathway doses		active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 14:55 Page 8
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g
Area: 100.00 square meters	H-3 7.600E+00
Thickness: 0.60 meters	
Cover Depth: 0.00 meters	

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	3.400E-05	4.144E-06	1.446E-06	9.082E-10	6.146E-19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	1.360E-06	1.657E-07	5.785E-08	3.633E-11	2.459E-20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 3.400E-05 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 14:55 Page 9
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.400E-05	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	3.400E-05	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	3.400E-05	1.0000										
Total	0.000E+00	0.0000	3.400E-05	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 14:55 Page 10
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.144E-06	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	4.144E-06	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	4.144E-06	1.0000										
Total	0.000E+00	0.0000	4.144E-06	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 14:55 Page 11
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.446E-06	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	1.446E-06	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	1.446E-06	1.0000										
Total	0.000E+00	0.0000	1.446E-06	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 14:55 Page 12
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	9.082E-10	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	9.082E-10	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	9.082E-10	1.0000										
Total	0.000E+00	0.0000	9.082E-10	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 14:55 Page 13
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	6.148E-19	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	6.148E-19	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	6.148E-19	1.0000										
Total	0.000E+00	0.0000	6.148E-19	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 14:55 Page 14
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Radio-	Nuclide	mrem/yr fract.					
	H-3	0.000E+00 0.0000					
	Total	0.000E+00 0.0000					

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Radio-	Nuclide	mrem/yr fract.					
	H-3	0.000E+00 0.0000					
	Total	0.000E+00 0.0000					

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 14:55 Page 15
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 14:55 Page 16
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 14:55 Page 17
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 14:55 Page 18
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 14:55 Page 19
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)
(i)	(j)	Fraction*	t = 0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
H-3	H-3	1.000E+00	4.473E-06 5.452E-07 1.903E-07 1.195E-10 8.090E-20 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBFR(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		5.589E+06	4.585E+07	1.314E+08	2.092E+11	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	7.600E+00	0.000E+00	4.473E-06	5.589E+06	4.473E-06	5.589E+06

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 14:55 Page 20
Summary : Merck 80R A-1 Onsite Worker File: 80R A-1a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	3.400E-05	4.144E-06	1.446E-06	9.082E-10	6.148E-19	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.600E+00	9.266E-01	3.235E-01	2.034E-04	1.381E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.43 seconds

DOSE: All Nuclides Summed, All Pathways Summed



BOR A-ZaRAD 11/04/2003 15:15 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R A-2a.RAD 11/04/2003 15:15

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:15 Page 1
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 2
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	not used	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.670E+01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	not used	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	not used	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	not used	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	not used	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	not used	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	not used	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	not used	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	not used	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	not used	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	not used	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	not used	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	not used	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	not used	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	not used	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	not used	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	not used	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	not used	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	not used	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	not used	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	1.800E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	5.000E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHWW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFIS
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWIS
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (l/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21
Summary : Merck 80R A-2 Onsite Worker

11/04/2003 15:15 Page 7
File: 80R A-2a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 8
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	1.670E+01
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		
<p>Total Dose TDOSE(t), mrem/yr Basic Radiation Dose Limit = 2.500E+01 mrem/yr Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)</p>			
t (years):	0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 3.000E+02 1.000E+03		
TDOSE(t):	7.470E-05 9.105E-06 3.178E-06 1.996E-09 1.351E-18 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
M(t):	2.988E-06 3.642E-07 1.271E-07 7.982E-11 5.404E-20 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
Maximum TDOSE(t): 7.470E-05 mrem/yr at t = 0.000E+00 years			

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 9
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	7.470E-05	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	7.470E-05	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	7.470E-05	1.0000										
Total	0.000E+00	0.0000	7.470E-05	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:15 Page 10
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	9.105E-06	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	9.105E-06	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	9.105E-06	1.0000										
Total	0.000E+00	0.0000	9.105E-06	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year
Summary : Merck 80R A-2 Onsite Worker

11/04/2003 15:15 Page 11

File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr
H-3	0.000E+00	0.0000	3.178E-06	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	3.178E-06	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	Nuclide	mrem/yr	fract.	mrem/yr										
H-3	0.000E+00	0.0000	3.178E-06	1.0000										
Total	0.000E+00	0.0000	3.178E-06	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 15:15 Page 12
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.996E-09	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	1.996E-09	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	1.996E-09	1.0000										
Total	0.000E+00	0.0000	1.996E-09	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:15 Page 13
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.351E-18	1.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000	1.351E-18	1.0000	0.000E+00	0.0000								

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	1.351E-18	1.0000										
Total	0.000E+00	0.0000	1.351E-18	1.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R A-2 Onsite Worker

11/04/2003 15:15 Page 14

File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 15
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 16
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:15 Page 17
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:15 Page 18
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T^{1/2}$ Limit = 0.5 year 11/04/2003 15:15 Page 19
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	4.473E-06	5.452E-07	1.903E-07	1.195E-10	8.090E-20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	Single Radionuclide Soil Guidelines G(i,t) in pCi/g											
(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
H-3	5.589E+06	4.585E+07	1.314E+08	2.092E+11	*9.594E+15							

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	1.670E+01	0.000E+00	4.473E-06	5.589E+06	4.473E-06	5.589E+06

RESRAD, Version 6.21 T⁴ Limit = 0.5 year 11/04/2003 15:15 Page 20
Summary : Merck 80R A-2 Onsite Worker File: 80R A-2a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.470E-05	9.105E-06	3.178E-06	1.996E-09	1.351E-18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.670E+01	2.036E+00	7.108E-01	4.469E-04	3.035E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.05 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R B-1a.RAD 11/04/2003 15:30 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R B-1a RAD 11/04/2003 15:30

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T₁ Limit = 0.5 year 11/04/2003 15:30 Page 2
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current	Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:				
B-1	H-3		6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:				
D-1	H-3		6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:				
D-34	H-3 , plant/soil concentration ratio, dimensionless		4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)		1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)		1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:				
D-5	H-3 , fish		1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks		1.000E+00	1.000E+00	BIOFAC(1,2)

RESRAD, Version 6.21 T₄ Limit = 0.5 year 11/04/2003 15:30 Page 3
 Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	7.600E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	4.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.000E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	8.300E+01	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	6.000E+00	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.000E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFIS
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 7
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 8
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	7.600E+00
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	7.411E-02	6.891E-02	4.816E-02	3.192E-05	2.183E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	2.964E-03	2.756E-03	1.926E-03	1.277E-06	8.732E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 7.411E-02 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 9
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	7.390E-05	0.0010	0.000E+00	0.0000	7.918E-04	0.0107	0.000E+00	0.0000	0.000E+00	0.0000	2.314E-08	0.0000
Total	0.000E+00	0.0000	7.390E-05	0.0010	0.000E+00	0.0000	7.918E-04	0.0107	0.000E+00	0.0000	0.000E+00	0.0000	2.314E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	7.239E-02	0.9767	0.000E+00	0.0000	0.000E+00	0.0000	8.576E-04	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	7.411E-02	1.0000
Total	7.239E-02	0.9767	0.000E+00	0.0000	0.000E+00	0.0000	8.576E-04	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	7.411E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 10
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	9.008E-06	0.0001	0.000E+00	0.0000	1.299E-04	0.0019	0.000E+00	0.0000	0.000E+00	0.0000	2.820E-09	0.0000
Total	0.000E+00	0.0000	9.008E-06	0.0001	0.000E+00	0.0000	1.299E-04	0.0019	0.000E+00	0.0000	0.000E+00	0.0000	2.820E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.796E-02	0.9862	0.000E+00	0.0000	0.000E+00	0.0000	8.087E-04	0.0117	0.000E+00	0.0000	0.000E+00	0.0000	6.891E-02	1.0000
Total	6.796E-02	0.9862	0.000E+00	0.0000	0.000E+00	0.0000	8.087E-04	0.0117	0.000E+00	0.0000	0.000E+00	0.0000	6.891E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:30 Page 11
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.144E-06	0.0001	0.000E+00	0.0000	4.535E-05	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	9.843E-10	0.0000
Total	0.000E+00	0.0000	3.144E-06	0.0001	0.000E+00	0.0000	4.535E-05	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	9.843E-10	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.734E-02	0.9830	0.000E+00	0.0000	0.000E+00	0.0000	7.688E-04	0.0160	0.000E+00	0.0000	0.000E+00	0.0000	4.816E-02	1.0000
Total	4.734E-02	0.9830	0.000E+00	0.0000	0.000E+00	0.0000	7.688E-04	0.0160	0.000E+00	0.0000	0.000E+00	0.0000	4.816E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 15:30 Page 12
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.974E-09	0.0001	0.000E+00	0.0000	2.846E-08	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	6.181E-13	0.0000
Total	0.000E+00	0.0000	1.974E-09	0.0001	0.000E+00	0.0000	2.846E-08	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	6.181E-13	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	3.132E-05	0.9813	0.000E+00	0.0000	0.000E+00	0.0000	5.667E-07	0.0178	0.000E+00	0.0000	0.000E+00	0.0000	3.192E-05	1.0000
Total	3.132E-05	0.9813	0.000E+00	0.0000	0.000E+00	0.0000	5.667E-07	0.0178	0.000E+00	0.0000	0.000E+00	0.0000	3.192E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 13
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	1.337E-18 0.0001	0.000E+00 0.0000	1.923E-17 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	4.184E-22 0.0000
Total	0.000E+00 0.0000	1.337E-18 0.0001	0.000E+00 0.0000	1.923E-17 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	4.184E-22 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	2.142E-14 0.9813	0.000E+00 0.0000	0.000E+00 0.0000	3.879E-16 0.0178	0.000E+00 0.0000	0.000E+00 0.0000	2.183E-14 1.0000
Total	2.142E-14 0.9813	0.000E+00 0.0000	0.000E+00 0.0000	3.879E-16 0.0178	0.000E+00 0.0000	0.000E+00 0.0000	2.183E-14 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 14
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:30 Page 15
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:30 Page 16
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:30 Page 17
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:30 Page 18
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:30 Page 19
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	9.751E-03	9.067E-03	6.337E-03	4.200E-06	2.872E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	G(i,t) in pCi/g											
(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
H-3	2.564E+03	2.757E+03	3.945E+03	5.953E+06	8.703E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)		G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)			(pCi/g)		(pCi/g)
H-3	7.600E+00	0.000E+00	9.751E-03	2.564E+03	9.751E-03	2.564E+03	

RESRAD, Version 6.21 Th limit = 0.5 year 11/04/2003 15:30 Page 20
Summary : Merck 80R B-1 Resident File: 80R B-1a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.411E-02	6.891E-02	4.816E-02	3.192E-05	2.183E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.600E+00	9.266E-01	3.235E-01	2.034E-04	1.381E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.21 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R B-2a RAD 11/04/2003 15:34 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R B-2a RAD 11/04/2003 15:34

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:34 Page 2
Summary : Merck 80R B-2 Resident File: 80R B-2a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.670E+01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.0000E+00	0.0000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.0000E+00	0.0000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.0000E-04	1.0000E-04	---	MLINH
R017	Exposure duration	3.0000E+01	3.0000E+01	---	ED
R017	Shielding factor, inhalation	5.0000E-01	4.0000E-01	---	SHF3
R017	Shielding factor, external gamma	3.3000E-01	7.0000E-01	---	SHF1
R017	Fraction of time spent indoors	4.0000E-01	5.0000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.0000E-01	2.5000E-01	---	FOTD
R017	Shape factor flag, external gamma	1.0000E+00	1.0000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.0000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.0000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.0000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.0000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.0000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.0000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.0000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.0000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.0000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.0000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.0000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.0000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.0000E+00	---	FRACA(3)
R017	Ring 4	not used	0.0000E+00	---	FRACA(4)
R017	Ring 5	not used	0.0000E+00	---	FRACA(5)
R017	Ring 6	not used	0.0000E+00	---	FRACA(6)
R017	Ring 7	not used	0.0000E+00	---	FRACA(7)
R017	Ring 8	not used	0.0000E+00	---	FRACA(8)
R017	Ring 9	not used	0.0000E+00	---	FRACA(9)
R017	Ring 10	not used	0.0000E+00	---	FRACA(10)
R017	Ring 11	not used	0.0000E+00	---	FRACA(11)
R017	Ring 12	not used	0.0000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	8.300E+01	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	6.000E+00	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.000E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation-Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMEFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 7
File: 80R B-2a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 8
File: 80R B-2a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	1.670E+01
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		
<p>Total Dose TDOSE(t), mrem/yr Basic Radiation Dose Limit = 2.500E+01 mrem/yr Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)</p>			
t (years):	0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03		
TDOSE(t):	1.628E-01 1.514E-01 1.058E-01 7.014E-05 4.797E-14 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
M(t):	6.514E-03 6.057E-03 4.233E-03 2.806E-06 1.919E-15 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
Maximum TDOSE(t): 1.628E-01 mrem/yr at t = 0.000E+00 years			

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 15:34 Page 9
Summary : Merck 80R B-2 Resident File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.624E-04	0.0010	0.000E+00	0.0000	1.740E-03	0.0107	0.000E+00	0.0000	0.000E+00	0.0000	5.084E-08	0.0000
Total	0.000E+00	0.0000	1.624E-04	0.0010	0.000E+00	0.0000	1.740E-03	0.0107	0.000E+00	0.0000	0.000E+00	0.0000	5.084E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.591E-01	0.9767	0.000E+00	0.0000	0.000E+00	0.0000	1.884E-03	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	1.628E-01	1.0000
Total	1.591E-01	0.9767	0.000E+00	0.0000	0.000E+00	0.0000	1.884E-03	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	1.628E-01	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 15:34 Page 10
Summary : Merck 80R B-2 Resident File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.979E-05	0.0001	0.000E+00	0.0000	2.855E-04	0.0019	0.000E+00	0.0000	0.000E+00	0.0000	6.197E-09	0.0000
Total	0.000E+00	0.0000	1.979E-05	0.0001	0.000E+00	0.0000	2.855E-04	0.0019	0.000E+00	0.0000	0.000E+00	0.0000	6.197E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.493E-01	0.9862	0.000E+00	0.0000	0.000E+00	0.0000	1.777E-03	0.0117	0.000E+00	0.0000	0.000E+00	0.0000	1.514E-01	1.0000
Total	1.493E-01	0.9862	0.000E+00	0.0000	0.000E+00	0.0000	1.777E-03	0.0117	0.000E+00	0.0000	0.000E+00	0.0000	1.514E-01	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 11

File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	6.909E-06 0.0001	0.000E+00 0.0000	9.965E-05 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	2.163E-09 0.0000
Total	0.000E+00 0.0000	6.909E-06 0.0001	0.000E+00 0.0000	9.965E-05 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	2.163E-09 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	1.040E-01 0.9830	0.000E+00 0.0000	0.000E+00 0.0000	1.689E-03 0.0160	0.000E+00 0.0000	0.000E+00 0.0000	1.058E-01 1.0000
Total	1.040E-01 0.9830	0.000E+00 0.0000	0.000E+00 0.0000	1.689E-03 0.0160	0.000E+00 0.0000	0.000E+00 0.0000	1.058E-01 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 12
File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.338E-09	0.0001	0.000E+00	0.0000	6.253E-08	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	1.358E-12	0.0000
Total	0.000E+00	0.0000	4.338E-09	0.0001	0.000E+00	0.0000	6.253E-08	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	1.358E-12	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.883E-05	0.9813	0.000E+00	0.0000	0.000E+00	0.0000	1.245E-06	0.0178	0.000E+00	0.0000	0.000E+00	0.0000	7.014E-05	1.0000
Total	6.883E-05	0.9813	0.000E+00	0.0000	0.000E+00	0.0000	1.245E-06	0.0178	0.000E+00	0.0000	0.000E+00	0.0000	7.014E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 13
File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	2.937E-18 0.0001	0.000E+00 0.0000	4.225E-17 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	9.195E-22 0.0000
Total	0.000E+00 0.0000	2.937E-18 0.0001	0.000E+00 0.0000	4.225E-17 0.0009	0.000E+00 0.0000	0.000E+00 0.0000	9.195E-22 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	4.707E-14 0.9813	0.000E+00 0.0000	0.000E+00 0.0000	8.523E-16 0.0178	0.000E+00 0.0000	0.000E+00 0.0000	4.797E-14 1.0000
Total	4.707E-14 0.9813	0.000E+00 0.0000	0.000E+00 0.0000	8.523E-16 0.0178	0.000E+00 0.0000	0.000E+00 0.0000	4.797E-14 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 14

File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 15

File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-Nuclide	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 15:34 Page 16
Summary : Merck 80R B-2 Resident File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 17
File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground mrem/yr	Inhalation fract.	Radon mrem/yr	Plant fract.	Meat mrem/yr	Milk fract.	Soil mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water mrem/yr	Fish fract.	Radon mrem/yr	Plant fract.	Meat mrem/yr	Milk fract.	All Pathways* mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R,B-2 Resident

11/04/2003 15:34 Page 18

File: 80R B-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year
Summary : Merck 80R B-2 Resident

11/04/2003 15:34 Page 19
File: 80R B-2a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	9.751E-03	9.067E-03	6.337E-03	4.200E-06	2.872E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	DSR(i,t) in (mrem/yr)/(pCi/g)											
(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
H-3	2.564E+03	2.757E+03	3.945E+03	5.953E+06	8.703E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)		G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)	
H-3	1.670E+01	0.000E+00	9.751E-03	2.564E+03	9.751E-03	2.564E+03	

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 15:34 Page 20
Summary : Merck 80R B-2 Resident File: 80R B-2a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.628E-01	1.514E-01	1.058E-01	7.014E-05	4.797E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.670E+01	2.036E+00	7.108E-01	4.469E-04	3.035E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.12 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R C-1a.RAD 11/04/2003 16:22 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-1a RAD 11/04/2003 16:22

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 2
File: 80R C-1A.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R011	Times for calculations (yr)				
R012	Initial principal radionuclide (pCi/g): H-3	7.600E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	V CZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3			---	
R016	Contaminated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.0000E+00	0.0000E+00	5.227B+00	ALEACH(1)
R016	Solubility constant	0.0000E+00	0.0000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):			---	
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:			---	
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOLI
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-02	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-02	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation-Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 7

File: 80R C-1a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 16:22 Page 8
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g								
Area:	100.00 square meters	H-3	7.600E+00							
Thickness:	0.60 meters									
Cover Depth:	0.00 meters									
<hr/>										
Total Dose TDOSE(t), mrem/yr										
Basic Radiation Dose Limit = 2.500E+01 mrem/yr										
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)										
<hr/>										
t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	7.592E-02	6.993E-02	4.903E-02	3.260E-05	2.230E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	3.037E-03	2.797E-03	1.961E-03	1.304E-06	8.918E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Maximum TDOSE(t): 7.592E-02 mrem/yr at t = 0.000E+00 years										

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 9
File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000
Total	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000
Total	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 16:22 Page 10
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000
Total	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000
Total	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:22 Page 11
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000
Total	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000
Total	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 12

File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	3.001E-09 0.0001	0.000E+00 0.0000	5.669E-08 0.0017	3.441E-09 0.0001	1.915E-09 0.0001	1.715E-12 0.0000
Total	0.000E+00 0.0000	3.001E-09 0.0001	0.000E+00 0.0000	5.669E-08 0.0017	3.441E-09 0.0001	1.915E-09 0.0001	1.715E-12 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	3.132E-05 0.9608	5.222E-11 0.0000	0.000E+00 0.0000	1.128E-06 0.0346	4.598E-08 0.0014	3.724E-08 0.0011	3.260E-05 1.0000
Total	3.132E-05 0.9608	5.222E-11 0.0000	0.000E+00 0.0000	1.128E-06 0.0346	4.598E-08 0.0014	3.724E-08 0.0011	3.260E-05 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 13

File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000
Total	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000
Total	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:22 Page 14
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:22 Page 15

File: 80R C-1a.RAD

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:22 Page 16
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:22 Page 17
Summary : Merck 80R C-1a Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:22 Page 18
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:22 Page 19
Summary : Merck 80R C-1a Resident Farmer File: 80R C-1a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch		DSR(j,t) (mrem/yr)/(pCi/g)										
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
H-3	H-3	1.000E+00	9.989E-03	9.202E-03	6.452E-03	4.289E-06	2.934E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide														
(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03				
H-3	2.503E+03	2.717E+03	3.875E+03	5.829E+06	8.522E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15				

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	7.600E+00	0.000E+00	9.989E-03	2.503E+03	9.989E-03	2.503E+03

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:22 Page 20
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.592E-02	6.993E-02	4.903E-02	3.260E-05	2.230E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.600E+00	9.266E-01	3.235E-01	2.034E-04	1.381E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.15 seconds

DOSE: All Nuclides Summed, All Pathways Summed



B6R C-2a RAD 11/04/2003 16:40 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-2a RAD 11/04/2003 16:40

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:40 Page 2
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current		Parameter
		Value	Default	
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.670E+01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.0000E+00	0.0000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.0000E+00	0.0000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.0000E+00	0.0000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DW
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FHWW
R018	Contamination fraction of household water	not used	1.000E+00	---	FLW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FR9
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FPLANT
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FMEAT
R018	Contamination fraction of meat	-1	-1	0.500E-02	FMILK
R018	Contamination fraction of milk	-1	-1	0.500E-02	
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	ENANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	ENANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 7
File: 80R C-2a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 6
File: 80R C-2a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	1.670E+01
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.668E-01	1.537E-01	1.077E-01	7.163E-05	4.899E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	6.673E-03	6.147E-03	4.310E-03	2.865E-06	1.960E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 1.668E-01 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 16:40 Page 9
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	2.468E-04 0.0015	0.000E+00 0.0000	3.462E-03 0.0208	9.385E-05 0.0006	6.636E-05 0.0004	1.410E-07 0.0000
Total	0.000E+00 0.0000	2.468E-04 0.0015	0.000E+00 0.0000	3.462E-03 0.0208	9.385E-05 0.0006	6.636E-05 0.0004	1.410E-07 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	1.591E-01 0.9535	2.151E-07 0.0000	0.000E+00 0.0000	3.742E-03 0.0224	4.788E-05 0.0003	1.046E-04 0.0006	1.668E-01 1.0000
Total	1.591E-01 0.9535	2.151E-07 0.0000	0.000E+00 0.0000	3.742E-03 0.0224	4.788E-05 0.0003	1.046E-04 0.0006	1.668E-01 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 TH Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 10
File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.009E-05	0.0002	0.000E+00	0.0000	5.688E-04	0.0037	3.446E-05	0.0002	1.919E-05	0.0001	1.719E-08	0.0000
Total	0.000E+00	0.0000	3.009E-05	0.0002	0.000E+00	0.0000	5.688E-04	0.0037	3.446E-05	0.0002	1.919E-05	0.0001	1.719E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.493E-01	0.9719	2.024E-07	0.0000	0.000E+00	0.0000	3.529E-03	0.0230	4.507E-05	0.0003	9.832E-05	0.0006	1.537E-01	1.0000
Total	1.493E-01	0.9719	2.024E-07	0.0000	0.000E+00	0.0000	3.529E-03	0.0230	4.507E-05	0.0003	9.832E-05	0.0006	1.537E-01	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:40 Page 11
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr
H-3	0.000E+00	0.0000	1.050E-05	0.0001	0.000E+00	0.0000	1.985E-04	0.0018	1.203E-05	0.0001	6.698E-06	0.0001	6.000E-09	0.0000
Total	0.000E+00	0.0000	1.050E-05	0.0001	0.000E+00	0.0000	1.985E-04	0.0018	1.203E-05	0.0001	6.698E-06	0.0001	6.000E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	Nuclide	mrem/yr	fract.	mrem/yr										
H-3	1.040E-01	0.9655	1.670E-07	0.0000	0.000E+00	0.0000	3.361E-03	0.0312	4.891E-05	0.0005	7.817E-05	0.0007	1.077E-01	1.0000
Total	1.040E-01	0.9655	1.670E-07	0.0000	0.000E+00	0.0000	3.361E-03	0.0312	4.891E-05	0.0005	7.817E-05	0.0007	1.077E-01	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21
T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 12
File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	6.594E-09 0.0001	0.000E+00 0.0000	1.246E-07 0.0017	7.562E-09 0.0001	4.207E-09 0.0001	3.767E-12 0.0000
Total	0.000E+00 0.0000	6.594E-09 0.0001	0.000E+00 0.0000	1.246E-07 0.0017	7.562E-09 0.0001	4.207E-09 0.0001	3.767E-12 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	6.883E-05 0.9608	1.147E-10 0.0000	0.000E+00 0.0000	2.479E-06 0.0346	1.010E-07 0.0014	8.183E-08 0.0011	7.163E-05 1.0000
Total	6.883E-05 0.9608	1.147E-10 0.0000	0.000E+00 0.0000	2.479E-06 0.0346	1.010E-07 0.0014	8.183E-08 0.0011	7.163E-05 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 13

File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.464E-18	0.0001	0.000E+00	0.0000	8.418E-17	0.0017	5.135E-18	0.0001	2.852E-18	0.0001	2.551E-21	0.0000
Total	0.000E+00	0.0000	4.464E-18	0.0001	0.000E+00	0.0000	8.418E-17	0.0017	5.135E-18	0.0001	2.852E-18	0.0001	2.551E-21	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.707E-14	0.9608	7.851E-20	0.0000	0.000E+00	0.0000	1.696E-15	0.0346	6.929E-17	0.0014	5.604E-17	0.0011	4.899E-14	1.0000
Total	4.707E-14	0.9608	7.851E-20	0.0000	0.000E+00	0.0000	1.696E-15	0.0346	6.929E-17	0.0014	5.604E-17	0.0011	4.899E-14	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 14

File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 16:40 Page 15
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:40 Page 17
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 18
File: 80R C-2a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-2 Resident Farmer

11/04/2003 16:40 Page 19

File: 80R C-2a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	9.989E-03	9.202E-03	6.452E-03	4.289E-06	2.934E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j'th principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		2.503E+03	2.717E+03	3.875E+03	5.829E+06	8.522E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at t_{min} = time of minimum single radionuclide soil guideline
and at t_{max} = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	t _{min}	DSR(i,t _{min})	G(i,t _{min})	DSR(i,t _{max})	G(i,t _{max})
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	1.670E+01	0.000E+00	9.989E-03	2.503E+03	9.989E-03	2.503E+03

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:40 Page 20
Summary : Merck 80R C-2 Resident Farmer File: 80R C-2a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.668E-01	1.537E-01	1.077E-01	7.163E-05	4.899E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.670E+01	2.036E+00	7.108E-01	4.469E-04	3.035E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.67 seconds

DOSE: All Nuclides Summed, All Pathways Summed



60R C-3a RAD 11/04/2003 16:59 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-3a RAD 11/04/2003 16:59

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T₉₀ Limit = 0.5 year 11/04/2003 16:59 Page 2
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	3.570E+01	1.000E+02	---	LCPAQC
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R011	Times for calculations (yr)				
R012	Initial principal radionuclide (pCi/g): H-3	4.600E-01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.136E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHWW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-01	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFIS
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFIS
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWIS5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWIS6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMXZ
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMEL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 TM Limit = 0.5 year
Summary : Merck 80R C-3 Resident Farmer

11/04/2003 16:59 Page 7
File: 80R C-3a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-3 Resident Farmer

11/04/2003 16:59 Page 8
File: 80R C-3a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1000.00 square meters	H-3	4.600E-01
Thickness:	1.00 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	3.163E-02	2.903E-02	2.401E-02	2.969E-04	9.121E-10	3.741E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	1.265E-03	1.161E-03	9.606E-04	1.188E-05	3.648E-11	1.497E-30	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 3.163E-02 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 T½ Limit = 0.5 year
Summary : Merck 80R C-3 Resident Farmer

11/04/2003 16:59 Page 9

File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.562E-05	0.0011	0.000E+00	0.0000	2.372E-03	0.0750	5.412E-05	0.0017	4.249E-05	0.0013	6.435E-08	0.0000
Total	0.000E+00	0.0000	3.562E-05	0.0011	0.000E+00	0.0000	2.372E-03	0.0750	5.412E-05	0.0017	4.249E-05	0.0013	6.435E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.259E-02	0.7142	9.589E-08	0.0000	0.000E+00	0.0000	6.313E-03	0.1996	7.165E-05	0.0023	1.516E-04	0.0048	3.163E-02	1.0000
Total	2.259E-02	0.7142	9.589E-08	0.0000	0.000E+00	0.0000	6.313E-03	0.1996	7.165E-05	0.0023	1.516E-04	0.0048	3.163E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:59 Page 10
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.003E-05	0.0003	0.000E+00	0.0000	7.645E-04	0.0263	2.580E-05	0.0009	1.791E-05	0.0006	1.812E-08	0.0000
Total	0.000E+00	0.0000	1.003E-05	0.0003	0.000E+00	0.0000	7.645E-04	0.0263	2.580E-05	0.0009	1.791E-05	0.0006	1.812E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.183E-02	0.7521	9.312E-08	0.0000	0.000E+00	0.0000	6.158E-03	0.2122	7.041E-05	0.0024	1.470E-04	0.0051	2.903E-02	1.0000
Total	2.183E-02	0.7521	9.312E-08	0.0000	0.000E+00	0.0000	6.158E-03	0.2122	7.041E-05	0.0024	1.470E-04	0.0051	2.903E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:59 Page 11
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	5.322E-06	0.0002	0.000E+00	0.0000	4.057E-04	0.0169	1.369E-05	0.0006	9.506E-06	0.0004	9.616E-09	0.0000
Total	0.000E+00	0.0000	5.322E-06	0.0002	0.000E+00	0.0000	4.057E-04	0.0169	1.369E-05	0.0006	9.506E-06	0.0004	9.616E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.744E-02	0.7262	8.223E-08	0.0000	0.000E+00	0.0000	5.940E-03	0.2473	7.411E-05	0.0031	1.275E-04	0.0053	2.401E-02	1.0000
Total	1.744E-02	0.7262	8.223E-08	0.0000	0.000E+00	0.0000	5.940E-03	0.2473	7.411E-05	0.0031	1.275E-04	0.0053	2.401E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:59 Page 12
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	6.293E-08	0.0002	0.000E+00	0.0000	4.797E-06	0.0162	1.620E-07	0.0005	1.125E-07	0.0004	1.137E-10	0.0000
Total	0.000E+00	0.0000	6.293E-08	0.0002	0.000E+00	0.0000	4.797E-06	0.0162	1.620E-07	0.0005	1.125E-07	0.0004	1.137E-10	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.116E-04	0.7126	1.017E-09	0.0000	0.000E+00	0.0000	7.649E-05	0.2576	1.731E-06	0.0058	1.967E-06	0.0066	2.969E-04	1.0000
Total	2.116E-04	0.7126	1.017E-09	0.0000	0.000E+00	0.0000	7.649E-05	0.2576	1.731E-06	0.0058	1.967E-06	0.0066	2.969E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.928E-13	0.0002	0.000E+00	0.0000	1.470E-11	0.0161	4.974E-13	0.0005	3.451E-13	0.0004	3.483E-16	0.0000
Total	0.000E+00	0.0000	1.928E-13	0.0002	0.000E+00	0.0000	1.470E-11	0.0161	4.974E-13	0.0005	3.451E-13	0.0004	3.483E-16	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.499E-10	0.7126	3.125E-15	0.0000	0.000E+00	0.0000	2.350E-10	0.2577	5.324E-12	0.0058	6.044E-12	0.0066	9.121E-10	1.0000
Total	6.499E-10	0.7126	3.125E-15	0.0000	0.000E+00	0.0000	2.350E-10	0.2577	5.324E-12	0.0058	6.044E-12	0.0066	9.121E-10	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.063E-31	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.063E-31	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.703E-29	0.7224	0.000E+00	0.0000	0.000E+00	0.0000	9.781E-30	0.2614	0.000E+00	0.0000	0.000E+00	0.0000	3.741E-29	1.0000
Total	2.703E-29	0.7224	0.000E+00	0.0000	0.000E+00	0.0000	9.781E-30	0.2614	0.000E+00	0.0000	0.000E+00	0.0000	3.741E-29	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:59 Page 15
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:59 Page 16
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	Nuclide	mrem/yr	fract.	mrem/yr										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil		
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000		0.000E+00	0.0000										
Total	0.000E+00	0.0000		0.000E+00	0.0000										

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*		
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000		0.000E+00	0.0000	0.000E+00	0.0000								
Total	0.000E+00	0.0000		0.000E+00	0.0000	0.000E+00	0.0000								

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:59 Page 18
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 16:59 Page 19
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	6.876E-02	6.310E-02	5.220E-02	6.454E-04	1.983E-09	8.246E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		3.636E+02	3.962E+02	4.789E+02	3.874E+04	1.261E+10	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)		G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)			(pCi/g)
H-3	4.600E-01	0.000E+00	6.876E-02	3.636E+02	6.876E-02	3.636E+02	

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:59 Page 20
Summary : Merck 80R C-3 Resident Farmer File: 80R C-3a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	3.163E-02	2.903E-02	2.401E-02	2.969E-04	9.121E-10	3.741E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	4.600E-01	1.296E-01	6.876E-02	8.136E-04	2.497E-09	1.035E-28	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.17 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R C-4a RAD 11/04/2003 17:05 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-4a RAD 11/04/2003 17:05

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 2
File: 80R C-4a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	3.570E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.020E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCS2
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCS2
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3			---	
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.136E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radial of shape factor array (used if FS = -1):			---	
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:			---	
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHWW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-01	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:05 Page 7
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 8
File: 80R C-4a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1000.00 square meters	H-3	1.020E+00
Thickness:	1.00 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	7.013E-02	6.436E-02	5.325E-02	6.583E-04	2.022E-09	8.296E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	2.805E-03	2.574E-03	2.130E-03	2.633E-05	8.090E-11	3.318E-30	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 7.013E-02 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 9
File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	7.897E-05	0.0011	0.000E+00	0.0000	5.259E-03	0.0750	1.200E-04	0.0017	9.421E-05	0.0013	1.427E-07	0.0000
Total	0.000E+00	0.0000	7.897E-05	0.0011	0.000E+00	0.0000	5.259E-03	0.0750	1.200E-04	0.0017	9.421E-05	0.0013	1.427E-07	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	5.009E-02	0.7142	2.126E-07	0.0000	0.000E+00	0.0000	1.400E-02	0.1996	1.589E-04	0.0023	3.361E-04	0.0048	7.013E-02	1.0000
Total	5.009E-02	0.7142	2.126E-07	0.0000	0.000E+00	0.0000	1.400E-02	0.1996	1.589E-04	0.0023	3.361E-04	0.0048	7.013E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 10
File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	2.224E-05	0.0003	0.000E+00	0.0000	1.695E-03	0.0263	5.721E-05	0.0009	3.972E-05	0.0006	4.018E-08	0.0000
Total	0.000E+00	0.0000	2.224E-05	0.0003	0.000E+00	0.0000	1.695E-03	0.0263	5.721E-05	0.0009	3.972E-05	0.0006	4.018E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.841E-02	0.7521	2.065E-07	0.0000	0.000E+00	0.0000	1.366E-02	0.2122	1.561E-04	0.0024	3.260E-04	0.0051	6.436E-02	1.0000
Total	4.841E-02	0.7521	2.065E-07	0.0000	0.000E+00	0.0000	1.366E-02	0.2122	1.561E-04	0.0024	3.260E-04	0.0051	6.436E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 11
File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.180E-05	0.0002	0.000E+00	0.0000	8.995E-04	0.0169	3.036E-05	0.0006	2.108E-05	0.0004	2.132E-08	0.0000
Total	0.000E+00	0.0000	1.180E-05	0.0002	0.000E+00	0.0000	8.995E-04	0.0169	3.036E-05	0.0006	2.108E-05	0.0004	2.132E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	3.867E-02	0.7262	1.823E-07	0.0000	0.000E+00	0.0000	1.317E-02	0.2473	1.643E-04	0.0031	2.828E-04	0.0053	5.325E-02	1.0000
Total	3.867E-02	0.7262	1.823E-07	0.0000	0.000E+00	0.0000	1.317E-02	0.2473	1.643E-04	0.0031	2.828E-04	0.0053	5.325E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 12
File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.395E-07	0.0002	0.000E+00	0.0000	1.064E-05	0.0162	3.593E-07	0.0005	2.494E-07	0.0004	2.521E-10	0.0000
Total	0.000E+00	0.0000	1.395E-07	0.0002	0.000E+00	0.0000	1.064E-05	0.0162	3.593E-07	0.0005	2.494E-07	0.0004	2.521E-10	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.691E-04	0.7126	2.256E-09	0.0000	0.000E+00	0.0000	1.696E-04	0.2576	3.839E-06	0.0058	4.361E-06	0.0066	6.583E-04	1.0000
Total	4.691E-04	0.7126	2.256E-09	0.0000	0.000E+00	0.0000	1.696E-04	0.2576	3.839E-06	0.0058	4.361E-06	0.0066	6.583E-04	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 13

File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.275E-13	0.0002	0.000E+00	0.0000	3.260E-11	0.0161	1.103E-12	0.0005	7.651E-13	0.0004	7.723E-16	0.0000
Total	0.000E+00	0.0000	4.275E-13	0.0002	0.000E+00	0.0000	3.260E-11	0.0161	1.103E-12	0.0005	7.651E-13	0.0004	7.723E-16	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.441E-09	0.7126	6.930E-15	0.0000	0.000E+00	0.0000	5.212E-10	0.2577	1.181E-11	0.0058	1.340E-11	0.0066	2.022E-09	1.0000
Total	1.441E-09	0.7126	6.930E-15	0.0000	0.000E+00	0.0000	5.212E-10	0.2577	1.181E-11	0.0058	1.340E-11	0.0066	2.022E-09	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:05 Page 14
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.344E-30	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.344E-30	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	Nuclide	mrem/yr	fract.	mrem/yr										
H-3	5.993E-29	0.7224	0.000E+00	0.0000	0.000E+00	0.0000	2.169E-29	0.2614	0.000E+00	0.0000	0.000E+00	0.0000	8.296E-29	1.0000
Total	5.993E-29	0.7224	0.000E+00	0.0000	0.000E+00	0.0000	2.169E-29	0.2614	0.000E+00	0.0000	0.000E+00	0.0000	8.296E-29	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:05 Page 15
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:05 Page 16
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T^{1/2} Limit = 0.5 year 11/04/2003 17:05 Page 17
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-4 Resident Farmer

11/04/2003 17:05 Page 18
File: 80R C-4a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:05 Page 19
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)
(i)	(j)	Fraction*	t= 0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
H-3	H-3	1.000E+00	6.876E-02 6.310E-02 5.220E-02 6.454E-04 1.983E-09 8.246E-29 0.000E+00 0.000E+00 0.000E+00 0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		3.636E+02	3.962E+02	4.789E+02	3.874E+04	1.261E+10	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
H-3	1.020E+00	0.000E+00	6.876E-02	3.636E+02	6.876E-02	3.636E+02

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:05 Page 20
Summary : Merck 80R C-4 Resident Farmer File: 80R C-4a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.013E-02	6.436E-02	5.325E-02	6.583E-04	2.022E-09	8.296E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.020E+00	2.873E-01	1.525E-01	1.804E-03	5.537E-09	2.295E-28	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.13 seconds

DOSE: All Nuclides Summed, All Pathways Summed



BOR C-5a|RAD 1/10/2003 17:15 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-5a RAD 11/04/2003 17:15

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:15 Page 2
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	4.600E-02	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	WL(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPU2(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCU2(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.136E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	;	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FFHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.000E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm³*3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_k Limit = 0.5 year 11/04/2003 17:15 Page 7
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 8
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	10000.00 square meters	H-3	4.600E-02
Thickness:	1.00 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.067E-03	1.073E-03	1.109E-03	1.120E-03	4.489E-05	2.080E-24	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	4.267E-05	4.291E-05	4.436E-05	4.478E-05	1.796E-06	8.318E-26	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 1.138E-03 mrem/yr at t = 0.572 ± 0.001 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.721E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000	3.000E-07 0.0003	0.000E+00 0.0000	7.231E-06 0.0064	2.441E-06 0.0021	1.695E-06 0.0015	1.714E-10 0.0000
Total	0.000E+00 0.0000	3.000E-07 0.0003	0.000E+00 0.0000	7.231E-06 0.0064	2.441E-06 0.0021	1.695E-06 0.0015	1.714E-10 0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.721E-01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	8.120E-04 0.7137	3.497E-08 0.0000	0.000E+00 0.0000	2.330E-04 0.2048	2.650E-05 0.0233	5.452E-05 0.0479	1.138E-03 1.0000
Total	8.120E-04 0.7137	3.497E-08 0.0000	0.000E+00 0.0000	2.330E-04 0.2048	2.650E-05 0.0233	5.452E-05 0.0479	1.138E-03 1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:15 Page 9
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.126E-05	0.0106	0.000E+00	0.0000	2.372E-04	0.2223	5.412E-05	0.0507	4.249E-05	0.0398	6.435E-09	0.0000
Total	0.000E+00	0.0000	1.126E-05	0.0106	0.000E+00	0.0000	2.372E-04	0.2223	5.412E-05	0.0507	4.249E-05	0.0398	6.435E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	5.299E-04	0.4967	2.228E-08	0.0000	0.000E+00	0.0000	1.442E-04	0.1352	1.403E-05	0.0131	3.354E-05	0.0314	1.067E-03	1.0000
Total	5.299E-04	0.4967	2.228E-08	0.0000	0.000E+00	0.0000	1.442E-04	0.1352	1.403E-05	0.0131	3.354E-05	0.0314	1.067E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-5 Resident Farmer

11/04/2003 17:15 Page 10
File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.172E-06	0.0030	0.000E+00	0.0000	7.645E-05	0.0713	2.580E-05	0.0240	1.791E-05	0.0167	1.812E-09	0.0000
Total	0.000E+00	0.0000	3.172E-06	0.0030	0.000E+00	0.0000	7.645E-05	0.0713	2.580E-05	0.0240	1.791E-05	0.0167	1.812E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.947E-04	0.6475	2.931E-08	0.0000	0.000E+00	0.0000	1.907E-04	0.1778	1.938E-05	0.0181	4.465E-05	0.0416	1.073E-03	1.0000
Total	6.947E-04	0.6475	2.931E-08	0.0000	0.000E+00	0.0000	1.907E-04	0.1778	1.938E-05	0.0181	4.465E-05	0.0416	1.073E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:15 Page 11
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.683E-06	0.0015	0.000E+00	0.0000	4.057E-05	0.0366	1.369E-05	0.0123	9.506E-06	0.0086	9.616E-10	0.0000
Total	0.000E+00	0.0000	1.683E-06	0.0015	0.000E+00	0.0000	4.057E-05	0.0366	1.369E-05	0.0123	9.506E-06	0.0086	9.616E-10	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	7.590E-04	0.6845	3.236E-08	0.0000	0.000E+00	0.0000	2.129E-04	0.1920	2.217E-05	0.0200	4.939E-05	0.0445	1.109E-03	1.0000
Total	7.590E-04	0.6845	3.236E-08	0.0000	0.000E+00	0.0000	2.129E-04	0.1920	2.217E-05	0.0200	4.939E-05	0.0445	1.109E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 17:15 Page 12
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.990E-08	0.0000	0.000E+00	0.0000	4.797E-07	0.0004	1.620E-07	0.0001	1.125E-07	0.0001	1.137E-11	0.0000
Total	0.000E+00	0.0000	1.990E-08	0.0000	0.000E+00	0.0000	4.797E-07	0.0004	1.620E-07	0.0001	1.125E-07	0.0001	1.137E-11	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	8.054E-04	0.7194	3.475E-08	0.0000	0.000E+00	0.0000	2.320E-04	0.2072	2.692E-05	0.0240	5.441E-05	0.0486	1.120E-03	1.0000
Total	8.054E-04	0.7194	3.475E-08	0.0000	0.000E+00	0.0000	2.320E-04	0.2072	2.692E-05	0.0240	5.441E-05	0.0486	1.120E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-5 Resident Farmer

11/04/2003 17:15 Page 13

File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	6.096E-14	0.0000	0.000E+00	0.0000	1.470E-12	0.0000	4.974E-13	0.0000	3.451E-13	0.0000	3.483E-17	0.0000
Total	0.000E+00	0.0000	6.096E-14	0.0000	0.000E+00	0.0000	1.470E-12	0.0000	4.974E-13	0.0000	3.451E-13	0.0000	3.483E-17	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.922E-05	0.6509	1.405E-09	0.0000	0.000E+00	0.0000	1.056E-05	0.2353	2.391E-06	0.0533	2.716E-06	0.0605	4.489E-05	1.0000
Total	2.922E-05	0.6509	1.405E-09	0.0000	0.000E+00	0.0000	1.056E-05	0.2353	2.391E-06	0.0533	2.716E-06	0.0605	4.489E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 14
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.063E-32	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.063E-32	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.353E-24	0.6506	6.508E-29	0.0000	0.000E+00	0.0000	4.895E-25	0.2354	1.111E-25	0.0534	1.259E-25	0.0606	2.080E-24	1.0000
Total	1.353E-24	0.6506	6.508E-29	0.0000	0.000E+00	0.0000	4.895E-25	0.2354	1.111E-25	0.0534	1.259E-25	0.0606	2.080E-24	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 15
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 16
Summary : Merck 80R C-5 Resident Farmer File: 80R.C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:15 Page 17
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 18
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:15 Page 19
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	2.319E-02	2.332E-02	2.411E-02	2.434E-02	9.759E-04	4.521E-23	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		1.078E+03	1.072E+03	1.037E+03	1.027E+03	2.562E+04	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at t_{min} = time of minimum single radionuclide soil guideline
and at t_{max} = time of maximum total dose = 0.572 ± 0.001 years

Nuclide	Initial	t _{min}	DSR(i,t _{min})	G(i,t _{min})	DSR(i,t _{max})	G(i,t _{max})
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	4.600E-02	0.572 ± 0.001	2.473E-02	1.011E+03	2.473E-02	1.011E+03

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:15 Page 20
Summary : Merck 80R C-5 Resident Farmer File: 80R C-5a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr
(j)	(i)		t= 0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
H-3	H-3	1.000E+00	1.067E-03 1.073E-03 1.109E-03 1.120E-03 4.489E-05 2.080E-24 0.000E+00 0.000E+00 0.000E+00 0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g
(j)	(i)		t= 0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
H-3	H-3	1.000E+00	4.600E-02 1.296E-02 6.876E-03 8.136E-05 2.497E-10 1.035E-29 0.000E+00 0.000E+00 0.000E+00 0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.56 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R C-6a.RAD 11/04/2003 17:28 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-6a RAD 11/04/2003 17:28

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:28 Page 2
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.020E-01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.136E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	;	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFIS
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFIS
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWIS
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWIS
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Drinking water fraction from ground water	9.000E-01	9.000E-01	---	DROOT
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019		1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFEL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (l/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYNMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:28 Page 7
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:28 Page 8
 Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	10000.00 square meters	H-3	1.020E-01
Thickness:	1.00 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr
 Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	2.365E-03	2.379E-03	2.459E-03	2.482E-03	9.955E-05	4.611E-24	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	9.461E-05	9.515E-05	9.836E-05	9.930E-05	3.982E-06	1.844E-25	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 2.523E-03 mrem/yr at t = 0.572 ± 0.001 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.722E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	6.648E-07	0.0003	0.000E+00	0.0000	1.603E-05	0.0064
Total	0.000E+00	0.0000	6.648E-07	0.0003	0.000E+00	0.0000	1.603E-05	0.0064

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.722E-01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	1.801E-03	0.7137	7.754E-08	0.0000	0.000E+00	0.0000	5.166E-04	0.2048
Total	1.801E-03	0.7137	7.754E-08	0.0000	0.000E+00	0.0000	5.166E-04	0.2048

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:28 Page 9
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	2.497E-05	0.0106	0.000E+00	0.0000	5.259E-04	0.2223	1.200E-04	0.0507	9.421E-05	0.0398	1.427E-08	0.0000
Total	0.000E+00	0.0000	2.497E-05	0.0106	0.000E+00	0.0000	5.259E-04	0.2223	1.200E-04	0.0507	9.421E-05	0.0398	1.427E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.175E-03	0.4967	4.940E-08	0.0000	0.000E+00	0.0000	3.198E-04	0.1352	3.110E-05	0.0131	7.436E-05	0.0314	2.365E-03	1.0000
Total	1.175E-03	0.4967	4.940E-08	0.0000	0.000E+00	0.0000	3.198E-04	0.1352	3.110E-05	0.0131	7.436E-05	0.0314	2.365E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:28 Page 10
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	7.033E-06	0.0030	0.000E+00	0.0000	1.695E-04	0.0713	5.721E-05	0.0240	3.972E-05	0.0167	4.018E-09	0.0000
Total	0.000E+00	0.0000	7.033E-06	0.0030	0.000E+00	0.0000	1.695E-04	0.0713	5.721E-05	0.0240	3.972E-05	0.0167	4.018E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.540E-03	0.6475	6.499E-08	0.0000	0.000E+00	0.0000	4.229E-04	0.1778	4.297E-05	0.0181	9.900E-05	0.0416	2.379E-03	1.0000
Total	1.540E-03	0.6475	6.499E-08	0.0000	0.000E+00	0.0000	4.229E-04	0.1778	4.297E-05	0.0181	9.900E-05	0.0416	2.379E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 17:28 Page 11
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.732E-06	0.0015	0.000E+00	0.0000	8.995E-05	0.0366	3.036E-05	0.0123	2.108E-05	0.0086	2.132E-09	0.0000
Total	0.000E+00	0.0000	3.732E-06	0.0015	0.000E+00	0.0000	8.995E-05	0.0366	3.036E-05	0.0123	2.108E-05	0.0086	2.132E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.683E-03	0.6845	7.176E-08	0.0000	0.000E+00	0.0000	4.720E-04	0.1920	4.915E-05	0.0200	1.095E-04	0.0445	2.459E-03	1.0000
Total	1.683E-03	0.6845	7.176E-08	0.0000	0.000E+00	0.0000	4.720E-04	0.1920	4.915E-05	0.0200	1.095E-04	0.0445	2.459E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 17:28 Page 12
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.413E-08	0.0000	0.000E+00	0.0000	1.064E-06	0.0004	3.593E-07	0.0001	2.494E-07	0.0001	2.521E-11	0.0000
Total	0.000E+00	0.0000	4.413E-08	0.0000	0.000E+00	0.0000	1.064E-06	0.0004	3.593E-07	0.0001	2.494E-07	0.0001	2.521E-11	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	1.786E-03	0.7194	7.705E-08	0.0000	0.000E+00	0.0000	5.145E-04	0.2072	5.970E-05	0.0240	1.206E-04	0.0486	2.482E-03	1.0000
Total	1.786E-03	0.7194	7.705E-08	0.0000	0.000E+00	0.0000	5.145E-04	0.2072	5.970E-05	0.0240	1.206E-04	0.0486	2.482E-03	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:28 Page 13
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.352E-13	0.0000	0.000E+00	0.0000	3.260E-12	0.0000	1.103E-12	0.0000	7.651E-13	0.0000	7.723E-17	0.0000
Total	0.000E+00	0.0000	1.352E-13	0.0000	0.000E+00	0.0000	3.260E-12	0.0000	1.103E-12	0.0000	7.651E-13	0.0000	7.723E-17	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.479E-05	0.6509	3.115E-09	0.0000	0.000E+00	0.0000	2.343E-05	0.2353	5.301E-06	0.0533	6.023E-06	0.0605	9.955E-05	1.0000
Total	6.479E-05	0.6509	3.115E-09	0.0000	0.000E+00	0.0000	2.343E-05	0.2353	5.301E-06	0.0533	6.023E-06	0.0605	9.955E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:28 Page 14
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.344E-31	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.344E-31	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	3.000E-24	0.6506	1.443E-28	0.0000	0.000E+00	0.0000	1.086E-24	0.2354	2.463E-25	0.0534	2.792E-25	0.0606	4.611E-24	1.0000
Total	3.000E-24	0.6506	1.443E-28	0.0000	0.000E+00	0.0000	1.086E-24	0.2354	2.463E-25	0.0534	2.792E-25	0.0606	4.611E-24	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 17:28 Page 15
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 17:28 Page 16
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{\frac{1}{2}}$ Limit = 0.5 year 11/04/2003 17:28 Page 17
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 17:28 Page 18
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-6 Resident Farmer

11/04/2003 17:28 Page 19

File: 80R C-6a.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	2.319E-02	2.332E-02	2.411E-02	2.434E-02	9.759E-04	4.521E-23	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j). The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/hour

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		1.078E+03	1.072E+03	1.037E+03	1.027E+03	2.562E+04	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i, t) in $(\text{mrem}/\text{yr})/(\text{pCi/g})$
 and Single Radionuclide Soil Guidelines G(i, t) in pCi/g
 at t_{\min} = time of minimum single radionuclide soil guideline
 and at t_{\max} = time of maximum total dose = 0.572 ± 0.001 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
				(pCi/g)		(pCi/g)
H-3	1.020E-01	0.572 ± 0.001	2.473E-02	1.011E+03	2.473E-02	1.011E+03

RESRAD, Version 6.21 TM Limit = 0.5 year 11/04/2003 17:28 Page 20
Summary : Merck 80R C-6 Resident Farmer File: 80R C-6a.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	2.365E-03	2.379E-03	2.459E-03	2.482E-03	9.955E-05	4.611E-24	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.020E-01	2.873E-02	1.525E-02	1.804E-04	5.537E-10	2.295E-29	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.55 seconds

DOSE: All Nuclides Summed, All Pathways Summed



80R C-1aa.RAD 11/04/2003 16:15 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-1aa RAD 11/04/2003 16:15

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 16:15 Page 2
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCLPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	7.600E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (mm/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (mm/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.500E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	{ ---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-02	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-02	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LW16
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m ^{**3})	1.000E-04	1.000E-04	---	MFLD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m ^{**2})	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m ^{**2})	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m ^{**2})	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm ^{**3})	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm***3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:15 Page 7
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:15 Page 8
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	7.600E+00
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		
<p style="text-align:center">Total Dose TDose(t), mrem/yr Basic Radiation Dose Limit = 2.500E+01 mrem/yr Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)</p>			
t (years):	0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03		
TDose(t):	7.592E-02 6.993E-02 4.903E-02 3.260E-05 2.230E-14 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
M(t):	3.037E-03 2.797E-03 1.961E-03 1.304E-06 8.918E-16 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00		
Maximum TDose(t): 7.592E-02 mrem/yr at t = 0.000E+00 years			

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 9
File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000
Total	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000
Total	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_d Limit = 0.5 year 11/04/2003 16:15 Page 10
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000
Total	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000
Total	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:15 Page 11
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000
Total	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000
Total	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:15 Page 12
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.001E-09	0.0001	0.000E+00	0.0000	5.669E-08	0.0017	3.441E-09	0.0001	1.915E-09	0.0001	1.715E-12	0.0000
Total	0.000E+00	0.0000	3.001E-09	0.0001	0.000E+00	0.0000	5.669E-08	0.0017	3.441E-09	0.0001	1.915E-09	0.0001	1.715E-12	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	3.132E-05	0.9608	5.222E-11	0.0000	0.000E+00	0.0000	1.128E-06	0.0346	4.598E-08	0.0014	3.724E-08	0.0011	3.260E-05	1.0000
Total	3.132E-05	0.9608	5.222E-11	0.0000	0.000E+00	0.0000	1.128E-06	0.0346	4.598E-08	0.0014	3.724E-08	0.0011	3.260E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 13
File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000
Total	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000
Total	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 14
File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.						
H-3	0.000E+00 0.0000						
Total	0.000E+00 0.0000						

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:15 Page 15
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDose(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 16

File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 17

File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:15 Page 18
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year
Summary : Merck 80R C-1A Resident Farmer

11/04/2003 16:15 Page 19
File: 80R C-1aa.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)
(i)	(j)	Fraction*	t = 0.000E+00 2.000E-01 3.000E-01 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
H-3	H-3	1.000E+00	9.989E-03 9.202E-03 6.452E-03 4.289E-06 2.934E-15 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	2.503E+03	2.717E+03	3.875E+03	5.829E+06	8.522E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial (pCi/g)	tmin (years)	DSR(i,tmin) G(i,tmin) (pCi/g)	DSR(i,tmax) G(i,tmax) (pCi/g)
H-3	7.600E+00	0.000E+00	9.989E-03 2.503E+03	9.989E-03 2.503E+03

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:15 Page 20
Summary : Merck 80R C-1A Resident Farmer File: 80R C-1aa.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.592E-02	6.993E-02	4.903E-02	3.260E-05	2.230E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)		t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.600E+00	9.266E-01	3.235E-01	2.034E-04	1.381E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESCALC.EXE execution time = 1.07 seconds ;

DOSE: All Nuclides Summed, All Pathways Summed



80R C-1Ba RAD 11/04/2003 16:28 Includes All Pathways

DOSE: All Nuclides Summed, Component Pathways



80R C-1BaRAD 11/04/2003 16:28

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 2.000E-01	10
Time = 3.000E-01	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 16:28 Page 2
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.130E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	2.000E-01	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E-01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+00	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+00	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+01	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+01	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+02	1.000E+03	---	T(8)
R011	Times for calculations (yr)	3.000E+02	0.000E+00	---	T(9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	7.600E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	V CZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	5.000E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.227E+00	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radius of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-01	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-02	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-02	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RORY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm***3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (l/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 16:28 Page 7
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

RESRAD, Version 6.21 T₄ Limit = 0.5 year
Summary : Merck 80R C-1B Resident Farmer

11/04/2003 16:28 Page 8
File: 80R C-1Ba.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	100.00 square meters	H-3	7.600E+00
Thickness:	0.60 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	7.592E-02	6.993E-02	4.903E-02	3.260E-05	2.230E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	3.037E-03	2.797E-03	1.961E-03	1.304E-06	8.918E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 7.592E-02 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:28 Page 9
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000
Total	0.000E+00	0.0000	1.123E-04	0.0015	0.000E+00	0.0000	1.575E-03	0.0208	4.271E-05	0.0006	3.020E-05	0.0004	6.418E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000
Total	7.239E-02	0.9535	9.791E-08	0.0000	0.000E+00	0.0000	1.703E-03	0.0224	2.179E-05	0.0003	4.759E-05	0.0006	7.592E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year 11/04/2003 16:28 Page 10
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000
Total	0.000E+00	0.0000	1.369E-05	0.0002	0.000E+00	0.0000	2.589E-04	0.0037	1.568E-05	0.0002	8.732E-06	0.0001	7.823E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 2.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000
Total	6.796E-02	0.9719	9.212E-08	0.0000	0.000E+00	0.0000	1.606E-03	0.0230	2.051E-05	0.0003	4.474E-05	0.0006	6.993E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year
Summary : Merck 80R C-1B Resident Farmer

11/04/2003 16:28 Page 11
File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000
Total	0.000E+00	0.0000	4.779E-06	0.0001	0.000E+00	0.0000	9.035E-05	0.0018	5.475E-06	0.0001	3.048E-06	0.0001	2.730E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000
Total	4.734E-02	0.9655	7.602E-08	0.0000	0.000E+00	0.0000	1.529E-03	0.0312	2.226E-05	0.0005	3.558E-05	0.0007	4.903E-02	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:28 Page 12
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	3.001E-09	0.0001	0.000E+00	0.0000	5.669E-08	0.0017	3.441E-09	0.0001	1.915E-09	0.0001	1.715E-12	0.0000
Total	0.000E+00	0.0000	3.001E-09	0.0001	0.000E+00	0.0000	5.669E-08	0.0017	3.441E-09	0.0001	1.915E-09	0.0001	1.715E-12	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	3.132E-05	0.9608	5.222E-11	0.0000	0.000E+00	0.0000	1.128E-06	0.0346	4.598E-08	0.0014	3.724E-08	0.0011	3.260E-05	1.0000
Total	3.132E-05	0.9608	5.222E-11	0.0000	0.000E+00	0.0000	1.128E-06	0.0346	4.598E-08	0.0014	3.724E-08	0.0011	3.260E-05	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:28 Page 13
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000
Total	0.000E+00	0.0000	2.032E-18	0.0001	0.000E+00	0.0000	3.831E-17	0.0017	2.337E-18	0.0001	1.298E-18	0.0001	1.161E-21	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
H-3	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000
Total	2.142E-14	0.9608	3.573E-20	0.0000	0.000E+00	0.0000	7.720E-16	0.0346	3.153E-17	0.0014	2.550E-17	0.0011	2.230E-14	1.0000

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T4 Limit = 0.5 year 11/04/2003 16:28 Page 14
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:28 Page 15
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:28 Page 16
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T½ Limit = 0.5 year 11/04/2003 16:28 Page 17
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_½ Limit = 0.5 year 11/04/2003 16:28 Page 18
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.										
H-3	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.21 T_{1/2} Limit = 0.5 year 11/04/2003 16:28 Page 19
Summary : Merck 80R C-1B Resident Farmer File: 80R C-1Ba.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(pCi/g)									
(i)	(j)	Fraction*	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	9.989E-03	9.202E-03	6.452E-03	4.289E-06	2.934E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t = 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3		2.503E+03	2.717E+03	3.875E+03	5.829E+06	8.522E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15	*9.594E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
H-3	7.600E+00	0.000E+00	9.989E-03	2.503E+03	9.989E-03	2.503E+03

RESRAD, Version 6.21 $T_{1/2}$ Limit = 0.5 year
Summary : Merck 80R C-1B Resident Farmer

11/04/2003 16:28 Page 20
File: 80R C-1B.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.592E-02	6.993E-02	4.903E-02	3.260E-05	2.230E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	BRF(i)	S(j,t), pCi/g									
(j)	(i)	t= 0.000E+00	2.000E-01	3.000E-01	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	7.600E+00	9.266E-01	3.235E-01	2.034E-04	1.381E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

RESCALC.EXE execution time = 1.12 seconds

This is to acknowledge the receipt of your letter/application dated

2/23/004, and to inform you that the initial processing which includes an administrative review has been performed.

- AMEND. 29-00117-06**
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.
- Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 134-555.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (R)
(6-96)

Sincerely,
Licensing Assistance Team Leader

BETWEEN:
License Fee Management Branch, ARM
and
Regional Licensing Sections

: :
: : (FOR LFMS USE)
: : INFORMATION FROM LTS

: Program Code: 03610
: Status Code: 0
: Fee Category: 3L
: Exp. Date: 20110531
: Fee Comments: _____
: Decom Fin Assur Reqd: Y

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED
Applicant/Licensee: MERCK & CO., INC.
Received Date: 20040225
Docket No: 3014680
Control No.: 134555
License No.: 29-00117-06
Action Type: Amendment

2. FEE ATTACHED
Amount: /-
Check No.: /-

3. COMMENTS

M. A. Lubins

Signed /
Date 2/28/09

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /__/_)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:
Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed /
Date /