your energy partner
OPPD
Omaha Public Power District

444 South 16th Street Mall
Omaha NE 68102-2247

March 11, 2004
LIC-04-0033

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

References:
1. Docket No. 50-285
2. Letter from NRC (Samuel J. Collins) to OPPD (R. T. Ridenoure) dated February 11, 2003, Issuance of Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-03-025)
3. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated February 14, 2003, Revised Response to NRC Bulletin 2002-02, Reactor Pressure Vessel Head Degradation and Vessel Head Penetration Nozzle Inspection Programs (LIC-03-0020)
4. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Response to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0018)
5. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Answer to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0019)
6. Letter from NRC (R. William Borchardt) to OPPD (R. T. Ridenoure) dated February 20, 2004, Issuance of First Revised NRC Order (EA-03-009) Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-04-022)

SUBJECT: **Answer and Response to First Revised Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors**

In accordance with 10 CFR 50.4, Omaha Public Power District (OPPD) hereby submits information in response to the First Revised Order establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (hereinafter "Order") issued by the United States Nuclear Regulatory Commission (NRC) on February 20, 2004.

A101

OPPD consents to the Order and specifically does not request a hearing. OPPD has determined its primary water stress corrosion cracking (PWSCC) susceptibility category for the 2005 Spring Refueling Outage (RFO) to be "High" per the guidance in Reference 6, Sections IV.A and IV.B. Therefore, in the 2005 Spring RFO, OPPD will implement the reactor pressure vessel (RPV) head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E.

I declare under penalty of perjury that the foregoing is true and correct and copies of the response were sent to the addressee and listed individuals. (Executed on March 11, 2004).

This letter contains the following commitment:

> "In the 2005 Spring RFO, OPPD will implement the reactor pressure vessel head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E." (A/R 34594)

If you have additional questions, or require further information, please contact Dr. R. L. Jaworski at (402) 533-6833.

Sincerely,

D. J. Bannister
Manager Fort Calhoun Station

RTR/TRB/trb

c: Annette L. Vietti-Cook, Secretary, NRC Office of the Secretary, Rulemakings and Adjudications Staff
R. William Borchardt, Acting Director, NRC Office of Nuclear Reactor Regulation
Dennis C. Dambly, NRC Assistant General Counsel for Materials Litigation and Enforcement
B. S. Mallett, NRC Regional Administrator, Region IV (two copies)
A. B. Wang, NRC Project Manager
J. G. Kramer, NRC Senior Resident Inspector

your energy partner
OPPD
Omaha Public Power District

444 South 16th Street Mall
Omaha NE 68102-2247

March 11, 2004
LIC-04-0033

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

References:
1. Docket No. 50-285
2. Letter from NRC (Samuel J. Collins) to OPPD (R. T. Ridenoure) dated February 11, 2003, Issuance of Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-03-025)
3. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated February 14, 2003, Revised Response to NRC Bulletin 2002-02, Reactor Pressure Vessel Head Degradation and Vessel Head Penetration Nozzle Inspection Programs (LIC-03-0020)
4. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Response to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0018)
5. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Answer to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0019)
6. Letter from NRC (R. William Borchardt) to OPPD (R. T. Ridenoure) dated February 20, 2004, Issuance of First Revised NRC Order (EA-03-009) Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-04-022)

SUBJECT: **Answer and Response to First Revised Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors**

In accordance with 10 CFR 50.4, Omaha Public Power District (OPPD) hereby submits information in response to the First Revised Order establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (hereinafter "Order") issued by the United States Nuclear Regulatory Commission (NRC) on February 20, 2004.

OPPD consents to the Order and specifically does not request a hearing. OPPD has determined its primary water stress corrosion cracking (PWSCC) susceptibility category for the 2005 Spring Refueling Outage (RFO) to be "High" per the guidance in Reference 6, Sections IV.A and IV.B. Therefore, in the 2005 Spring RFO, OPPD will implement the reactor pressure vessel (RPV) head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E.

I declare under penalty of perjury that the foregoing is true and correct and copies of the response were sent to the addressee and listed individuals. (Executed on March 11, 2004).

This letter contains the following commitment:

> "In the 2005 Spring RFO, OPPD will implement the reactor pressure vessel head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E." (A/R 34594)

If you have additional questions, or require further information, please contact Dr. R. L. Jaworski at (402) 533-6833.

Sincerely,

D. J. Bannister
Manager Fort Calhoun Station

RTR/TRB/trb

c: Annette L. Vietti-Cook, Secretary, NRC Office of the Secretary, Rulemakings and Adjudications Staff
R. William Borchardt, Acting Director, NRC Office of Nuclear Reactor Regulation
Dennis C. Dambly, NRC Assistant General Counsel for Materials Litigation and Enforcement
B. S. Mallett, NRC Regional Administrator, Region IV (two copies)
A. B. Wang, NRC Project Manager
J. G. Kramer, NRC Senior Resident Inspector

your energy partner
OPPD
Omaha Public Power District

444 South 16th Street Mall
Omaha NE 68102-2247

March 11, 2004
LIC-04-0033

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

References:
1. Docket No. 50-285
2. Letter from NRC (Samuel J. Collins) to OPPD (R. T. Ridenoure) dated February 11, 2003, Issuance of Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-03-025)
3. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated February 14, 2003, Revised Response to NRC Bulletin 2002-02, Reactor Pressure Vessel Head Degradation and Vessel Head Penetration Nozzle Inspection Programs (LIC-03-0020)
4. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Response to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0018)
5. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Answer to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0019)
6. Letter from NRC (R. William Borchardt) to OPPD (R. T. Ridenoure) dated February 20, 2004, Issuance of First Revised NRC Order (EA-03-009) Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-04-022)

SUBJECT: **Answer and Response to First Revised Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors**

In accordance with 10 CFR 50.4, Omaha Public Power District (OPPD) hereby submits information in response to the First Revised Order establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (hereinafter "Order") issued by the United States Nuclear Regulatory Commission (NRC) on February 20, 2004.

OPPD consents to the Order and specifically does not request a hearing. OPPD has determined its primary water stress corrosion cracking (PWSCC) susceptibility category for the 2005 Spring Refueling Outage (RFO) to be "High" per the guidance in Reference 6, Sections IV.A and IV.B. Therefore, in the 2005 Spring RFO, OPPD will implement the reactor pressure vessel (RPV) head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E.

I declare under penalty of perjury that the foregoing is true and correct and copies of the response were sent to the addressee and listed individuals. (Executed on March 11, 2004).

This letter contains the following commitment:

> "In the 2005 Spring RFO, OPPD will implement the reactor pressure vessel head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E." (A/R 34594)

If you have additional questions, or require further information, please contact Dr. R. L. Jaworski at (402) 533-6833.

Sincerely,



D. J. Bannister
Manager Fort Calhoun Station

RTR/TRB/trb

c: Annette L. Vietti-Cook, Secretary, NRC Office of the Secretary, Rulemakings and Adjudications Staff
R. William Borchardt, Acting Director, NRC Office of Nuclear Reactor Regulation
Dennis C. Dambly, NRC Assistant General Counsel for Materials Litigation and Enforcement
B. S. Mallett, NRC Regional Administrator, Region IV (two copies)
A. B. Wang, NRC Project Manager
J. G. Kramer, NRC Senior Resident Inspector

your energy partner
OPPD
Omaha Public Power District

444 South 16th Street Mall
Omaha NE 68102-2247

March 11, 2004
LIC-04-0033

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

References:
1. Docket No. 50-285
2. Letter from NRC (Samuel J. Collins) to OPPD (R. T. Ridenoure) dated February 11, 2003, Issuance of Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-03-025)
3. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated February 14, 2003, Revised Response to NRC Bulletin 2002-02, Reactor Pressure Vessel Head Degradation and Vessel Head Penetration Nozzle Inspection Programs (LIC-03-0020)
4. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Response to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0018)
5. Letter from OPPD (R. T. Ridenoure) to NRC (Document Control Desk) dated March 3, 2003, Answer to Commission Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (LIC-03-0019)
6. Letter from NRC (R. William Borchardt) to OPPD (R. T. Ridenoure) dated February 20, 2004, Issuance of First Revised NRC Order (EA-03-009) Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (NRC-04-022)

SUBJECT: **Answer and Response to First Revised Order Establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors**

In accordance with 10 CFR 50.4, Omaha Public Power District (OPPD) hereby submits information in response to the First Revised Order establishing Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors (hereinafter "Order") issued by the United States Nuclear Regulatory Commission (NRC) on February 20, 2004.

OPPD consents to the Order and specifically does not request a hearing. OPPD has determined its primary water stress corrosion cracking (PWSCC) susceptibility category for the 2005 Spring Refueling Outage (RFO) to be "High" per the guidance in Reference 6, Sections IV.A and IV.B. Therefore, in the 2005 Spring RFO, OPPD will implement the reactor pressure vessel (RPV) head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E.

I declare under penalty of perjury that the foregoing is true and correct and copies of the response were sent to the addressee and listed individuals. (Executed on March 11, 2004).

This letter contains the following commitment:

> "In the 2005 Spring RFO, OPPD will implement the reactor pressure vessel head inspection and reporting requirements of Reference 6, Sections IV.C(1), IV.C(5), IV.D, and IV.E." (A/R 34594)

If you have additional questions, or require further information, please contact Dr. R. L. Jaworski at (402) 533-6833.

Sincerely,

D. J. Bannister
Manager Fort Calhoun Station

RTR/TRB/trb

c: Annette L. Vietti-Cook, Secretary, NRC Office of the Secretary, Rulemakings and Adjudications Staff
R. William Borchardt, Acting Director, NRC Office of Nuclear Reactor Regulation
Dennis C. Dambly, NRC Assistant General Counsel for Materials Litigation and Enforcement
B. S. Mallett, NRC Regional Administrator, Region IV (two copies)
A. B. Wang, NRC Project Manager
J. G. Kramer, NRC Senior Resident Inspector