

THIS MEETING NOTICE IS HEREBY REVISED TO CORRECT THE ROOM NUMBER TO ROOM T-7-A-1. NO OTHER CHANGES HAVE BEEN MADE.

March 30, 2004
 MEETING NOTICE - CLOSED MEETING
 ROOM CHANGE

Organization: Holtec International

Date and Time: April 1, 2004, 1:00 PM - 4:00 PM

Location: U.S. Nuclear Regulatory Commission (NRC)
Two White Flint North Building, Room 7A1
 11555 Rockville Pike
 Rockville, Maryland 20852

Purpose: To discuss thermal analytical models associated with the Holtec International Amendment 2 of the 10 CFR Part 72 Certificate of Compliance for the HI-STORM 100 spent nuclear fuel storage system.

Participants: NRC Holtec International
 C. Regan K. Singh
 W. Hodges B. Gutherman, et al.,
 J. Monninger
 J. Guttman
 J. Solis
 G. Zigh

Meeting Category: **This is a Closed Meeting as it will focus on discussion of trade secrets or commercial information that is considered proprietary or confidential, as specified in 10 CFR 2.390.**

Contact: Christopher Regan (301) 415-1179, E-mail at CMR1@NRC.GOV

Docket No. 72-1014
 TAC L23657

Attachment: Draft Meeting Agenda

cc: Participants (fax copy)

Distribution: (w/ attachment)
 Docket NRC File Center PUBLIC NMSS R/F SFPO R/F
 EWBrach LCamper WHodges NJensen, OGC RLewis
 SGagner, OPA EEaston PMNS(e-mail)
 C:\ORPCheckout\FileNET\ML040900385.wpd

OFC	SFPO		SFPO		SFPO				
NAME	CRegan		EZiegler		JMonninger				
DATE	03/30/04		03/30/04		03/30/04				

C = COVER E = COVER & ENCLOSURE N = NO COPY
 OFFICIAL RECORD COPY

MEETING BETWEEN
HOLTEC INTERNATIONAL
AND THE NUCLEAR REGULATORY COMMISSION

HOLTEC HI-STORM 100 CERTIFICATE OF COMPLIANCE AMENDMENT 2
April 1, 2004

TOPICS

1. Introductions
2. NRC review status (NRC)
3. NRC presentation of staff preliminary independent HI-STORM thermal analytical model, methods, and results
3. Holtec presentation of HI-STORM thermal analytical model, methods, and results
4. Review schedule/Future meetings (Holtec & NRC)
5. Closing remarks

ATTACHMENT