

AmerGen Energy Company, LLC 200 Exelon Way Kennett Square, PA 19348



An Exelon Company

10CFR50 Appendix E.IV.B

April 16, 2004 2130-04-20090

U. S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, DC 20555-0001

> Oyster Creek Generating Station Facility License No. DPR-16 Docket No. 50-219

Subject:

Oyster Creek Generating Station Implementation of Emergency Action Levels

Developed from NUMARC/NESP-007 Methodology

References:

- Letter from M. P. Gallagher (AmerGen Energy Company, LLC) to US NRC, dated March 10, 2003
- (2) Conference call between AmerGen and NRC staff on April 12, 2004

This letter is being sent to confirm actions discussed concerning the Oyster Creek Emergency Action Levels (EAL) and the EAL Technical Bases. In the Reference (1) letter, AmerGen Energy Company, LLC (AmerGen) submitted a proposed change to the EAL & EAL Technical Bases based on the methodology outlined in NUMARC/NESP-007, "Methodology for Development of Emergency Action Levels, Rev. 2. In Reference (2), AmerGen discussed the EAL submittal with the NRC and agreed to take three actions that will be documented in the NRC Safety Evaluation (SE).

The three actions involve EAL HU4 in the Oyster Creek EAL Technical Basis. The actions are summarized below.

- 1. Table H-1, Plant Vital Structures, is located below EAL Threshold Value #2. The table is referenced by Threshold Value #1 and in its current location may be misinterpreted to associate with EAL Threshold Value #2. Clarify Table H-1 applicability.
- 2. The Initiating Condition for HU-4 does not refer to EAL Threshold Value #2 (Report by plant personnel of an unanticipated explosion). Clarify the Initiating Condition.
- 3. The Basis discussion in HU4 does not provide basis information or guidance for EAL Threshold Value #2. Clarify the HU4 basis.



U.S. Nuclear Regulatory Commission April 16, 2004 Page 2

AmerGen agrees to resolve these comments per the 10CFR50.54q process, subsequent to the issuance of the revised EALs.

If you have any questions or require additional information, please contact Doug Walker at (610) 765- 5726.

Michael P. Gallagher

Director, Licensing and Regulatory Affairs

D. B. Helher / FOR

AmerGen Energy Company, LLC

cc:

H. J. Miller, Administrator, Region I, USNRC

R. J. Summers, USNRC Senior Resident Inspector, Oyster Creek

P. S. Tam, Senior Project Manager, USNRC (by FedEx)

K. Tosch

File No. 03005