

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

| <u>SECTION</u> | <u>PAGE</u> |
|--|-------------|
| 3/4.8.2 D.C. SOURCES | |
| OPERATING..... | 3/4 8-10 |
| SHUTDOWN..... | 3/4 8-13 |
| 3/4.8.3 ONSITE POWER DISTRIBUTION SYSTEMS | |
| OPERATING..... | 3/4 8-14 |
| SHUTDOWN..... | 3/4 8-16 |
| 3/4.8.4 ELECTRICAL EQUIPMENT PROTECTIVE DEVICES | |
| MOTOR-OPERATED VALVES THERMAL OVERLOAD PROTECTION BYPASS DEVICES | 3/4 8-17 |
| <u>3/4.9 REFUELING OPERATIONS</u> | |
| 3/4.9.1 BORON CONCENTRATION | 3/4 9-1 |
| 3/4.9.2 INSTRUMENTATION | 3/4 9-2 |
| 3/4.9.3 DECAY TIME..... | 3/4 9-3 |
| 3/4.9.4 CONTAINMENT BUILDING PENETRATIONS | 3/4 9-4 |
| 3/4.9.5 COMMUNICATIONS | 3/4 9-5 |
| 3/4.9.6 MANIPULATOR CRANE | 3/4 9-6 |
| 3/4.9.7 DELETED..... | 3/4 9-7 |
| 3/4.9.8 SHUTDOWN COOLING AND COOLANT CIRCULATION | |
| HIGH WATER LEVEL | 3/4 9-8 |
| LOW WATER LEVEL..... | 3/4 9-9 |
| 3/4.9.9 CONTAINMENT ISOLATION SYSTEM..... | 3/4 9-10 |
| 3/4.9.10 WATER LEVEL – REACTOR VESSEL..... | 3/4 9-11 |
| 3/4.9.11 SPENT FUEL STORAGE POOL | 3/4 9-12 |
| 3/4.9.12 DELETED | 3/4 9-13 |
| <u>3/4.10 SPECIAL TEST EXCEPTIONS</u> | |
| 3/4.10.1 SHUTDOWN MARGIN | 3/4 10-1 |
| 3/4.10.2 MODERATOR TEMPERATURE COEFFICIENT, GROUP HEIGHT, INSERTION AND POWER DISTRIBUTION LIMITS | 3/4 10-2 |
| 3/4.10.3 REACTOR COOLANT LOOPS..... | 3/4 10-3 |
| 3/4.10.4 CENTER CEA MISALIGNMENT..... | 3/4 10-4 |
| 3/4.10.5 CEA INSERTION DURING ITC, MTC, AND POWER COEFFICIENT MEASUREMENTS | 3/4 10-5 |

INTENTIONALLY DELETED

INTENTIONALLY DELETED