

From: "BENNETT, STEVE A" <SBENNE2@entergy.com>
To: Tom Alexion <twalex@nrc.gov>, "Jeff Clark (jac@nrc.gov)" <jac@nrc.gov>, "SWAIN, RONALD VANCE" <RSWAIN1@entergy.com>, "BICE, DAVID B" <DBICE@entergy.com>, "BURFORD, FRANCIS G" <FBURFOR@entergy.com>, "CAMPBELL, BILL - NUCLEAR" <WCAMPB3@entergy.com>, "COMPTON, LESLIE" <LCOMPTO@entergy.com>, "DAIBER, BRYAN J" <BDAIBER@entergy.com>, "DAVANT, GUY H" <GDAVANT@entergy.com>, "DEESE, RICHARD W" <rdees90@entergy.com>, "EATON, WILLIAM A" <WEATON@entergy.com>, "EDGELL, DOUGLAS W" <DEDGELL@entergy.com>, "EHREN, TERRY G" <TEHREN@entergy.com>, "EUBANKS, CLIFFORD" <CEUBANK@entergy.com>, "FORBES, JEFFREY" <JFORBE1@entergy.com>, "FORREST, FREDDIE" <FFORRES@entergy.com>, "GOBELL, JAMIE N" <JGOBELL@entergy.com>, "GORDON, ROBERT A" <RGORDON@entergy.com>, "HOUGHTALING, JOHN B" <JHOUGHT@entergy.com>, "JAMES, DALE E" <DJAMES@entergy.com>, "JAMES, WILLIAM" <WJAMES1@entergy.com>, "KOWALEWSKI, JOSEPH A" <JKOWALE@entergy.com>, "LEWIS, RAYMOND S" <RLEWIS1@entergy.com>, "MEANS, BRACY E" <BMEANS@entergy.com>, "MITCHELL, TIMOTHY G" <TMITCH1@entergy.com>, "PANTHER, KENNETH C" <KPANTHE@entergy.com>, "PARKS, GLENN A" <GPARKS@entergy.com>, "PAYNE, GARY - WF3" <GPAYNE@entergy.com>, "SIMS, WILLIAM D" <WSIMS@entergy.com>, "SMITH, JAMES A" <JSMITH@entergy.com>
Date: 4/29/04 10:08AM
Subject: 1R18 RV Head/Alloy 600 Inspection Status of April 29, 2004

Attached is the April 29, 2004 status of the RV head/Alloy 600 inspections

Mail Envelope Properties (40910C39.BDA : 21 : 43994)

Subject: 1R18 RV Head/Alloy 600 Inspection Status of April 29, 2004
Creation Date: 4/29/04 10:02AM
From: "BENNETT, STEVE A" <SBENNE2@entergy.com>

Created By: SBENNE2@entergy.com

Recipients

nrc.gov

owf4_po.OWFN_DO
TWA (Thomas Alexion)

nrc.gov

ARL_PO.ARL_DO
JAC (Jeffrey Clark)

entergy.com

JSMITH (SMITH, JAMES A)
WSIMS (SIMS, WILLIAM D)
GPAYNE (PAYNE, GARY - WF3)
GPARKS (PARKS, GLENN A)
KPANTHE (PANTHER, KENNETH C)
TMITCH1 (MITCHELL, TIMOTHY G)
BMEANS (MEANS, BRACY E)
RLEWIS1 (LEWIS, RAYMOND S)
JKOWALE (KOWALEWSKI, JOSEPH A)
WJAMES1 (JAMES, WILLIAM)
DJAMES (JAMES, DALE E)
JHOUGHT (HOUGHTALING, JOHN B)
RGORDON (GORDON, ROBERT A)
JGOBELL (GOBELL, JAMIE N)
FFORRES (FORREST, FREDDIE)
JFORBE1 (FORBES, JEFFREY)
CEUBANK (EUBANKS, CLIFFORD)
TEHREN (EHREN, TERRY G)
DEDGELL (EDGELL, DOUGLAS W)
WEATON (EATON, WILLIAM A)
rdees90 (DEESE, RICHARD W)
GDAVANT (DAVANT, GUY H)
BDAIBER (DAIBER, BRYAN J)
LCOMPTO (COMPTON, LESLIE)
WCAMPB3 (CAMPBELL, BILL - NUCLEAR)
FBURFOR (BURFORD, FRANCIS G)
DBICE (BICE, DAVID B)

RSWAIN1 (SWAIN, RONALD VANCE)

Post Office

owf4_po.OWFN_DO
ARL_PO.ARL_DO

Route

nrc.gov
nrc.gov
entergy.com

Files

MESSAGE

Part.001

1R18 RVH Inspection Results 4-29.doc

Mime.822

Size

77

984

48640

70868

Date & Time

04/29/04 10:02AM

Options

Expiration Date:

None

Priority:

Standard

Reply Requested:

No

Return Notification:

None

Concealed Subject:

No

Security:

Standard

1R18 Alloy 600 Status

Inspection	Inspection Method	Extent of Inspection	1R18 Status/ Findings
BMV of RV Head	BMV exam inside Service Structure	100% of the RPV head surface (including 360° around each head penetration). (OP 2311.009)	CRDM nozzles being visually reinspected with enhanced place-keeping and procedure controls
CRDM/ RADCAL Nozzles	UT of 60 CRDM nozzles (no known defects)	UT of the RPV nozzle from 2" above the highest point of the root of the J-weld to the blind zone.	UT scans of CRDM nozzles underway <ul style="list-style-type: none"> • 40 of 60 nozzles inspected • 40 of 40 analyzed by Entergy (Note 1) No flaws identified
	UT of six FTI repaired CRDM nozzles (Nozzles 3, 6, 15, 17, 33, & 56)	UT the weld and at least 1-inch above the weld in the nozzle base material.	
	UT/WS of two <u>W</u> repaired CRDM nozzles (Nozzles 54 & 68)	UT of the RPV nozzle from 2" above the highest point of the root of the J-weld to the blind zone and <u>wetted</u> surface exam of weld overlay.	
	UT of RADCAL Nozzle 1	UT of the RPV nozzle from 2" above the highest point of the root of the J-weld to the blind zone.	
	UT of nozzle Annulus [Leak Path Assessment]	Interrogate interference fit in all 69 nozzle annuli above J-weld for leakage path	
ICI Nozzles	Visual Inspection of 52 BMI nozzles	Inspect 100% of the circumference of each penetration as it enters the RPV lower head. (OP 2311.009)	BMI nozzles being visually reinspected with enhanced place-keeping and procedure controls

April 29, 2004 - 8:00 AM

RCS Walkdowns	Visually Inspect RCS for RCS leaks	Visually inspect above the RPV head for potential boric acid leaks from pressure-retaining components as well as other A600 RCS small bore locations. (OP 2311.009)	A600 small bore nozzles (ongoing) <ul style="list-style-type: none">• 18 of 18 pressurizer/CFT nozzles inspected• 14 of 14 hot leg nozzles inspected• 11 of 13 Cold Leg nozzles inspected No indications identified
---------------	------------------------------------	---	---

Note 1: The freespan length below the weld has been preliminarily confirmed to meet Entergy's Order Relaxation request of February 11, 2004 (CNRO-2004-0008).