





Facility: <u>  Ginna  </u>		Date of Examination: <u>  4/04  </u> written 4/2 op test 4/5-9
Examinations Developed by: <u>  Facility  </u> / NRC (circle one)		
Target Date*	Task Description / Reference	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a & b)	TF
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	TF
-120	3. Facility contact briefed on security & other requirements (C.2.c)	TF
-120	4. Corporate notification letter sent (C.2.d)	TF
[-90]	[5. Reference material due (C.1.e; C.3.c, Attachment 2)]	NA
-75	6. Integrated examination outline(s), including Forms ES-201-2, ES-201-3, ES-301-1, ES-301-2, ES-301-5, ES-D-1's, ES-401-1/2, ES-401-3, and ES-401-4, as applicable, due (C.1.e & f; C.3.d)	TF
-70	7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)	TF
-45	8. Proposed examinations (including written, walk-through JPMs, and scenarios, as applicable), supporting documentation (including Forms ES-301-3, ES-301-4, ES-301-5, ES-301-6, and ES-401-6), and reference materials due (C.1.e, f, g & h; C.3.d)	TF
-30	9. Preliminary license applications (NRC Form 398's) due (C.1.i; C.2.g; ES-202)	TF
-14	10. Final license applications due <del>and assignment sheet prepared</del> (C.1.i; <del>C.2.g</del> ; ES-202)	TF
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	TF
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f & h; C.3.g)	TF
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	TF
-7	14. Final applications reviewed; <del>assignment sheet updated;</del> - examination approval and waiver letters sent (C.2.gi, Attachment 4, ES-204)	TF
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee <del>and authorization granted to give written exams (if applicable)-(C.3.k)</del>	TF
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	TF
<p>* Target dates are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.</p> <p>[ ] Applies only to examinations prepared by the NRC.</p>		

Facility: <b>RE Ginna</b>		Date of Examination: <b>04/05/2004</b>		
Item	Task Description	Initials		
		a	b*	c#
<b>W R I T T E N</b>	a. Verify that the outline(s) fit(s) the appropriate model per ES-401.	KM	JMB	TF
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	KM	JMB	TF
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	KM	JMB	TF
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	KM	JMB	TF
<b>S I M</b>	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, and major transients.	KM	JMB	TF
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity; ensure each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s)*, and scenarios will not be repeated on subsequent days.	KM	JMB	TF
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	KM	JMB	TF
<b>W / T</b>	a. Verify that: (1) the outline(s) contain(s) the required number of control room and in-plant tasks, (2) no more than 30% of the test material is repeated from the last NRC examination, (3)* no tasks are duplicated from the applicants' audit test(s), and (4) no more than 80% of any operating test is taken directly from the licensee's exam banks.	KM	JMB	TF
	b. Verify that: (1) the tasks are distributed among the safety function groupings as specified in ES-301, (2) one task is conducted in a low-power or shutdown condition, (3) 4 - 6 (2 - 3 for SRO-U) of the tasks require the applicant to implement an alternate path procedure, (4) one in-plant task tests the applicant's response to an emergency or abnormal condition, and (5) the in-plant walk-through requires the applicant to enter the RCA.	KM	JMB	TF
	c. Verify that the required administrative topics are covered:	KM	JMB	TF
	d. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on-subsequent days.	KM	JMB	TF
<b>G E N E R A L</b>	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam section.	KM	JMB	TF
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	KM	JMB	TF
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	KM	JMB	TF
	d. Check for duplication and overlap among exam sections.	KM	JMB	TF
	e. Check the entire exam for balance of coverage.	KM	JMB	TF
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	KM	JMB	TF
a. Author <u>Kenneth Masker</u> Printed Name / Signature  b. Facility Reviewer (*) <u>Michael A Buckner</u>  c. NRC Chief Examiner (#) <u>Toon Fish</u>  d. NRC Supervisor <u>Richard J. Conte</u> 		Date: 1/15/04 1/20/04 1/23/04 2/11/04		
Note: * Not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.				

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of April 5<sup>th</sup> 2004 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of April 5<sup>th</sup> 2004. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. Kenneth Masker	Lead Exam Developer	<i>[Signature]</i>	12/17/03	<i>[Signature]</i>	4/8/04	
2. Steve Carter	Exam Developer	<i>[Signature]</i>	12/17/03	<i>[Signature]</i>	4/8/04	
<del>3. Carol Cario</del>	<del>Exam Clerk</del>	<del><i>[Signature]</i></del>	<del></del>	<del><i>[Signature]</i></del>	<del></del>	<del></del>
4. William Dobbins	Computer System Administrator	<i>[Signature]</i>	1/6/04	<i>[Signature]</i>	4/8/04	
5. Rex Smith	Simulator Programmer	<i>[Signature]</i>	2/19/04	<i>[Signature]</i>	4/8/04	
6. PAT LATULIPE	COMPUTER TECH	<i>[Signature]</i>	12/19/03	<i>[Signature]</i>	12/19/03	
7. Mike Buckner	Exam Developer	<i>[Signature]</i>	1/6/04	<i>[Signature]</i>	4/8/04	
8. JOE HOOPER	SENIOR LICENSE ISSUANCE	<i>[Signature]</i>	1/13/04	<i>[Signature]</i>	4/8/04	
9. Carol Cario	Admin Spec.	<i>[Signature]</i>	1/14/04	<i>[Signature]</i>	4-8-04	
10. DOUGLAS PETERSON	SS SRO	<i>[Signature]</i>	1/20/04	<i>[Signature]</i>	4-12-04	
11. Robert Scarrott	LA.O RO	<i>[Signature]</i>	2/6/04	<i>[Signature]</i>	4-12-04	
12. Donald Dettman	CRF SRO	<i>[Signature]</i>	2/6/04	<i>[Signature]</i>	4/8/04	
13. JOHN LIST	RO	<i>[Signature]</i>	2/6/04	<i>[Signature]</i>	4/19/04	
14. Karen Griffiths	Admin. Spec.	<i>[Signature]</i>	2/9/04	<i>[Signature]</i>	4/8/04	
15. ROBERT A. MCCOY	SS SRO	<i>[Signature]</i>	2/10/04	<i>[Signature]</i>	4/8/04	
16. JANE NEIS	ACTING OPSTRN MGR	<i>[Signature]</i>	2/19/04	<i>[Signature]</i>	4/2/04	

*[Handwritten note]*  
12/25/04

Notes: This Security Agreement covers the NRC initial exam to be given the week of April 5<sup>th</sup> 2004 at the R. E. Ginna Plant in Ontario N.Y.

17. Mike Leach	Simulator Technician	<i>[Signature]</i>	3/16/04	<i>[Signature]</i>	4/8/04	
18. Norm Meaker	SLI	<i>[Signature]</i>	4/2/04	<i>[Signature]</i>	4/8/04	

Facility: R.E. Ginna		Date of Examination: 4/5/04		Operating Test Number: 04-1	
1. GENERAL CRITERIA			Initials		
			a	b*	c#
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	KM	JW	TF	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	KM	JW	TF	
c.	The operating test shall not duplicate items from the applicants' audit test(s)(see Section D.1.a).	KM	JW	TF	
d.	Overlap with the written examination and between different parts of the operating test-is within acceptable limits.	KM	JW	TF	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	KM	JW	TF	
2. WALK-THROUGH CRITERIA			--	--	--
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> <li>· initial conditions</li> <li>· initiating cues</li> <li>· references and tools, including associated procedures</li> <li>· reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee</li> <li>· specific performance criteria that include: <ul style="list-style-type: none"> <li>- detailed expected actions with exact criteria and nomenclature</li> <li>- system response and other examiner cues</li> <li>- statements describing important observations to be made by the applicant</li> <li>- criteria for successful completion of the task</li> <li>- identification of critical steps and their associated performance standards</li> <li>- restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul>	KM	JW	TF	
b.	Repetition from operating tests used during the previous licensing examination is within acceptable limits (30% for the walk-through) and do not compromise test integrity.	KM	JW	TF	
c.	At least 20 percent of the JPMs on each test are new or significantly modified.	KM	JW	TF	
3. SIMULATOR CRITERIA			--	--	--
a.	The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.	KM	JW	TF	
a. Author		Printed Name / Signature		Date	
		Kenneth Masker / <i>[Signature]</i>		2/19/04	
b. Facility Reviewer(*)		JANE NEIS / <i>[Signature]</i>		2/20/04	
c. NRC Chief Examiner (#)		TODD FISH / <i>[Signature]</i>		3/15/04	
d. NRC Supervisor		RJ Curte / <i>[Signature]</i>		3/31/04	
NOTE: • The facility signature is not applicable for NRC-developed tests. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.					

Facility: R.E. Ginna		Date of Exam: 4/5/04		Scenario Numbers: 1 / 2 / 3			Operating Test No.:04-1		
QUALITATIVE ATTRIBUTES							Initials		
							a	b*	c#
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	KM	JW	TF					
2.	The scenarios consist mostly of related events.	KM	JW	TF					
3.	Each event description consists of <ul style="list-style-type: none"> <li>· the point in the scenario when it is to be initiated</li> <li>· the malfunction(s) that are entered to initiate the event</li> <li>· the symptoms/cues that will be visible to the crew</li> <li>· the expected operator actions (by shift position)</li> <li>· the event termination point (if applicable)</li> </ul>	KM	JW	TF					
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	KM	JW	TF					
5.	The events are valid with regard to physics and thermodynamics.	KM	JW	TF					
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	KM	JW	TF					
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	NA	NA JW	TF					
8.	The simulator modeling is not altered.	KM	JW	TF					
9.	The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	KM	JW	TF					
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.	KM	JW	TF					
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	KM	JW	TF					
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	KM	JW	TF					
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	KM	JW	TF					
<b>TARGET QUANTITATIVE ATTRIBUTES (PER SCENARIO; SEE SECTION D5.d)</b>		Actual Attributes		-	-	-			
1.	Total malfunctions (5-8)	7	7	7	KM	JW	TF		
2.	Malfunctions after EOP entry (1-2)	3	1	2	KM	JW	TF		
3.	Abnormal events (2-4)	4	5	4	KM	JW	TF		
4.	Major transients (1-2)	1	1	1	KM	JW	TF		
5.	EOPs entered/requiring substantive actions (1-2)	2	2	1	KM	JW	TF		
6.	EOP contingencies requiring substantive actions (0-2)	0	0	1	KM	JW	TF		
7.	Critical tasks (2-3)	2	4	2	KM	JW	TF		

Facility: R.E. Ginna		Date of Exam: 4/5/04	Scenario Numbers:4 (spare) Operating Test No.:04-01		
QUALITATIVE ATTRIBUTES		Initials			
		a	b*	c#	
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	KM	JW	TF	
2.	The scenarios consist mostly of related events.	KM	JW	TF	
3.	Each event description consists of <ul style="list-style-type: none"> <li>· the point in the scenario when it is to be initiated</li> <li>· the malfunction(s) that are entered to initiate the event</li> <li>· the symptoms/cues that will be visible to the crew</li> <li>· the expected operator actions (by shift position)</li> <li>· the event termination point (if applicable)</li> </ul>	KM	JW	TF	
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	KM	JW	TF	
5.	The events are valid with regard to physics and thermodynamics.	KM	JW	TF	
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	KM	JW	TF	
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	NA	NA JW	TF	
8.	The simulator modeling is not altered.	KM	JW	TF	
9.	The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	KM	JW	TF	
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.	KM	JW	TF	
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	KM	JW	TF	
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	KM	JW	TF	
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	KM	JW	TF	
TARGET QUANTITATIVE ATTRIBUTES (PER SCENARIO; SEE SECTION D5.d)		Actual Attributes	-	-	-
1.	Total malfunctions (5-8)	7	KM	JW	TF
2.	Malfunctions after EOP entry (1-2)	1	KM	JW	TF
3.	Abnormal events (2-4)	5	KM	JW	TF
4.	Major transients (1-2)	1	KM	JW	TF
5.	EOPs entered/requiring substantive actions (1-2)	2	KM	JW	TF
6.	EOP contingencies requiring substantive actions (0-2)	1	KM	JW	TF
7.	Critical tasks (2-3)	2	KM	JW	TF

OPERATING TEST NO: Ginna 04-1

Applicant Type	Evolution Type	Minimum Number	Scenario Number								
			1		2		3		4		
			RO	BOP	RO	BOP	RO	BOP	RO	BOP	
RO 1	Reactivity	1*									
	Normal	1*						4			
	Instrument / Component	4*	2, 4, 7					2,6, 7			
	Major	1	6					8			

RO 2	Reactivity	1*			4						
	Normal	1*		1							
	Instrument / Component	4*		3,8	1, 3, 5						
	Major	1		6	6						

RO 3	Reactivity	1*					4				
	Normal	1*				5					
	Instrument / Component	4*				2,3, 7	1, 3, 6				
	Major	1				6	8				

Continued on the Next page.



	Evolution Type	Minimum Number	Scenario	
			1	2
SRO-U 1	Reactivity	0		
	Normal	1*	1	
	Instrument / Component	2*	2,3,4,7,8	
	Major	1	6	

SRO-U 2	Reactivity	0		
	Normal	1*		4
	Instrument / Component	2*		1,2,3,5
	Major	1		6

- Instructions:
- (1) Enter the operating test number and Form ES-D-1 event numbers for each evolution type.
  - (2) Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. \* Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a one-for-one basis.
  - (3) Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirement.

Author:

NRC Reviewer:

  
 \_\_\_\_\_  
  
 \_\_\_\_\_



Exam: Ginna 04-1

RO #1


Competencies	RO				BOP			
	SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4
Interpret / Diagnose Events and Conditions	2,4,7						2,6,7	
Comply With and Use Procedures (1)	2,4,6						2,4,6,7	
Operate Control Boards (2)	2,4,6,7						2,4,6,7,8	
Communicate and Interact	2,4,6,7						2,4,6,7,8	
Demonstrate Supervisory Ability (3)								
Comply With and Use Tech. Specs. (3)	2,4							

Notes:

(1) Includes Technical Specification compliance for an RO.  
 (2) Optional for an SRO-U.  
 (3) Only applicable to SROs.

Instructions:

Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author: 

NRC Reviewer: Judd Fish

Exam: Ginna 04-1


RO #2

Competencies	RO				BOP			
	SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4
Interpret / Diagnose Events and Conditions		1,3,4,5			3,8			
Comply With and Use Procedures (1)		1,3,4,5,6			1,3,6,8			
Operate Control Boards (2)		1,3,4,5,6			1,3,6,8			
Communicate and Interact		1,3,4,5,6			1,3,6,8			
Demonstrate Supervisory Ability (3)								
Comply With and Use Tech. Specs. (3)		3,5			3			
<p>Notes:</p> <p>(1) Includes Technical Specification compliance for an RO.</p> <p>(2) Optional for an SRO-U.</p> <p>(3) Only applicable to SROs.</p>								

Instructions:

Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author:

  
\_\_\_\_\_

NRC Reviewer:

Jodd Fish  
\_\_\_\_\_

Exam: Ginna 04-1


RO #3

Competencies	RO				BOP			
	SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4
Interpret / Diagnose Events and Conditions			1,3,5,8			2,3,4,6		
Comply With and Use Procedures (1)			1,4,5,8			1,3,4,6		
Operate Control Boards (2)			1,3,4,6,8			2,3,4,6,7		
Communicate and Interact			1,4,5,6,8			2,3,4,6,7		
Demonstrate Supervisory Ability (3)								
Comply With and Use Tech. Specs. (3)			1,5			3,5		
<p>Notes:</p> <p>(1) Includes Technical Specification compliance for an RO.</p> <p>(2) Optional for an SRO-U.</p> <p>(3) Only applicable to SROs.</p>								

Instructions:

Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author:

  
\_\_\_\_\_

NRC Reviewer:

Judd Fish  
\_\_\_\_\_

Exam: Ginna 04-1


**SRO-U- #1**

Competencies	SRO			
	SCENARIO			
	1	2	3	4
Interpret / Diagnose Events and Conditions	2,3,4,6			
Comply With and Use Procedures (1)	2,3,4,6,7,8			
Operate Control Boards (2)				
Communicate and Interact	1,2,3,4,6			
Demonstrate Supervisory Ability (3)	4,7,8			
Comply With and Use Tech. Specs. (3)	2,4,5			
<p>Notes:</p> <p>(1) Includes Technical Specification compliance for an RO.</p> <p>(2) Optional for an SRO-U.</p> <p>(3) Only applicable to SROs.</p>				

Instructions:

Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author: 

NRC Reviewer: 

Exam: Ginna 04-1

SRO-U-#2

Competencies	SRO			
	SCENARIO			
	1	2	3	4
Interpret / Diagnose Events and Conditions		1,2,4,5		
Comply With and Use Procedures (1)		1,2,3,5,6		
Operate Control Boards (2)				
Communicate and Interact		1,2,3,4,5,6		
Demonstrate Supervisory Ability (3)		2,4,6,7		
Comply With and Use Tech. Specs. (3)		3,5		
Notes:  (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.				






Instructions:






Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author: 

NRC Reviewer: Jodd Fish

Facility: R.E. Ginna		Date of Exam: 4/5/04			Exam Level: Both		
Item Description					Initial		
					a	b*	c#
1.	Questions and answers technically accurate and applicable to facility				KM	JW	TF
2.	a. NRC K/As referenced for all questions b. Facility learning objectives referenced as available				KM	JW	TF
3.	SRO questions are appropriate per Section D.2.d of ES-401				JW	JW	TF
4.	Question selection and duplication from the last two NRC licensing exams appears consistent with a systematic sampling process						TF
5.	Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input type="checkbox"/> the audit exam was completed before the license exam was started; or <input checked="" type="checkbox"/> the examinations were developed independently; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> other (explain)				KM	JW	TF
6.	Bank use meets limits (no more than 75 percent from the bank at least 10 percent new, and the rest modified); enter the actual RO / SRO-only question distribution(s) at right	Bank	Modified	New	KM	JW	TF
		45 / 15	6 / 2	24 / 8			
7.	Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right	Memory	C/A		KM	JW	TF
		34 / 11	41 / 14				
8.	References/handouts provided do not give away answers				KM	JW	TF
9.	Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the Tier to which they are assigned; deviations are justified				KM	JW	TF
10.	Question psychometric quality and format meet ES, Appendix B, guidelines				KM	JW	TF
11.	The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with value on cover sheet				KM	JW	TF
		Printed Name / Signature			Date		
a. Author	Kenneth Maske / <i>[Signature]</i>				3/26/04		
b. Facility Reviewer (*)	JANE NEIS / <i>[Signature]</i>				3/26/04		
c. NRC Chief Examiner (#)	TODD FISH / <i>[Signature]</i>				3/29/04		
d. NRC Regional Supervisor	R.J. Coate / <i>[Signature]</i>				3/31/04		
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.							

Facility: R.E. Ginna		Date of Exam: 4/2/04		Exam Level: SRO	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	KM	JM	JHW TF		
2. Answer key changes and question deletions justified and documented	NA	NA	NA <sup>2</sup>		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	KM	JM	JHW TF		
4. Grading for all borderline cases (80 +/- 2% overall and 70 +/- 4% on the SRO-only) reviewed in detail	NA	NA	NA <sup>2</sup>		
5. All other failing examinations checked to ensure that grades are justified	NA	NA	NA <sup>2</sup>		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	KM	JM	TF		
	Printed Name / Signature		Date		
a. Grader	Kenneth Masker / 		4/8/04		
b. Facility Reviewer(*)	FRANK L. MACIUSKA / 		4/8/04		
c. NRC Chief Examiner (*)	TODD FISKE /  Hurb Williams /  Gordon H. Williams		4/19/04 4/22/04		
d. NRC Supervisor (*)	R.J. Carter /  CRO		4/29/04		
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					

Facility: R.E. Ginna	Date of Exam: 4/2/04	Exam Level: RO	
Item Description	Initials		
	a	b	c
1. Clean answer sheets copied before grading	KM	JHM	JHW TF
2. Answer key changes and question deletions justified and documented	NA	NA	NA <sup>2</sup>
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	KM	JHM	JHW TF
4. Grading for all borderline cases (80 +/- 2% overall and 70 +/- 4% on the SRO-only) reviewed in detail	KM	JHM	JHW TF
5. All other failing examinations checked to ensure that grades are justified	NA	NA	NA <sup>2</sup>
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	KM	JHM	TF
Printed Name / Signature		Date	
a. Grader	Kenneth Masker / 	4/8/04	
b. Facility Reviewer(*)	FRANK L. MACIUSKA / 	4/8/04	
c. NRC Chief Examiner (*)	TODD FISH /  Herb Williams / 	4/19/04 4/20/04	
d. NRC Supervisor (*)	R.J. Conite / 	4/23/04	
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.			