

June 15, 2004

Mr. Thomas J. Palmisano
Site Vice President
Monticello Nuclear Generating Plant
Nuclear Management Company, LLC
2807 West County Road 75
Monticello, MN 55362-9637

SUBJECT: MONTICELLO NUCLEAR GENERATING PLANT — REQUEST FOR
ADDITIONAL INFORMATION RELATED TO INTAKE STRUCTURE
APPENDIX R EXEMPTION REQUEST (TAC NO. MC1803)

Dear Mr. Palmisano:

The Nuclear Management Company, LLC, letter of November 17, 2003, requested the Nuclear Regulatory Commission (NRC) to authorize a permanent exemption from the requirements of Title 10 of the *Code of Federal Regulations* (10 CFR), Part 50, Appendix R, Section III.G.2.b., as it applies to Fire Area IX/Fire Zone 23A at the Monticello Nuclear Generating Plant. The NRC staff is reviewing your request and finds that the following additional information is needed:

1. Provide the design water density of the pre-action sprinkler system in the intake structure.
2. The Fire Hazards Analysis does not discuss sodium hypochlorite and other hazards that it may present at ambient conditions or when heated and decomposing. What effects would this chemical, or its residue, present when mixed with the combustibles (lubricating oil, non-Institute of Electrical and Electronics Engineers standard -383 cable, and transients) in the room? Hazardous materials are discussed in the NRC's Branch Technical Position (BTP) Auxiliary and Power Conversion Systems Branch (APCSB) 9.5.1, "Fire Protection System," Section G.3.
3. Define and quantify the transient combustibles in the fire area allowed by procedure(s).
4. Do the equipment shrouds around the residual heat removal service water and emergency service water pumps provide containment for leaking oil at the floor level? Are there dikes around other pumps to limit the spread of leaking oil? If not, what other features (such as floor drains) would limit the size of an oil spill?

T. Palmisano

- 2-

I discussed this request for additional information with Mr. John Fields of your organization on June 7, 2004, and he agreed to respond within 30 days of receipt of this letter. Please contact me at (301) 415-1423 if you have questions.

Sincerely,

/RA/

L. Mark Padovan, Project Manager, Section 1
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-263

cc: See next page

T. Palmisano

- 2-

June 15, 2004

I discussed this request for additional information with Mr. John Fields of your organization on June 7, 2004, and he agreed to respond within 30 days of receipt of this letter. Please contact me at (301) 415-1423 if you have questions.

Sincerely,

/RA/

L. Mark Padovan, Project Manager, Section 1
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-263

cc: See next page

DISTRIBUTION

PUBLIC

PDIII-1 Reading

LRaghavan

MPadovan

RBouling

OGC

ACRS

RDipert

BBurgess, RGN-III

ADAMS Accession No.: ML041540010

OFFICE	PDIII-1/PM	PDIII-1/LA	PDIII-1/SC
NAME	MPadovan	RBouling	LRaghavan
DATE	06/09/04	06/08/04	06/09/04

OFFICIAL RECORD COPY

Monticello Nuclear Generating Plant

cc:

Jonathan Rogoff, Esquire
Vice President, Counsel & Secretary
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Commissioner
Minnesota Department of Commerce
121 Seventh Place East
Suite 200
St. Paul, MN 55101-2145

U.S. Nuclear Regulatory Commission
Resident Inspector's Office
2807 W. County Road 75
Monticello, MN 55362

Manager - Environmental Protection Division
Minnesota Attorney General's Office
445 Minnesota St., Suite 900
St. Paul, MN 55101-2127

Manager, Regulatory Affairs
Monticello Nuclear Generating Plant
Nuclear Management Company, LLC
2807 West County Road 75
Monticello, MN 55362-9637

John Paul Cowan
Executive Vice President & Chief Nuclear
Officer
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Robert Nelson, President
Minnesota Environmental Control
Citizens Association (MECCA)
1051 South McKnight Road
St. Paul, MN 55119

Nuclear Asset Manager
Xcel Energy, Inc.
414 Nicollet Mall, R.S. 8
Minneapolis, MN 55401

Commissioner
Minnesota Pollution Control Agency
520 Lafayette Road
St. Paul, MN 55155-4194

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
801 Warrenville Road
Lisle, IL 60532-4351

Commissioner
Minnesota Department of Health
717 Delaware Street, S. E.
Minneapolis, MN 55440

Douglas M. Gruber, Auditor/Treasurer
Wright County Government Center
10 NW Second Street
Buffalo, MN 55313

October 2003