



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION II  
SAM NUNN ATLANTA FEDERAL CENTER  
61 FORSYTH STREET SW SUITE 23T85  
ATLANTA, GEORGIA 30303-8931

May 14, 2004

Southern Nuclear Operating Company, Inc.  
ATTN: Mr. H. L. Sumner, Jr.  
Vice President  
P. O. Box 1295  
Birmingham, AL 35201-1295

SUBJECT: ERRATA LETTER FOR EDWIN I. HATCH NUCLEAR PLANT - RESPONSE TO  
INSPECTION REPORT NOS. 05000321/2003006 AND 05000366/2003006

Dear Mr. Sumner:

We have determined that the subject letter contained an incorrect enforcement action (EA) number. Please find enclosed a revised copy of the letter with this number corrected. We apologize for any inconvenience this may have caused.

Sincerely,

**/RA/**

Charles A. Casto, Director  
Division of Reactor Safety

Docket Nos.: 50-321, 50-366  
License Nos.: DPR-57, NPF-5

Enclosure: As stated

cc w/encl:  
J. B. Beasley, Jr.  
Executive Vice President  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

(cc w/encl cont'd - See page 2)

SNC

2

(cc w/encl cont'd)  
George R. Frederick  
General Manager, Plant Hatch  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

Raymond D. Baker  
Manager Licensing - Hatch  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

Arthur H. Dombey, Esq.  
Troutman Sanders  
Electronic Mail Distribution

Laurence Bergen  
Oglethorpe Power Corporation  
Electronic Mail Distribution

Director  
Department of Natural Resources  
205 Butler Street, SE, Suite 1252  
Atlanta, GA 30334

Manager, Radioactive Materials Program  
Department of Natural Resources  
Electronic Mail Distribution

Chairman  
Appling County Commissioners  
County Courthouse  
Baxley, GA 31513

Resident Manager  
Oglethorpe Power Corporation  
Edwin I. Hatch Nuclear Plant  
Electronic Mail Distribution

(cc w/encl cont'd - See page 3)

SNC

3

(cc w/encl cont'd)  
Senior Engineer - Power Supply  
Municipal Electric Authority  
of Georgia  
Electronic Mail Distribution

Reece McAlister  
Executive Secretary  
Georgia Public Service Commission  
244 Washington Street, SW  
Atlanta, GA 30334

Distribution w/encl:  
C. Gratton, NRR  
C. Evans, RII EICS  
L. Slack, RII EICS  
RIDSNRRDIPMLIPB  
PUBLIC

OFFICE	RII:DRS	RII:EICS	RII:DRP				
SIGNATURE	RA	RA	RA				
NAME	OGLE	EVANS	BONSER				
DATE	5/4/04	5/4/04	5/5/05				
E-MAIL COPY?	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO
PUBLIC DOCUMENT	YES NO						

OFFICIAL RECORD COPY

DOCUMENT NAME: C:\ORPCheckout\FileNET\ML041550275.WPD



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION II  
SAM NUNN ATLANTA FEDERAL CENTER  
61 FORSYTH STREET SW SUITE 23T85  
ATLANTA, GEORGIA 30303-8931

February 5, 2004

EA-04-027

Southern Nuclear Operating Company, Inc.  
ATTN: Mr. H. L. Sumner, Jr.  
Vice President - Hatch Nuclear Plant  
P. O. Box 1295  
Birmingham, AL 35201-1295

SUBJECT: EDWIN I. HATCH NUCLEAR PLANT - RESPONSE TO INSPECTION REPORT  
NOS. 05000321/2003006 AND 05000366/2003006

Dear Mr. Sumner:

In your letter dated October 1, 2003, in response to our Triennial Fire Protection Inspection Report 05000321/2003006 and 05000366/2003006, you made several requests. One of those requests was that the NRC withdraw Non-Cited Violation (NCV) 50-366/03-06-04, Unapproved Manual Operator Actions for Post-Fire SSD. In our letter to you dated November 18, 2003, we stated that we were still reviewing additional information that you had provided in response to that NCV. We have now completed our review of your information related to that NCV and are advising you of our decision. Details of our review are in the enclosure to this letter, titled "Evaluation of Licensee Information."

Based on our review of your additional information, we are withdrawing the examples of the NCV related to a high pressure coolant injection (HPCI) pump runaway. Your information has substantiated that the HPCI pump is not vulnerable to cable failures that could cause a runaway condition due to fires in III.G.2 areas, where plant shutdown would be from the control room. Your Safe Shutdown Analysis (SSA) and Fire Procedure differ from your additional information with respect to HPCI vulnerability to a runaway condition due to fires; consequently, those documents are not current with your latest information.

However, we have concluded that your information did not provide a valid basis for withdrawing the example of the NCV related to the local manual operator action for repowering the battery chargers. Also, as explained in the enclosure, you may need to perform additional reviews to verify that this operator action can be performed (will not be affected by the fire) for fires in all fire areas where the action may be needed.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publically Available Records (PARS) component of the NRC's document system (ADAMS).

SNOPCO

2

ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Should you have any questions concerning this letter, please contact me at (404) 562-4600.

Sincerely,

**/RA: H. Christensen for:/**

Charles A. Casto, Director  
Division of Reactor Safety

Docket Nos.: 50-321, 50-366  
License Nos.: DPR-57, NPF-5

Enclosure: Evaluation of Licensee Information

cc w/encl:

J. B. Beasley, Jr.  
Executive Vice President  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

George R. Frederick  
General Manager, Plant Hatch  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

Raymond D. Baker  
Manager Licensing - Hatch  
Southern Nuclear Operating Company, Inc.  
Electronic Mail Distribution

Arthur H. Dobby, Esq.  
Troutman Sanders  
Electronic Mail Distribution

Laurence Bergen  
Oglethorpe Power Corporation  
Electronic Mail Distribution

(cc w/encl cont'd- See page 3)

SNOPCO

3

(cc w/encl cont'd)

Director

Department of Natural Resources

205 Butler Street, SE, Suite 1252

Atlanta, GA 30334

Manager, Radioactive Materials Program

Department of Natural Resources

Electronic Mail Distribution

Chairman

Appling County Commissioners

County Courthouse

Baxley, GA 31513

Resident Manager

Oglethorpe Power Corporation

Edwin I. Hatch Nuclear Plant

Electronic Mail Distribution

Senior Engineer - Power Supply

Municipal Electric Authority

of Georgia

Electronic Mail Distribution

Reece McAlister

Executive Secretary

Georgia Public Service Commission

244 Washington Street, SW

Atlanta, GA 30334

SNOPCO

4

Distribution w/encl:

S. Bloom, NRR  
C. Evans, RII EICS  
L. Slack, RII EICS  
RIDSNRRDIPMLIPB  
PUBLIC  
OEMAIL

OFFICE	RII:DRS	RII:EICS					
SIGNATURE	<b>RA</b>	<b>RA</b>	<b>RA</b>				
NAME	OGLE	EVANS	BONSER				
DATE	05/04/04	05/04/04	5/12/2004				
E-MAIL COPY?	YES NO	YES NO					
PUBLIC DOCUMENT	YES NO						

OFFICIAL RECORD COPY

DOCUMENT NAME: C:\ORPCheckout\FileNET\ML041550275.WPD