

72-1015 72-1025

February 25, 2004

Mr. Stewart Brown U.S. Nuclear Regulatory Commission Mail Stop: 013D13 One White Flint North 11555 Rockville Pike Rockville, MD 20852-2738

Subject: Boral Test Reports and Other Documents

Dear Mr. Brown:

As we discussed by phone, I have looked through our files to find historical test reports on the performance of Boral<sup>TM</sup> under various conditions. These test reports go back to 1976, after AAR (Brooks & Perkins at that time) was in commercial production of Boral<sup>TM</sup> using its patented process of making Boral<sup>TM</sup> from mixing aluminum and boron carbide (B<sub>4</sub>C) powders, packing the powder mix in an aluminum box (ingot), and hot rolling the ingot into sheets. First generation boral (the generic term used for Al-B<sub>4</sub>C products), developed in the 1950's, was made by mixing B<sub>4</sub>C particles in molten aluminum, casting an ingot, enclosing the ingot in pure aluminum cladding, and rolling the ingot.

The enclosed reports are primarily related to the performance of Boral<sup>™</sup> in wet pools. The tests include long term gamma and neutron irradiation tests, strength tests (before and after irradiation), thermal tests, corrosion tests, gas generation tests, neutron transmission tests for various B<sub>4</sub>C loadings and sheet thicknesses, comparison of Boral<sup>™</sup> neutron absorption to an ideal B-10 absorber, the behavior of Boral<sup>™</sup> encased in stainless steel, and evaluations of the effects of blisters which have occurred in some Boral<sup>™</sup>. Blisters occur in Boral<sup>™</sup> used in spent fuel pools as a result of the buildup of hydrogen in the Boral<sup>™</sup> core after water penetrated the core (which has a density of 90-95% of theoretical) and oxidized the aluminum in the core.

More recently, there have been several test programs to evaluate the performance of Boral<sup>™</sup> under dry fuel storage conditions. Most of these reports were funded by outside organizations and are proprietary to those organizations. AAR will ask the sponsoring organizations to provide a copy of the studies to the NRC.

There are several other documents on my list to send you. I will forward the additional information in a separate transmittal.

If you have any questions, please give me a call at 734-466-8210 (office) or 404-229-1180 (cell).

Sincerely. mes

Birector, Nuclear Programs

enclosure

ţ

...systems, components & more



## LIST OF ENCLOSURES

## **Reports:**

2-

.

Report 685: TPRL 1254, Thermophysical Properties of Metal Composites, March 1993

Report 680: Corrosion Testing of Boral and Boral Raw Materials, March 16, 1993

**Report 637:** Effect of Gamma Radiation on the Neutron Attenuation Properties of Boral, February, 1985

**Report 624**: Boral<sup>™</sup> Neutron Absorbing / Shielding Material, Product Performance Report, July 20, 1982

Proprietary report (no title, no date) regarding the occurrence of blisters on Boral used by CCM Sulzer and other incidents of blisters

Neutron Transmission Through Boral Shielding Material, Michigan Memorial Phoenix Project, The University of Michigan, January, 1978

**Experimental Observation of Boral Plates Encased in Stainless Steel Under the Influence of Gamma and Neutron Fluxes,** <u>FNR – PML Report I-76</u>, Michigan Memorial Phoenix Project, The University of Michigan, February, 1976

## **AAR Bulletins:**

Bulletin 713.1, Dense Boral Test

Bulletin 691.2, The Positive Effect of Boron Oxide

Bulletin 696.1, Effect of Irradiation