

June 10, 2004

Mr. Mark E. Warner, Site Vice President
c/o James M. Peschel
Seabrook Station
FPL Energy Seabrook, LLC
PO Box 300
Seabrook, NH 03874

SUBJECT: FPL ENERGY SEABROOK, LLC - STRETCH POWER UPRATE ACCEPTANCE
REVIEW FOR SEABROOK STATION, UNIT NO. 1 (TAC NO. MC2364)

Dear Mr. Warner:

By letter dated March 17, 2004, as supplemented by a second letter dated March 17, 2004, and letters dated April 1, and May 26, 2004, FPL Energy Seabrook, LLC (FPLE), submitted its application to increase the licensed thermal power level at Seabrook Station, Unit No. 1. The proposed amendment would allow the maximum authorized power level to increase by approximately 5.2 percent, from 3411 megawatts thermal (MWt) to 3587 MWt.

On April 27, 2004, the Nuclear regulatory Commission (NRC) staff conducted a conference call with representatives from FPLE to discuss the basic content and supporting information contained in the March 17, 2004, application. Additionally, on May 20, 2004, we conducted a public meeting on the issues discussed in the conference call. In response to the discussions, FPLE supplemented its application by letter dated May 26, 2004.

The purpose of this letter is to provide the results of the NRC staff's acceptance review of your stretch power uprate application. The acceptance review determines whether or not there is sufficient detail to allow the staff to proceed with its detailed technical review. The review also ensures that the application adequately characterizes the regulatory requirements and licensing basis of the plant.

Based on the review of the information provided in the submittals mentioned above, the NRC staff has determined that FPLE has provided the necessary information for the staff to begin a detailed technical review. Additionally, the staff has determined that your application meets the criteria for a stretch power uprate as the requested power increase is less than 7 percent, and there are no major modifications required to support the uprate. In the May 26, 2004, submittal, FPLE provided additional clarifying and supporting information for balance-of-plant and reactor systems impacted by the power uprate to assist the staff with its detailed review. The NRC staff expects to complete its detailed review by your requested date of February 28, 2005.

Mark E. Warner

-2-

Verbal notification of the NRC's acceptance of your application was provided to Mr. Michael O'Keefe of your staff on June 9, 2004. If you have any questions, please contact me at (301) 415-2855 or via electronic mail at spw@nrc.gov.

Sincerely,

/RA/

Scott P. Wall, Project Manager, Section 2
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-443

cc: See next page

Mark E. Warner

-2-

Verbal notification of the NRC's acceptance of your application was provided to Mr. Michael O'Keefe of your staff on June 9, 2004. If you have any questions, please contact me at (301) 415-2855 or via electronic mail at spw@nrc.gov.

Sincerely,

/RA/

Scott P. Wall, Project Manager, Section 2
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-443

cc: See next page

DISTRIBUTION:

PUBLIC	JCalvo	KManoly	NLe
PDI-1 Reading	Elmbro	DSolorio	JBongarra
BSheron	WBateman	SWeerakody	JCai
TMarsh/ELeeds	JWermeil	MRubin	SImboden
CHolden	MTschiltz	RDennig	JTatum
JClifford	JHannon	JUhle	NIqbal
LRaghavan	WBeckner	TBoyce	MStutzke
SWall	EMarinos	DTrimble	RLobel
AMcMurtray	RJenkins	PLoeser	SLaVie
MShuaibi	MMitchell	NTrehan	KDensai
CRaynor	TChan	NRay	FOrr
JJolicoeur	LLund	ZFu	OGC
TJ Kim	DTerao	PKlein	OPA
CBixler, RGN-I	TMensah	SBailey	ACRS

Accession Number: ML041590157

OFFICE	PDI-2/PM	PDI-2/LA	PDIII-1/LPM	PDI-1/SC
NAME	SWall	CRaynor	AMcMurtray	JClifford
DATE	6/8/04	6/8/04	6/9/04	6/10/04

OFFICIAL RECORD COPY

Seabrook Station, Unit No. 1

cc:

Mr. J. A. Stall
Senior Vice President, Nuclear and
Chief Nuclear Officer
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Mr. Peter Brann
Assistant Attorney General
State House, Station #6
Augusta, ME 04333

Resident Inspector
U.S. Nuclear Regulatory Commission
Seabrook Nuclear Power Station
P.O. Box 1149
Seabrook, NH 03874

Town of Exeter
10 Front Street
Exeter, NH 03823

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Office of the Attorney General
One Ashburton Place, 20th Floor
Boston, MA 02108

Board of Selectmen
Town of Amesbury
Town Hall
Amesbury, MA 01913

Mr. Dan McElhinney
Federal Emergency Management Agency
Region I
J.W. McCormack P.O. &
Courthouse Building, Room 401
Boston, MA 02109

Mr. Jack Devine
Polestar Applied Technology
One First Street, Suite 4
Los Altos, CA 94019

Mr. Stephen McGrail, Director
ATTN: James Muckerheide
Massachusetts Emergency Management Agency
400 Worcester Road
Framingham, MA 01702-5399

Philip T. McLaughlin, Attorney General
Steven M. Houran, Deputy Attorney
General
33 Capitol Street
Concord, NH 03301

Mr. Donald Bliss, Director
New Hampshire Office of Emergency
Management
State Office Park South
107 Pleasant Street
Concord, NH 03301

Mr. Gene F. St. Pierre
Station Director
Seabrook Station
FPL Energy Seabrook, LLC
P.O. Box 300
Seabrook, NH 03874

Mr. M. S. Ross, Managing Attorney
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Mr. Rajiv S. Kundalkar
Vice President - Nuclear Engineering
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

James M. Peschel
Regulatory Programs Manager
Seabrook Station
FPL Energy Seabrook, LLC
PO Box 300
Seabrook, NH 03874

Seabrook Station, Unit No. 1

cc:

David Moore
Vice President, Nuclear Operations Support
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Marjan Mashhadi
Senior Attorney
Florida Power & Light Company
801 Pennsylvania Ave., NW Suite 220
Washington, DC 20004