

An Exelon Company
AmerGen Energy Company, LLC
4300 Winfield Road
Warrenville, IL 60555

www.exeloncorp.com

Nuclear

Exelon Generation
4300 Winfield Road
Warrenville, IL 60555

10 CFR 26.71(d)

RS-04-124

August 18, 2004

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555-0001

Braidwood Station, Units 1 and 2
Facility Operating License Nos. NPF-72 and NPF-77
NRC Docket Nos. STN-456 and STN 50-457

Byron Station, Units 1 and 2
Facility Operating License Nos. NPF-37 and NPF-66
NRC Docket Nos. 50-454 and 50-455

Clinton Power Station, Unit 1
Facility Operating License No. NPF-62
NRC Docket No. 50-461

Dresden Nuclear Power Station, Units 2 and 3
Facility Operating License Nos. DPR-19 and DPR-25
NRC Docket Nos. 50-237 and 50-249

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374

Limerick Generating Station, Units 1 and 2
Facility Operating License Nos. NPF-39 and NPF-85
NRC Docket Nos. 50-352 and 50-353

Peach Bottom Atomic Power Station, Units 2 and 3
Facility Operating License Nos. DPR-44 and DPR-56
NRC Docket Nos. 50-277 and 50-278

Oyster Creek Generating Station
Facility Operating License No. DPR-16
NRC Docket No. 50-219

Quad Cities Nuclear Power Station, Units 1 and 2
Facility Operating License Nos. DPR-29 and DPR-30
NRC Docket Nos. 50-254 and 50-265

A021

August 18, 2004
U. S. Nuclear Regulatory Commission
Page 2

Three Mile Island Nuclear Station, Unit 1
Facility Operating License No. DPR-50
NRC Docket No. 50-289

Subject: Fitness for Duty Performance Data Reports - First Period - 2004

In accordance with 10 CFR 26.71(d), "Recordkeeping requirements," Exelon Generation Company (Exelon), LLC, and AmerGen Energy Company, LLC (AmerGen) are providing the compiled fitness-for-duty program performance data for their respective nuclear power stations and the corporate support employees within the scope of the rule for the six-month period ending June 30, 2004.

As required by 10 CFR 26.71(d), management actions and reported events are also provided as attachments. This performance data is reported on the January 1992 revised Fitness-For Duty (FFD) Performance Data Form developed by Nuclear Management and Resources Council (NUMARC).

Please direct any questions regarding this matter to David J. Chrzanowski at (630) 657-2816.

Respectfully,



Keith R. Jury
Director – Licensing and Regulatory Affairs
Exelon Generating Company, LLC
AmerGen Energy Company, LLC

Attachments: Fitness for Duty Performance Data — Personnel Subject to 10 CFR 26

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

**Exelon
Company**

**June 30, 2004
Six Months Ending**

KENNETT SQUARE AND WARRENVILLE OFFICES

Location

**Susan Techau
Contact Name**

**(630) 657-2904
Phone (include area code)**

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		718		0		208	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		21	0	0	0	11	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	0	0	0	0
Random		131	0	0	0	15	0
Follow-up		12	0	0	0	1	0
Other		0	0	0	0	0	0
Total		164	0	0	0	27	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

BRAIDWOOD STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		669		0		206	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		26	0	0	0	157	1
For Cause	Post Accident	2	0	0	0	0	0
	Observed Behavior	2	1	0	0	1	0
Random		159	0	0	0	42	0
Follow-up		15	0	0	0	0	0
Other		1	0	0	0	0	0
Total		205	1	0	0	200	1

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

BYRON STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		683		0		405	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		37	0	0	0	785	5
For Cause	Post Accident	2	0	0	0	7	0
	Observed Behavior	0	0	0	0	6	4
Random		180	0	0	0	105	1
Follow-up		4	0	0	0	27	1
Other		2	0	0	0	1	0
Total		225	0	0	0	931	11

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2004
Six Months Ending

CLINTON POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		542		0		380	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		59	2	0	0	1174	13*
For Cause	Post Accident	3	0	0	0	0	0
	Observed Behavior	3	1	0	0	3	2
Random		131	0	0	0	97	0
Follow-up		6	0	0	0	42	0
Other		1	1	0	0	1	1
Total		203	4	0	0	1317	16*

* Includes one (1) refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

DRESDEN NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		680		0		266	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		39	0	0	0	185	1
For Cause	Post Accident	1	0	0	0	1	0
	Observed Behavior	2	0	0	0	1	0
Random		163	1	0	0	49	1
Follow-up		8	0	0	0	2	0
Other		2	0	0	0	0	0
Total		215	1	0	0	238	2

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

**Exelon
Company**

**June 30, 2004
Six Months Ending**

**LASALLE COUNTY STATION
Location**

**Susan Techau
Contact Name**

**(630) 657-2904
Phone (include area code)**

Cutoffs:	Screen/Confirmation (ng/ml)	<u> </u> / <u> </u>	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500
Cocaine	300/150	Phencyclidine	25/25
Opiates	300/300	Alcohol (% BAC)	.04

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		693		0		478	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		41	1	0	0	1318	9
For Cause	Post Accident	2	0	0	0	2	0
	Observed Behavior	0	0	0	0	5	3*
Random		199	0	0	0	143	0
Follow-up		8	1	0	0	43	0
Other		0	0	0	0	4	0
Total		250	2	0	0	1515	12*

* Includes one (1) refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

LIMERICK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		727		0		416	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		58	0	0	0	1252	16
For Cause	Post Accident	3	0	0	0	2	0
	Observed Behavior	2	0	0	0	2	0
Random		251	0	0	0	127	0
Follow-up		26	0	0	0	24	0
Other		1	0	0	0	9	1
Total		341	0	0	0	1416	17

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2004
Six Months Ending

OYSTER CREEK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		438		0		236	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		27	0	0	0	367	3
For Cause	Post Accident	4	0	0	0	6	0
	Observed Behavior	0	0	0	0	2	0
Random		140	0	0	0	70	0
Follow-up		26	2	0	0	22	0
Other		0	0	0	0	3	0
Total		197	2	0	0	470	3

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

PEACH BOTTOM ATOMIC POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		671		0		213	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		19	1	0	0	178	4
For Cause	Post Accident	6	0	0	0	1	0
	Observed Behavior	1	0	0	0	1	0
Random		189	0	0	0	87	0
Follow-up		21	1	0	0	17	0
Other		0	0	0	0	0	0
Total		236	2	0	0	284	4

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2004
Six Months Ending

QUAD CITIES NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		691		0		551	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		9	0	0	0	1132	10
For Cause	Post Accident	2	0	0	0	1	0
	Observed Behavior	1	0	0	0	6	4*
Random		180	0	0	0	139	1
Follow-up		5	0	0	0	64	0
Other		0	0	0	0	6	0
Total		197	0	0	0	1348	15*

* Includes one (1) refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2004
Six Months Ending

THREE MILE ISLAND NUCLEAR GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____


		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		510		0		151	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		18	0	0	0	67	0
For Cause	Post Accident	2	0	0	0	1	0
	Observed Behavior	0	0	0	0	2	0
Random		166	2	0	0	66	0
Follow-up		24	0	0	0	2	0
Other		0	0	0	0	0	0
Total		210	2	0	0	138	0

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –KENNETT SQUARE AND WARRENVILLE OFFICES

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - BRAIDWOOD STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 0	0	0	0	0	0	0
TOTAL	1 0	0	0	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – BYRON STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5 3	2	0	0	0	4	0
TOTAL	5 3	2	0	0	0	4	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – CLINTON POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	2 1	0	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	9 5	3	0	0	0	3	1
TOTAL	11 6	3	0	0	0	5	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – DRESDEN NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	0	1	0	0	0	0
TOTAL	2 1	0	1	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LASALLE COUNTY STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	4 4	5	0	0	0	2	1
TOTAL	4 4	5	0	0	0	4	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LIMERICK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	9 5	4	2	2	0	2	0
TOTAL	9 5	4	2	2	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:




BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – OYSTER CREEK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	3 0	0	0	0	0	0	0
TOTAL	3 0	0	0	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –PEACH BOTTOM ATOMIC
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 1	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	2 1	2	0	0	0	0	0
TOTAL	3 2	3	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – QUAD CITIES NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	6 3	5	0	1	0	2	1
TOTAL	6 3	5	0	1	0	2	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----




-----Positive Tests at 100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – THREE MILE ISLAND NUCLEAR GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	1 0	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above Exelon's Threshold -----



-----Positive Tests at 100 ng/ml or greater

KENNETT SQUARE AND WARRENVILLE OFFICES

Management Actions and Sanctions

There were zero (0) positive tests during this reporting period.

Events Reported

On May 20, 2004, a random test of a licensee supervisor from the Warrenville office was verified as positive by the Medical Review Officer. The random test was performed at Three Mile Island Nuclear Generating Station where the individual did not have unescorted access. The individual did have current unescorted access at the six Midwest stations (Braidwood, Byron, Clinton, Dresden, LaSalle County, and Quad Cities). Unescorted access was revoked and a work performance investigation was performed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

Additional Information

During the current reporting period, i.e., January-June, 2004, twenty-three (23) specimens from all locations were reported as presumptive positive for cocaine as a result of on-site screening. Twenty-two (22) of the twenty-three (23) specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officers for a confirmation rate of 95.7%.

BRAIDWOOD STATION

Management Actions and Sanctions

Two (2) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

BYRON STATION

Management Actions and Sanctions

Eleven (11) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

CLINTON POWER STATION

Management Actions and Sanctions

Nineteen (19) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

On January 30, 2004, a For Cause test of a contract supervisor resulted in a positive test. The individual's unescorted access was revoked and a work performance investigation was completed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

On May 3, 2004, a For Cause test of a licensee supervisor resulted in a positive test. The individual's unescorted access was revoked and a work performance investigation was completed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

DRESDEN NUCLEAR POWER STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

LASALLE COUNTY STATION

Management Actions and Sanctions

Thirteen (13) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. Two (2) individuals were denied access after providing substituted or adulterated specimens.

Events Reported

There were no 24-hour reportable events during this reporting period.

LIMERICK GENERATING STATION

Management Actions and Sanctions

Seventeen (17) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

OYSTER CREEK GENERATING STATION

Management Actions and Sanctions

Five (5) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

PEACH BOTTOM ATOMIC POWER STATION

Management Actions and Sanctions

Six (6) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

QUAD CITIES NUCLEAR POWER STATION

Management Actions and Sanctions

Fourteen (14) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access. Two individuals were denied access after providing substituted or adulterated specimens.

Events Reported

There were no 24-hour reportable events during this reporting period.

THREE MILE ISLAND NUCLEAR GENERATING STATION

Management Actions and Sanctions

Two (2) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.