en 1月,1日中间,可能推荐的教育。1		가 있는 것은 사람이 있는 것은 것은 것은 것은 것은 것은 것이 있다. 같은 것은	
na la ser ser an anna an anna an tha an that an	ا می از این این با با این این این این این این این این این ای		
			1/ •
	ILS NUCLEAD DEGI	ULATORY COMMISSION	Approved by BAO
1.76	승규님은 이 이 가슴에 가슴 속한 것을 가슴을 가 했다.	ICATE-IN VITRO TESTING	38- R0160
10 CFR 31		AL UNDER GENERAL LICENSE	
Section 31 11 of	10 CFR 31 establishes a general license	e authorizing physicians, clinical laboratories, and	1 hospitals to
possess certain sm	all quantities of byproduct material for i	in vitro clinical of laboratory lesis not involving, radiation therefrom to human beings or animals.	Possession of
the second s	at under 10 CER 31 11 is not authorize	ed until the physician, clinical laboratory, or hos ted copy of NRC Form 483 with registration num	birgi inge then i i i i
NKC Form 483 an			
WIL	LIAM J. YETZER, M. D.		
374	5 MONROE	3. I hereby apply for a registratic §31.11, 10 CFR 31 for use of	n number pursuant to
DEA	RBORN, MI 48124	(please check one block only) a. Myself, a duly licensed physicia	1. Construction of the second s second second seco second second sec
		drugs in the practice of medici	ne., 👘 🖾 👘 👘 👘 👘
		<ul> <li>b. The above-named clinical labo</li> <li>c. The above-named hospital.</li> </ul>	
ne han se fan Barten Berner an Stander Berner (her berner in der Berner in Berner in Berner in Berner in Berner Berner (her berner in Berner in Berner (her berner in Berner in Berner (her berner in Berner in Berner (her berner in Ber Berner in Berner in Berne		4. To be completed by the Nuclear	Regulatory Commission.
INSTRUCTIONS	licate to:	Registration number:	7009
Office of Nuclear Materi ATTN: Radioisotope	ial Safety and Safeguards F(	OR THE U. S. NUCLEAR "RECULATOR	Y COMMISSION
U.S. Nuclear Regulat	tory Commission		
Washington, D.C. 20.	ter i se		
ing zip code) of the reg	istrant physician, clinical		
this registration form is	for whom or for which s filed. Position the first SI	hirley A. Crutchfield*	June 1, 1984
not extend the address b	beyond the right dot. (At the local line)	(If this is an initial registration, leave this space bla assigned by NRC. If this is a change of informatio	n from a previously
NRC, a registration nun a validated copy of NF	nber will be assigned and RC Form 483 will be re-	registered general licensee, include your regist	ration number.)
turned.)	가 있는 것이 있는 것이 있는 것이 가지 않는 것이 있는 것이 있는 것이 있다. 같은 사람 사람 중에서는 가지 것이 가지 않는 것이 있는 것이 같은 것이 있는 것이 있다. 같은 사람 사람 중에서는 것이 같은 것이 있는 것이 있는 것이 같은 것이 있는 것이 같은 것이 없다.		
5. If place of use is differer	nt from address in Item 1, please give com	iplete address:	
	가 가지 않는 것이 같은 것 물법에서 있는 것 철말 이 것 같은 것이 있는 것 같은 것 같은 것 없는 것 같은 것 같은 것 같은 것 같은 것 같은 것	- 이상 가지 않는 것 같아요. 이상 가지 않는 것 같아요. 이상 바이에 가지 않는 것 같아요. 이상 가지 않는 - 이상 가지 않는 것 같아요. 이상 가지 않는 것 같아 - 이상 가지 않는 것 같아요. 이상 가지 않는 것 같아.	and the second se
		그는 것 같은 것 않는 것 같은 것 같	전에 가지 위해 전문 전자 관계에 가 있는 것
6. Certification:			
6. Certification:			
I hereby certify that:	his registration certificate is true and com	plete.	
I hereby certify that: a. All information in th	his registration certificate is true and comp	ts to carry out the tests for which byproduct mater	ial will be used under the
I hereby certify that: a. All information in the b. The registrant has appendix of the general license of the	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform	plete. ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of th	ial will be used under the e instruments and in the
I hereby certify that: a. All information in th b. The registrant has ap general license of 1 handling of the byp	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials.	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of th	
I hereby certify that: a. All information in the b. The registrant has ap general license of 10 handling of the byp	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials.	ts to carry out the tests for which byproduct mater	trant on this registration
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. L-understand that C certificate be report	opropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material St designed the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the r change in the information furnished by a regis safety and Safeguards within 30 days from the effe	trant on this registration ctive date of such change. reverse side of this form):
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis infety and Safeguards within 30 days from the effe	trant on this registration ctive date of such change. reverse side of this form); hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und and 1 understand the possesses, uses, or tra	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form): hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form); hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und and 1 understand that	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form): hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has an general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und and 1 understand the possesses, uses, or tra	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form): hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has ap general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und and I understand the possesses, uses, or tra Date × 5-21-84	ppropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform product materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form); hich he receives, acquires,
I hereby certify that: a. All information in th b. The registrant has ap general license of 10 handling of the byp c. I understand that C certificate be report d. I have read and und and I understand the possesses, uses, or tra Date × 5-21-84 Printed name and title of	propriate radiation measuring instrument 0 CFR 31.11. The tests will be perform broduct materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11 iat the registrant is required to comply wi ansfers under the general license for which the MSSM,S:Decleared or position of person filing form	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the r change in the information furnished by a regise safety and Safeguards within 30 days from the effect of NRC regulations 10 CFR 31 (reprinted on the rith those provisions as to all hyproduct material we this Registration Certificate is filed with the Nuclear By Hulling By Signature of person Signature of person NRC regulations and the second	trant on this registration ctive date of such change. reverse side of this form); hich he receives, acquires, Regulatory Commission.
I hereby certify that: a. All information in th b. The registrant has ap general license of 10 handling of the byp c. I understand that O certificate be report d. I have read and und and I understand the possesses, uses, or tra Date 5-21-84 Frinted name and title of WARNING 18115 C	Depropriate radiation measuring instrument 0 CFR 31.11. The tests will be perform broduct materials. Commission regulations require that any ted to the Director of Nuclear Material Si derstand the provisions of Section 31.11 iat the registrant is required to comply we ansfers under the general license for which the <u>MSS MSS Duclear</u> or position of person filing form Section 1001: Act of June 25, 1948: 62 S	ts to carry out the tests for which byproduct mater ned only by personnel competent in the use of the change in the information furnished by a regis safety and Safeguards within 30 days from the effe of NRC regulations 10 CFR 31 (reprinted on the oth those provisions as to all dyproduct material w	trant on this registration ctive date of such change. reverse side of this form); hich he receives, acquires, Regulatory Commission.