

November 17, 2004

LICENSEE: Union Electric Company

FACILITY: Callaway Plant

SUBJECT: SUMMARY OF MEETING WITH UNION ELECTRIC COMPANY –  
PRESENTATION ON REPLACEMENT OF THE STEAM GENERATORS  
IN THE FALL OF 2005 (TAC NO. MC4437)

A meeting was held on Thursday, November 4, 2004, between the NRC staff and representatives of the Union Electric Company, the licensee for the Callaway Plant. The meeting was requested by the licensee to present the technical issues in its license amendment request application dated September 17, 2004, to support the replacement steam generators (RSGs) to be installed in Refueling Outage (Refuel) 14 in the Fall of 2005.

Enclosure 1 is the list of attendees and Enclosure 2 is the handout from the licensee. There was no handout from the NRC staff.

The agenda (the first page of Enclosure 2) for the meeting was the following:

1. Introduction
2. General Description of RSG
3. Westinghouse Nuclear Steam Supply System (NSSS) RSG Analyses
4. RSG Licensing Activities
5. Application of Leak Before Break (LBB) to Pressurizer Surge Line
6. Other Refuel 14 Operating License (OL) Submittals
7. Adjourn Meeting

In Item No. 2 above, the licensee explained the reasons for the steam generators (SGs) replacement at Callaway and provided a comparison between the current SGs and the RSGs and the special features of the RSGs.

In Items Nos. 3 and 4 above, the licensee explained the Technical Specification (TS) changes and the new methodologies being proposed for Callaway in the September 17, 2004, application. The NRC staff asked the licensee questions to clarify what is being proposed in the application.

In Item No. 5 above, the licensee presented the mitigative measures it is considering for its application of LBB for the pressurizer surge line. The licensee stated that its application is now expected to be submitted in January 2005, instead of the November 19, 2004, date given in its September 17, 2004, application. The NRC staff gave its views on the two different approaches shown on page 12 of Enclosure 2. The weld overlay approach would require a

relief request submittal from the licensee in addition to the application to apply LBB for the pressurizer surge line.

In Item No. 6 above, the licensee presented the two other license amendment requests for Refuel 14 that will propose changes to the TSs. These other amendment requests are described on page 11 of Enclosure 2.

The licensee completed its presentation and the meeting was adjourned. There were no decisions made by the NRC staff related to the licensee's September 17, 2004, application, or the other applications to be made by the licensee for Refuel 14.

***/RA/***

Jack Donohew, Senior Project Manager, Section 2  
Project Directorate IV  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-483

Enclosures: 1. List of Meeting Attendees  
2. Licensee's Handout (ADAMS Accession No. ML043090388)

cc w/encls: See next page

Callaway Plant, Unit 1

cc:

Professional Nuclear Consulting, Inc.  
19041 Raines Drive  
Derwood, MD 20855

John O'Neill, Esq.  
Shaw, Pittman, Potts & Trowbridge  
2300 N. Street, N.W.  
Washington, D.C. 20037

Mr. Mark A. Reidmeyer, Regional  
Regulatory Affairs Supervisor  
Regulatory Affairs  
AmerenUE  
P.O. Box 620  
Fulton, MO 65251

U.S. Nuclear Regulatory Commission  
Resident Inspector Office  
8201 NRC Road  
Steedman, MO 65077-1302

Mr. Les H. Kanuckel  
Manager, Quality Assurance  
AmerenUE  
P.O. Box 620  
Fulton, MO 65251

Missouri Public Service Commission  
Governor Office Building  
200 Madison Street  
Jefferson City, MO 65102-0360

Regional Administrator, Region IV  
U.S. Nuclear Regulatory Commission  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-4005

Mr. Ronald A. Kucera  
Deputy Director for Public Policy  
Department of Natural Resources  
P.O. Box 176  
Jefferson City, Missouri 65102

Mr. Rick A. Muench  
President and Chief Executive Officer  
Wolf Creek Nuclear Operating Corporation  
P.O. Box 411  
Burlington, KA 66839

Mr. Dan I. Bolef, President  
Kay Drey, Representative  
Board of Directors Coalition for the  
Environment  
6267 Delmar Boulevard  
University City, MO 63130

Mr. Lee Fritz, Presiding Commissioner  
Callaway County Court House  
10 East Fifth Street  
Fulton, MO 65151

Mr. David E. Shafer  
Superintendent, Licensing  
Regulatory Affairs  
AmerenUE  
P.O. Box 66149, MC 470  
St. Louis, MO 63166-6149

Mr. Keith D. Young  
Manager, Regulatory Affairs  
AmerenUE  
P.O. Box 620  
Fulton, MO 65251

Mr. Scott Clardy, Director  
Section for Environmental Public Health  
P.O. Box 570  
Jefferson City, MO 65102-0570

Certrec Corporation  
4200 South Hulen, Suite 630  
Fort Worth, TX 76109

Mr. Garry L. Randolph  
Vice President and Chief Nuclear Officer  
Union Electric Company  
Post Office Box 620  
Fulton, MO 65251

relief request submittal from the licensee in addition to the application to apply LBB for the pressurizer surge line.

In the sixth part of the meeting, the licensee presented the two other license amendment requests for Refuel 14 that will propose changes to the TSs. These other amendment requests are described on page 11 of Enclosure 2.

The licensee completed its presentation and the meeting was adjourned. There were no decisions made by the NRC staff related to the licensee's September 17, 2004, application, or the other applications to be made by the licensee for Refuel 14.

**/RA/**

Jack Donohew, Senior Project Manager, Section 2  
Project Directorate IV  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-483

- Enclosures: 1. List of Meeting Attendees
- 2. Licensee's Handout (ADAMS Accession No. ML043090388)

cc w/encls: See next page

DISTRIBUTION:

PUBLIC	JFair
PDIV-2 Reading	EMurphy
RidsNrrDlpm (TMarsh/JLyons)	MHart
RidsNrrDlpmLpdiv (HBerkow)	PPatnaik
RidsNrrPMJDonohew	JTsao
RidsNrrLAEPeyton	KWichman
KDesai	TMensah
HLi	RidsNrrDlpmPdiv2 (RGramm)
RHernandez	
RLobel	
RTjader	
RidsRgn4MailCenter (AHowell)	
RidsOgcRp	
RidsAcrsAcnwMailCenter	

**Package No.: ML043220634**

**Meeting Notice No.: ML042930481**

**ADAMS Accession No.: ML043130289**

NRC-001

OFFICE	PDIV-2/PM	PDIV-2/LA	PDIV-2/SC
NAME	JDonohew	EPeyton	RGramm
DATE	11/16/04	11/15/04	11/17/04

DOCUMENT NAME: E:\Filenet\ML043130289.wpd

OFFICIAL RECORD COPY

MEETING WITH UNION ELECTRIC COMPANY

NOVEMBER 4, 2004

LIST OF MEETING ATTENDEES

<u>NAME</u>	<u>AFFILIATION</u>
J. Donohew	NRC/NRR/PDIV-2
R. Tjader	NRC/NRR/TSS
R. Hernandez	NRC/NRR/SPLB
J. Fair	NRC/NRR/EMEB
K. Desai	NRC/NRR/SRXB
H. Li	NRC/NRR/EEIB
M. Hart	NRC/NRR/SPSB
R. Lobel	NRC/NRR/SPSB
E. Murphy	NRC/NRR/EMCB
J. Tsao	NRC/NRR/EMCB
P. Patnaik	NRC/NRR/EMCB
K. Wichman	NRC/NRR/EMCB
D. Shafer	UE
T. Herrmann	UE
B. Yates	UE
K. Mills	UE
B. Huhmann	UE
J. Andrachek	Westinghouse
M. Watson	Westinghouse
D. Horner	McGraw Hill

Where:

NRC	= Nuclear Regulatory Commission
NRR	= Office of Nuclear Reactor Regulation
PDIV-2	= Project Directorate IV-Section 2
EEIB	= Electrical and Instrumentation and Control Branch
EMCB	= Materials and Chemical Engineering Branch
EMEB	= Mechanical and Civil Engineering Branch
SPLB	= Plant Systems Branch
SRXB	= Reactor Systems Branch
SPSB	= Probabilistic Safety Assessment Branch
UE	= Union Electric Company
Westinghouse	= Westinghouse Electric Company

ENCLOSURE 1

LICENSEE'S HANDOUT FOR NOVEMBER 4, 2004, MEETING

ENCLOSURE 2