

ISOTOPIC ENRICHMENT PLANTS

DATE:

**CONFIDENTIAL
WHEN COMPLETED**

APPROVED BY OMB: NO. 3150-0056

EXPIRES: MM/DD/YYYY

Estimated burden per response to comply with this mandatory collection request: 30 minutes. NRC is required to collect this information for reporting to IAEA from facility licensees appearing on the U.S. Eligible List. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0056), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

**INTERNATIONAL ATOMIC ENERGY AGENCY
DEPARTMENT OF SAFEGUARDS AND INSPECTION**

**DESIGN INFORMATION
QUESTIONNAIRE ***

(CONTINUED)

The "Confidential" marking on this form is for IAEA purposes only. It indicates that the IAEA considers the information in the completed form to be 'safeguards confidential' and is not to be confused with any U.S. security classification.

IAEA USE ONLY

--	--	--	--

* Questions which are not applicable may be left unanswered.

ISOTOPIC ENRICHMENT PLANTS

OVERALL PROCESS PARAMETERS

<p>13. FACILITY DESCRIPTION (indicating all process stages, storage areas and feed, product, tail, and waste points)</p>	<p>GENERAL FLOW DIAGRAM(S) ATTACHED UNDER REFERENCE NUMBERS:</p>
<p>14. PROCESS DESCRIPTION (identifying sampling and key measurement points; MBAs; inventory locations)</p>	<p>FLOW SHEET(S) FOR NORMAL OPERATION ATTACHED UNDER REFERENCE NUMBERS:</p>
<p>15. DESIGN CAPACITY (throughput and energy consumption)</p>	<p>MTUSW/annum</p> <p>MW</p>
<p>16. ANTICIPATED ANNUAL THROUGHPUT (in the form of a forward programme, indicating the proportion of various feeds and products)</p>	

ISOTOPIC ENRICHMENT PLANTS

DATE:

NUCLEAR MATERIAL DESCRIPTION AND FLOW			
17. MAIN MATERIAL DESCRIPTION	FEED	PRODUCT	TAILS
i) Chemical and Physical Form			
ii) Throughput and Enrichment Ranges (for normal flow sheet operation indicating if blending and/or recycling takes place)			
iii) Batch Size/Flow Rate and Campaign Period			
iv) Maximum Capability as Concentration of Top Product (Nat. U feed)			
v) Storage Inventory (indicating any change with throughput)			
vi) Frequency of Receipt or Shipment			
18. WASTE MATERIAL			
i) Source and Form (Indicating major contributors; liquid or solid; range of constituents; enrichment range; include contaminated equipment)			
ii) Storage Inventory Range, Method and Frequency of Recovery/Disposal			

ISOTOPIC ENRICHMENT PLANTS

DATE:

NUCLEAR MATERIAL DESCRIPTION AND FLOW

<p>19. CONTAINER AND STORAGE AREA DESCRIPTION</p>	<p>SEPARATE NOTE TO BE ATTACHED. Describe for feeds, products, tails, and wastes: the type and size of storage and shipping containers and packaging used, (including nominal capacity and capacity for normal operation, and type of material); method of storage or packing, filling and emptying procedures (include time cycle); shielding; and any special identification features.</p>
<p>20. MEASURED DISCARDS AND RETAINED WASTE</p> <p>i) As % of Input</p>	
<p>21. INVENTORY</p> <p>i) In-Process (within plant and equipment during normal operation; indicate quantity form and main locations and any significant change with time or throughput)</p> <p>ii) Other Locations (quantity, form and location of inventory not already specified)</p>	

PLANT MAINTENANCE

22. MAINTENANCE, DECONTAMINATION, CLEAN-OUT

SEPARATE NOTE TO BE ATTACHED

Describing plans and procedures and defining all sampling and key measurement points associated with:

- i) Normal Plant Maintenance;
- ii) Plant and Equipment Decontamination and Subsequent Nuclear Material Recovery;
- iii) Plant and Equipment Clean-out Including Means of Ensuring Vessels Are Empty.

PROTECTION AND SAFETY MEASURES

23.I BASIC MEASURES FOR PHYSICAL PROTECTION OF NUCLEAR MATERIAL

24. SPECIFIC HEALTH AND SAFETY RULES FOR INSPECTOR COMPLIANCE (if extensive, attach separately)

NUCLEAR MATERIAL ACCOUNTANCY

25. SYSTEM DESCRIPTION

Give a description of the nuclear material accounting system, the method of recording and reporting accountancy data and establishing material balances, procedures for account adjustment after plant inventory, mistakes, etc., under the following headings:

- i) General

SPECIMEN FORMS USED IN ALL PROCEDURES ATTACHED UNDER REFERENCE NUMBERS:

NUCLEAR MATERIAL ACCOUNTANCY

25. SYSTEM DESCRIPTION (Continued)

ii) Receipts
(including method of dealing with shipper/
receiver differences and subsequent
account corrections)

iii) Shipments
(product and waste)

ISOTOPIC ENRICHMENT PLANTS

DATE:

NUCLEAR MATERIAL ACCOUNTANCY

25. SYSTEM DESCRIPTION (Continued)

iv) Physical Inventory
(frequency, procedures,
estimated distribution)

LIST OF MAJOR ITEMS OF EQUIPMENT REGARDED AS NUCLEAR
MATERIAL CONTAINERS ATTACHED UNDER REFERENCE NUMBERS:

v) Measured Discards and Retained Waste

vi) Operation Records and Accounts
(Including method of adjustment or
correction and place of preservation
and language)

NUCLEAR MATERIAL ACCOUNTANCY

26. FOR EACH KEY MEASUREMENT POINT IDENTIFIED UNDER QS. 14 and 22, GIVE THE FOLLOWING*

i) Identification

ii) Chemical and Physical Form of Material

iii) Sampling Procedure and Equipment Used

iv) Measurement/Analytical Method and Equipment Used

v) Source and Level of Random and Systematic Errors (weighing, volume, sampling, analytical)

vi) Method of Converting Source Data to Batch Data (standard calculative procedures, constants and empirical relationships)

* COMPLETE PAGE 9 AND PAGE 10 FOR EACH KMP

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL

26. FOR EACH KEY MEASUREMENT POINT IDENTIFIED UNDER QS. 14 and 22, GIVE THE FOLLOWING*

vii) Calculative and Error Propagation Technique

viii) Technique and Frequency of Calibration of Equipment Used

ix) Programme for the Continuing Appraisal of the Accuracy of Weight, Volume, Sampling Techniques and Measurement Methods

x) Programme for Statistical Evaluation of Data from (viii) and (ix)

* COMPLETE PAGE 9 AND PAGE 10 FOR EACH KMP

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL

27. OVERALL LIMIT OF ERROR
Describe procedures to combine individual measurement error measurements to obtain the overall limit of error for:

i) S/R Difference

ii) Book Inventory

iii) Physical Inventory

iv) MUF

OPTIONAL INFORMATION

28. OPTIONAL INFORMATION
(that the operator considers relevant to safeguarding the facility)

Signature of Responsible Officer:

Date: