DATE:

CONFIDENTIAL WHEN COMPLETED

APPROVED BY OMB: NO. 3150-0056

EXPIRES: MM/DD/YYYY

Estimated burden per response to comply with this mandatory collection request: 30 minutes. NRC is required to collect this information for reporting to IAEA from facility licensees appearing on the U.S. Eligible List. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0056), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

INTERNATIONAL ATOMIC ENERGY AGENCY DEPARTMENT OF SAFEGUARDS AND INSPECTION

DESIGN INFORMATION QUESTIONNAIRE *

(CONTINUED)

* Questions which are not applicable may be left unanswered.

IAEA USE ONLY				

CRITICAL (SUB-CRITICAL) FACILITIES

GENERAL FACILITY DATA

13.	NUMBER OF CRITICAL ASSEMBLIES IN
	THE FACILITY AND THEIR LOCATION

DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:

GENERAL FACILITY DATA	
14. EXPECTED MAXIMUM OPERATING POWER	
15. (1) MODERATOR, (2) REFLECTOR, (3) BLANKET, (4) COOLANT	
NUCLE	EAR MATERIAL DESCRIPTION
16. MAIN TYPES OF NUCLEAR MATERIAL/ FUEL AND NOMINAL WEIGHT OF NUCLEAR MATERIAL IN THE FACILITY	
17. FUEL ENRICHMENT RANGE AND PU CONTENT	

NUCLEAR MATERIAL DESCRIPTION		
18. DESCRIPTION OF FUEL ELEMENTS (for each type) - physical and chemical form of fuel; - geometrical form or type; - dimensions; - number of slugs per element; - nuclear material and fissionable material and its quantity (with design tolerance); - composition of alloy, etc.	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:	
19. CLADDING MATERIAL:thickness;composition of material;bonding		
20. SUB-ASSEMBLIES OF FUEL (number of fuel elements per nuclear assembly, arrangement of fuel elements in sub-assembly, configuration and nominal weight of nuclear material per sub-assembly [with design tolerance])	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:	
21. BASIC OPERATIONAL ACCOUNTING UNIT (fuel elements/assemblies, etc.)	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:	

DATE:

NUCLEAR MATERIAL DESCRIPTION	
22. OTHER TYPES OF UNITS	
23. MEANS OF NUCLEAR MATERIAL/FUEL IDENTIFICATION	
IDENTIFICATION	
24. OTHER NUCLEAR MATERIAL	
IN THE FACILITY (each separately identified)	
,	

N-93 (MM-YYYY)

CONFIDENTIAL

-

	CORE	
(1 d a fu n	CORE DIAGRAM (for each critical assembly showing the general disposition, core support structure, shielding and heat removal arrangements, channels for fuel elements or sub-assemblies, control rods, moderator, reflector, beam tubes, dimensions, etc.)	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:
	RANGES OF CRITICAL MASS AND MAXIMUM RADIUS	
	DESCRIPTION OF MOST COMMON CONFIGURATIONS	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:
	AVERAGE MEAN NEUTRON FLUX IN THE CORE:	
T	Thermal:	
F	Fast:	
N	INSTRUMENTATION FOR MEASURING NEUTRON AND GAMMA FLUX: - accuracy and type of principal instruments; - location of indicator and recorder;	
	RADIATION LEVEL OUTSIDE/INSIDE SHIELDING AT SPECIFIED PLACES	RADIATION LEVEL DIAGRAM(S) ATTACHED UNDER REF. NUMBERS:
F	MAXIMUM RADIATION ACTIVITY OF FUEL AFTER REFUELING (at the surface and at a distance of 1 metre)	

	NU	ICLEAR MATERIAL FLOW
32.	SCHEMATIC FLOW SHEET FOR NUCLEAR MATERIAL (identification of: measurement points; accountability areas; inventory location, etc. for operator purposes)	FLOW SHEET(S) FOR NORMAL OPERATION ATTACHED UNDER REFERENCE NUMBERS:
	ioi operator purposes)	
33,	INVENTORY State quantity range and approximate uranium enrichment and plutonium content for:	
	i) Nuclear Material Storage(s)	
	ii) Core Area(s)	
	iii) Assembly Core(s) Itself	
	iv) Other Locations	

DATE:

	NUCLEAR MATERIAL HANDLING		
34.	4. NUCLEAR MATERIAL		
	i)	Packaging (description)	
	ii)	Storage Plan and Arrangements	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:
	iii)	Capacity of Storage	
	iv)	Nuclear Material Preparation (description and identification of layout and general arrangement)	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:
35.	FUE	EL TRANSFER EQUIPMENT, IF ANY	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:
36.		JTES FOLLOWED BY NUCLEAR FERIAL	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:

N-93 (MM-YYYY) CONFIDENTIAL 9

NUCLEAR MATERIAL HANDLING		
37. MAIN EQUIPMENT USED FOR		
i) Nuclear Material Assembling		
ii) Neeloog Material Taating		
ii) Nuclear Material Testing		
iii) Nuclear Material Measuring		
	ECTION AND SAFETY MEASURES	
38 BASIC MEASURES FOR PHYSICAL PROTECTION OF NUCLEAR MATERIAL		

PROTECTION AND SAFETY MEASURES 39. SPECIFIC HEALTH AND SAFETY RULES FOR INSPECTOR COMPIANCE (if extensive, attach separately) **NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL** 40. SYSTEM DESCRIPTION SPECIMEN FORMS USED IN ALL PROCEDURES ATTACHED **UNDER REFERENCE NUMBERS:** Give description of: - the nuclear material accountancy system; - the method of recording and reporting accountancy data; - the procedures for account adjustment after inventory and correction of mistakes, under the following headings: General

DATE:

	NUCLEAR MATI	ERIAL ACCOUNTANCY AND CONTROL
40. SYSTEM DESCRIPTION (Continued)		
i) General (continued)		
ii) Receipts		
ii) Recoipts		

N-93 (MM-YYYY) CONFIDENTIAL 12

	NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
40.		STEM DESCRIPTION ntinued)	
	iii)	Shipments	
	iv)	Physical Inventory Description of procedures, scheduled frequency, methods of operator's inventory taking (both for item and/or bulk accountancy), including relevant assay methods and expected accuracy, access to nuclear material, methods of verification of nuclear material in the core	LIST OF MAJOR ITEMS OF EQUIPMENT REGARDED AS NUCLEAR MATERIAL CONTAINERS ATTACHED UNDER REFERENCE NUMBERS:
	v)	Operational Records and Accounting Records (including method of adjustment or correction and place of preservation and language)	
41.	PEF	W OFTEN IS CORE DISASSEMBLED TO RMIT THE VERIFICATION OF NTAINED NUCLEAR MATERIAL?	

	NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL				
42.	AND (gen	TURES RELATED TO CONTAINMENT SURVEILLANCE MEASURES eral description of applied or possible sures)			
43.	ACC UNE	E EACH MEASUREMENT POINT OF COUNTABILITY AREAS, IDENTIFIED DER QS. 32, GIVE THE FOLLOWING oplicable) Description of Location, Type, Identification	SEPARATE SHEET(S) CAN BE ATTACHED FOR EACH MEASUREMENT POINT IF NECESSARY, ATTACH DRAWING(S)		
	ii)	Anticipated Types of Inventory Change and Possibilities to Use This Measurement Point for Physical Inventory Taking			
	iii)	Physical and Chemical Form of Nuclear Material (with cladding materials description)			
	iv)	Nuclear Material Containers, Packaging	IF NECESSARY, ATTACH DRAWING(S)		
	v)	Sampling Procedure and Equipment Used			

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL				
ACCO UNDE	EACH MEASUREMENT POINT OF DUNTABILITY AREAS, IDENTIFIED ER QS. 32, GIVE THE FOLLOWING licable) nued)			
vi) N E	Measurement Method(s) and Equipment Used			
, s	Source and Level of Random and Systematic Errors measurements)			
viii) T	Fechnique and Frequency of Calibration of Equipment Used			
ix) N	Method of Converting Source Data o Batch Data			
x) N	Means of Batch Identification			
xi) A	Anticipated Batch Flow Rate Per Year			
xii) A a	Anticipated Number of Items Per Flow and Inventory Batch			

DATE:

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
43. FOR EACH MEASUREMENT POINT OF ACCOUNTABILITY AREAS, IDENTIFIED UNDER QS. 32, GIVE THE FOLLOWING (if applicable) (Continued) xiii) Type, Composition and Quantity of		
Nuclear Material Per Batch (with indication of batch data, total weight of nuclear material in item, the isotopic composition (for uranium), and Pu content, when appropriate; form of nuclear material)		
xiv)Features Related to Containment- Surveillance Measures		
0	PTIONAL INFORMATION	
44. OPTIONAL INFORMATION (that the operator considers relevant to safeguarding the facility)		
	Signature of Responsible Officer:	
	Date:	

N-93 (MM-YYYY) CONFIDENTIAL 16