- 1.0 INTRODUCTION AND GENERAL DESCRIPTION OF PLANT
 - 1.1 Introduction
 - 1.1.1 Format and Content
 - 1.1.2 General Description
 - 1.1.3 COL Information
 - 1.2 General Plant Description
 - 1.2.1 Principal Design Criteria
 - 1.2.2 Plant Description
 - 1.2.3 COL Information
 - 1.3 Comparison Tables
 - 1.3.1 COL Information
 - 1.4 Identification of Agents and Contractors
 - 1.4.1 COL Information
 - 1.5 Requirements for Further Technical Information
 - 1.5.1 Evolutionary Design
 - 1.5.2 Analysis and Design Tools
 - 1.5.3 Testing
 - 1.6 Material Incorporated by Reference
 - 1.6.1 COL Information
 - 1.7 Drawings and Other Detailed Information
 - 1.7.1 Electrical, Instrumentation and Control Drawings
 - 1.7.2 Piping and Instrumentation Diagrams
 - 1.7.3 Other Detailed Information
 - 1.7.4 COL Information
 - 1.8 Conformance with Standard Review Plan and Applicability of Codes and Standards
 - 1.8.1 Conformance with Standard Review Plan
 - 1.8.2 Applicability of Codes and Standards
 - 1.8.3 Applicability of Experience Information
 - 1.8.4 COL Information
 - 1.9 COL Information
 - 1A Response to TMI Related Matters
 - 1A.1 Introduction
 - 1A.2 NRC Positions/Responses
 - 1A.3 COL Information
 - 1A.4 References
 - 1B Plant Shielding to Provide Access to Vital Areas
 - 1B.1 Introduction
 - 1B.2 Summary of Shielding Design Review
 - 1B.3 Containment Description and Post Accident Operations
 - 1B.4 Design Review Bases
 - 1B.5 Results of the Review

- 1C Station Blackout Considerations
 - 1C.1 Introduction
 - 1C.2 Discussion
 - 1C.3 Conclusions
 - 1C.4 COL Information
 - 1C.5 References

2. SITE CHARACTERISTICS

- 2.1 Limits Imposed on SRP Section II Acceptance Criteria
- 2.2 Requirements for Determination of Site Acceptability
 - 2.2.1 Design Basis Events
 - 2.2.2 Severe Accidents
- 2.3 COL Information
 - 2.3.1 Envelope of Standard Plant Design Parameters
 - 2.3.2 Standard Review Plant Site Characteristics
 - 2.3.3 CRAC 2 Computer Code Calculations
- 2A Input to CRAC 2 Computer Code for Determination of Site Acceptability

- 3. DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS
 - 3.1 Conformance with NRC General Design Criteria
 - 3.1.1 Group I Overall Requirements
 - 3.1.1.1 Criterion 1 Quality Standards and Records
 - 3.1.1.2 Criterion 2 Design Bases for Protection Against Natural Phenomena
 - 3.1.1.3 Criterion 3 Fire Protection
 - 3.1.1.4 Criterion 4 Environmental and Dynamic Effects Design Bases
 - 3.1.1.5 Criterion 5 Sharing of Structures, Systems, and Components
 - 3.1.2 Group II Protection by Multiple Fission Product Barriers
 - 3.1.2.1 Criterion 10 Reactor Design
 - 3.1.2.2 Criterion 11 Reactor Inherent Protection
 - 3.1.2.3 Criterion 12 Suppression of Reactor Power Oscillations
 - 3.1.2.4 Criterion 13 Instrumentation and Control
 - 3.1.2.5 Criterion 14 Reactor Coolant Pressure Boundary
 - 3.1.2.6 Criterion 15 Reactor Coolant System Design
 - 3.1.2.7 Criterion 16 Containment Design
 - 3.1.2.8 Criterion 17 Electric Power Systems
 - 3.1.2.9 Criterion 18 Inspection and Testing of Electric Power Systems
 - 3.1.2.10 Criterion 19 Control Room
 - 3.1.3 Group III Protection and Reactivity Control Systems
 - 3.1.3.1 Criterion 20 Protection System Functions
 - 3.1.3.2 Criterion 21 Protection System Reliability and Testability
 - 3.1.3.3 Criterion 22 Protection System Independence
 - 3.1.3.4 Criterion 23 Protection System Failure Modes
 - 3.1.3.5 Criterion 24 Separation of Protection and Control Systems
 - 3.1.3.6 Criterion 25 Protection System Requirements for Reactivity Control Malfunctions
 - 3.1.3.7 Criterion 26 Reactivity Control System Redundancy and Capability
 - 3.1.3.8 Criterion 27 Combined Reactivity Control Systems Capability
 - 3.1.3.9 Criterion 28 Reactivity Limits
 - 3.1.3.10 Criterion 29 Protection Against Anticipated Operational Occurrences
 - 3.1.4 Group IV Fluid Systems
 - 3.1.4.1 Criterion 30 Quality of Reactor Coolant Pressure Boundary
 - 3.1.4.2 Criterion 31 Fracture Prevention of Reactor Coolant Pressure Boundary
 - 3.1.4.3 Criterion 32 Inspection of Reactor Coolant Pressure Boundary
 - 3.1.4.4 Criterion 33 Reactor Coolant Makeup
 - 3.1.4.5 Criterion 34 Residual Heat Removal
 - 3.1.4.6 Criterion 35 Emergency Core Cooling
 - 3.1.4.7 Criterion 36 Inspection of Emergency Core Cooling System
 - 3.1.4.8 Criterion 37 Testing of Emergency Core Cooling System
 - 3.1.4.9 Criterion 38 Containment Heat Removal
 - 3.1.4.10 Criterion 39 Inspection of Containment Heat Removal System
 - 3.1.4.11 Criterion 40 Testing of Containment Heat Removal System
 - 3.1.4.12 Criterion 41 Containment Atmosphere Cleanup
 - 3.1.4.13 Criterion 42 Inspection of Containment Atmosphere Cleanup Systems
 - 3.1.4.14 Criterion 43 Testing of Containment Atmosphere Cleanup Systems

- 3.1.4.15 Criterion 44 Cooling Water
- 3.1.4.16 Criterion 45 Inspection of Cooling Water System
- 3.1.4.17 Criterion 46 Testing of Cooling Water System
- 3.1.5 Group V Reactor Containment
 - 3.1.5.1 Criterion 50 Containment Design Basis
 - 3.1.5.2 Criterion 51 Fracture Prevention of Containment Pressure Boundary
 - 3.1.5.3 Criterion 52 Capability for Containment Leakage Rate Testing
 - 3.1.5.4 Criterion 53 Provisions for Containment Testing and Inspection
 - 3.1.5.5 Criterion 54 Piping Systems Penetrating Containment
 - 3.1.5.6 Criterion 55 Reactor Coolant Pressure Boundary Penetrating Containment
 - 3.1.5.7 Criterion 56 Primary Containment Isolation
 - 3.1.5.8 Criterion 57 Closed System Isolation Valves
- 3.1.6 Group VI Fuel and Radioactivity Control
 - 3.1.6.1 Criterion 60 Control of Releases of Radioactive Materials to the Environment
 - 3.1.6.2 Criterion 61 Fuel Storage and Handling and Radioactivity Control
 - 3.1.6.3 Criterion 62 Prevention of Criticality in Fuel Storage and Handling
 - 3.1.6.4 Criterion 63 Monitoring Fuel and Waste Storage
 - 3.1.6.5 Criterion 64 Monitoring Radioactivity Releases
- 3.1.7 COL Information
- 3.1.8 References
- 3.2 Classification of Structures, Systems and Components
 - 3.2.1 Safety Classification
 - 3.2.2 System Quality Group Classification
 - 3.2.2.1 Quality Group A
 - 3.2.2.2 Quality Group B
 - 3.2.2.3 Quality Group C
 - 3.2.2.4 Quality Group D
 - 3.2.3 Seismic Classification
 - 3.2.4 COL Information
 - 3.2.5 References
- 3.3 Wind and Tornado Loadings
 - 3.3.1 Wind Loadings
 - 3.3.1.1 Design Wind Velocity and Recurrence Interval
 - 3.3.1.2 Determination of Applied Forces
 - 3.3.2 Tornado Loadings
 - 3.3.2.1 Applicable Design Parameters
 - 3.3.2.2 Determination of Forces on Structures
 - 3.3.2.3 Effect of Failure of Structures or Components Not Designed for Tornado Loads
 - 3.3.3 COL Information
 - 3.3.4 References
- 3.4 Water Level (Flood) Design
 - 3.4.1 Flood Protection

- 3.4.1.1 Flood Protection Summary
- 3.4.1.2 Flood Protection From External Sources
- 3.4.1.3 Internal Flooding Evaluation Criteria
- 3.4.1.4 Evaluation of Internal Flooding
- 3.4.2 Analysis Procedures
- 3.4.3 COL Information
- 3.4.4 References
- 3.5 Missile Protection
 - 3.5.1 Missile Selection and Description
 - 3.5.1.1 Internally Generated Missiles (Outside Containment)
 - 3.5.1.2 Internally Generated Missiles (Inside Containment)
 - 3.5.1.3 Turbine Missiles
 - 3.5.1.4 Missiles Generated by Natural Phenomena
 - 3.5.1.5 Site Proximity Missiles (Except Aircraft)
 - 3.5.1.6 Aircraft Hazards
 - 3.5.2 Structures, Systems, and Components to be Protected from Externally Generated Missiles
 - 3.5.3 Barrier Design Procedures
 - 3.5.3.1 Local Damage Prediction
 - 3.5.3.2 Overall Damage Prediction
 - 3.5.4 COL Information
 - 3.5.4.1 Missiles Generated by Natural Phenomena from Remainder of Plant Structures, Systems, and Components
 - 3.5.4.2 Site Proximity Missiles and Aircraft Hazards
 - 3.5.4.3 Secondary Missiles Inside Containment
 - 3.5.4.4 Impact of Failure of Nonsafety-Related Structures, Systems and Components
 - 3.5.4.5 Turbine System Maintenance Program
 - 3.5.5 References
- 3.6 Protection Against Dynamic Effects Associated with the Postulated Rupture of Piping
 - 3.6.1 Plant Design for Protection Against Postulated Piping Failures in Fluid Systems Inside and Outside of Containment
 - 3.6.1.1 Design Bases
 - 3.6.1.2 Description
 - 3.6.1.3 Design Evaluation
 - 3.6.2 Determination of Break Locations and Dynamic Effects Associated with the Postulated Rupture of Piping
 - 3.6.2.1 Criteria Used to Define Break and Crack Location and Configuration
 - 3.6.2.2 Analytic Methods to Define Blowdown Forcing Functions and Response Models
 - 3.6.2.3 Dynamic Analysis Methods to Verify Integrity and Operability
 - 3.6.2.4 Guard Pipe Assembly Design
 - 3.6.3 Leak-Before-Break Evaluation Procedures
 - 3.6.3.1 Scope of LBB Applicability

- 3.6.3.2 Conditions for LBB Applicability
- 3.6.4 COL Information
- 3.6.5 References
- 3.7 Seismic Design
 - 3.7.1 Seismic Design Parameters
 - 3.7.1.1 Design Ground Motion
 - 3.7.1.2 Percentage of Critical Damping Values
 - 3.7.1.3 Supporting Media for Category I Structures
 - 3.7.2 Seismic System Analysis
 - 3.7.2.1 Seismic Analysis Methods
 - 3.7.2.2 Natural Frequencies and Responses
 - 3.7.2.3 Procedures Used for Analytical Modeling
 - 3.7.2.4 Soil-Structure Interaction
 - 3.7.2.5 Development of Floor Response Spectra
 - 3.7.2.6 Three Components of Earthquake Motion
 - 3.7.2.7 Combination of Modal Responses
 - 3.7.2.8 Interaction of Non-Category I Structures with Seismic Category I Structures
 - 3.7.2.9 Effects of Parameter Variations on Floor Response Spectra
 - 3.7.2.10 Use of Equivalent Vertical Static Factors
 - 3.7.2.11 Methods Used to Account for Torsional Effects
 - 3.7.2.12 Comparison of Responses
 - 3.7.2.13 Analysis Procedure for Damping
 - 3.7.2.14 Determination of Seismic Category I Structure Overturning Moments
 - 3.7.3 Seismic Subsystem Analysis
 - 3.7.3.1 Seismic Analysis Methods
 - 3.7.3.2 Determination of Number of Earthquake Cycles
 - 3.7.3.3 Procedures Used for Analytical Modeling
 - 3.7.3.4 Basis for Selection of Frequencies
 - 3.7.3.5 Analysis Procedure for Damping
 - 3.7.3.6 Three Components of Earthquake Motion
 - 3.7.3.7 Combination of Modal Responses
 - 3.7.3.8 Interaction of Other Systems with Seismic Category I Systems
 - 3.7.3.9 Multiply-Supported Equipment and Components with Distinct Inputs
 - 3.7.3.10 Use of Equivalent Vertical Static Factors
 - 3.7.3.11 Torsional Effects of Eccentric Masses
 - 3.7.3.12 Seismic Category I Buried Piping, Conduits, and Tunnels
 - 3.7.3.13 Methods for Seismic Analysis of Seismic Category I Concrete Dams
 - 3.7.3.14 Methods for Seismic Analysis of Above-Ground Tanks
 - 3.7.4 Seismic Instrumentation
 - 3.7.4.1 Comparison with Regulatory Guide 1.12
 - 3.7.4.2 Location and Description of Instrumentation
 - 3.7.4.3 Control Room Operator Notification
 - 3.7.4.4 Comparison of Measured and Predicted Responses
 - 3.7.4.5 Inservice Surveillance

- 3.7.5 COL Information
- 3.7.6 References
- 3.8 Design of Seismic Category I Structures
 - 3.8.1 Reinforced Concrete Containment
 - 3.8.1.1 Description and Code Jurisdictional Boundaries
 - 3.8.1.2 Applicable Codes, Standards and Specifications
 - 3.8.1.3 Code Classifications
 - 3.8.1.4 Functional Requirements Of Components and Parts
 - 3.8.1.5 Loads and Load Combinations
 - 3.8.1.6 Load Combinations
 - 3.8.1.7 Design and Analysis Procedures
 - 3.8.1.8 Structural Acceptance Criteria
 - 3.8.1.9 Materials
 - 3.8.1.10 Quality Control
 - 3.8.2 Steel Containment
 - 3.8.3 Containment Internal Structures
 - 3.8.3.1 Description of The Internal Structures
 - 3.8.3.2 Applicable Codes, Standards and Specifications
 - 3.8.3.3 Design Loads
 - 3.8.3.4 Load Combinations
 - 3.8.3.5 Design and Analysis Procedures
 - 3.8.3.6 Structural Acceptance Criteria
 - 3.8.3.7 Materials
 - 3.8.3.8 Quality Control
 - 3.8.4 Other Seismic Category I Structures
 - 3.8.4.1 Description of Structures
 - 3.8.4.2 Applicable Codes, Standards and Specifications
 - 3.8.4.3 Loads
 - 3.8.4.4 Load Combinations For Concrete Structures
 - 3.8.4.5 Load Combinations For Steel Structures
 - 3.8.4.6 Design and Analysis Procedures
 - 3.8.4.7 Structural Acceptance Criteria
 - 3.8.4.8 Materials
 - 3.8.4.9 Quality Control
 - 3.8.5 Foundations
 - 3.8.5.1 Description of the Foundation
 - 3.8.5.2 Applicable Codes, Standards and Specifications
 - 3.8.5.3 Loads and Load Combinations
 - 3.8.5.4 Design and Analysis Procedures
 - 3.8.5.5 Structural Acceptance Criteria
 - 3.8.5.6 Materials
 - 3.8.5.7 Quality Control
 - 3.8.6 COL Information
 - 3.8.7 References

- 3.9 Mechanical Systems and Components
 - 3.9.1 Special Topics for Mechanical Components
 - 3.9.1.1 Design Transients
 - 3.9.1.2 Computer Programs Used in Analyses
 - 3.9.1.3 Experimental Stress Analysis
 - 3.9.1.4 Considerations for the Evaluation of Faulted Condition
 - 3.9.2 Dynamic Testing and Analysis of Systems, Components, and Equipment
 - 3.9.2.1 Piping Vibration, Thermal Expansion, and Dynamic Effects
 - 3.9.2.1.1 Vibration and Dynamic Effects Testing
 - 3.9.2.1.2 Thermal Expansion Testing
 - 3.9.2.2 Seismic Qualification of Safety-Related Mechanical Equipment (Including Other RBV Induced Loads)
 - 3.9.2.2.1 Tests and Analysis Criteria and Methods
 - 3.9.2.2.2 Qualification of Safety-Related Mechanical Equipment
 - 3.9.2.3 Dynamic Response of Reactor Internals Under Operational Flow Transients and Steady-State Conditions
 - 3.9.2.4 Initial Startup Flow-Induced Vibration Testing of Reactor Internals
 - 3.9.2.5 Dynamic System Analysis of Reactor Internals Under Faulted Conditions.
 - 3.9.2.6 Correlations of Reactor Internals Vibration Tests with the Analytical Results
 - 3.9.3 ASME Code Class 1, 2 and 3 Components, Component Supports and Core Support Structures
 - 3.9.3.1 Loading Combinations, Design Transients, and Stress Limits 3.9.3.1.1 Plant Conditions
 - 3.9.3.2 Reactor Pressure Vessel Assembly
 - 3.9.3.3 Main Steam (MS) System Piping
 - 3.9.3.4 Other Components
 - 3.9.3.5 Valve Operability Assurance
 - 3.9.3.5.1 Major Active Valves
 - 3.9.3.5.2 Other Active Valves
 - 3.9.3.6 Design and Installation of Pressure Relief Devices
 - 3.9.3.7 Component Supports
 - 3.9.3.7.1 Piping
 - 3.9.3.7.2 Reactor Pressure Vessel Support Skirt
 - 3.9.3.7.3 Reactor Pressure Vessel Stabilizer
 - 3.9.3.7.4 Floor-Mounted Major Equipment
 - 3.9.3.8 Other ASME III Component Supports
 - 3.9.4 Control Rod Drive System (CRDS)
 - 3.9.4.1 Descriptive Information on CRDS
 - 3.9.4.2 Applicable CRDS Design Specification
 - 3.9.4.3 Design Loads and Stress Limits
 - 3.9.4.4 CRD Performance Assurance Program
 - 3.9.5 Reactor Pressure Vessel Internals
 - 3.9.5.1 Core Support Structures
 - 3.9.5.2 Reactor Internals

- 3.9.5.3 Loading Conditions
- 3.9.5.4 Design Bases
- 3.9.6 Inservice Testing of Pumps and Valves
 - 3.9.6.1 Inservice Testing of Safety-Related Valves
- 3.9.7 COL Information
 - 3.9.7.1 Reactor Internals Vibration Analysis, Measurement and Inspection Program
 - 3.9.7.2 ASME Class 2 or 3 or Quality Group D Components with 60 Year Design Life
 - 3.9.7.3 Pump and Valve Inservice Testing Program
 - 3.9.7.4 Audit of Design Specification and Design Reports
- 3.9.8 References
- 3.10 Seismic and Dynamic Qualification of Mechanical and Electrical Equipment
 - 3.10.1 Seismic and Dynamic Qualification Criteria
 - 3.10.1.1 Selection of Qualification Method
 - 3.10.1.2 Input Motion
 - 3.10.1.3 Dynamic Qualification Program
 - 3.10.2 Methods and Procedures for Qualifying Electrical Equipment
 - 3.10.2.1 Qualification by Testing
 - 3.10.2.2 Qualification by Analysis
 - 3.10.2.3 Qualification by Combined Testing and Analysis
 - 3.10.2.4 Qualification by Experience
 - 3.10.3 Analysis or Testing of Electrical Equipment Supports
 - 3.10.3.1 NSSS Electrical Equipment Supports (Other than Motors and Valve-Mounted Equipment)
 - 3.10.3.2 Other Electrical Equipment Supports
 - 3.10.4 COL Information
 - 3.10.5 References
- 3.11 Environmental Qualification of Mechanical and Electrical Equipment
 - 3.11.1 Equipment Identification
 - 3.11.2 Environmental Conditions
 - 3.11.2.1 General Requirements
 - 3.11.2.2 Qualification Program, Methods and Documentation
 - 3.11.3 Loss of Heating, Ventilating and Air Conditioning
 - 3.11.4 Estimated Chemical and Radiation Environment
 - 3.11.5 COL Information
 - 3.11.6 References
 - 3A Seismic Soil-Structure Interaction Analysis
 - 3A.1 Introduction
 - 3A.2 ESBWR Standard Plant Site Plan
 - 3A.3 Generic Site Conditions
 - 3A.4 Input Motion and Damping Values
 - 3A.5 Soil-Structure Interaction Analysis Method

- 3A.6 Free-Field Site Responses Analysis
- 3A.7 Soil-Structure Interaction Analysis Cases
- 3A.8 Analysis Models
- 3A.9 Analysis Results
- 3A.10 Site Envelope Seismic Responses
- 3B. Containment Loads
 - 3B.1 Scope
 - 3B.2 Description of Phenomena
 - 3B.3 Load Combinations
 - 3B.4 Pool Swell Load
 - 3B.5 Condensation Oscillation Loads
 - 3B.6 Chugging Loads
 - 3B.7 Safety Relief Valve Loads
 - 3B.8 Passive Containment Cooling System Loads
 - 3B.9 Submerged Structure Loads
 - 3B.10 Load Application Methodology

3C. Computer Programs Used in the Design and Analysis of Seismic Category I Structures

- 3C.1 Introduction
- 3C.2 Static and Dynamic Structural Analysis Systems (STARDYNE)
- 3C.3 Concrete Element Cracking Analysis Program (CECAP)
- 3C.4 Finite Element Program for Cracking Analysis (FINEL)
- 3C.5 Soil-Structure Interaction
 - 3C.5.1 A System for Analysis of Soil-Structure Interaction—SASSI
 - 3C.5.2 Free-Field Response Analysis—SHAKE
- 3D. Computer Programs Used in the Design of Components, Equipment and Structures
 - 3D.1 Introduction
 - 3D.2 Fine Motion Control Rod Drive
 - 3D.3 Reactor Pressure Vessel and Internals
 - 3D.4 Piping
 - 3D.5 Pumps and Motors
 - 3D.6 Heat Exchangers
- 3E. Guidelines For LBB Application
 - 3E.1 Introduction
 - 3E.2 Material Fracture Toughness Characterization
 - 3E.3 Fracture Mechanics Methods
 - 3E.4 Leak Rate Calculation Methods
 - 3E.5 Leak Detection Capabilities
 - 3E.6 Guidelines for Preparation of an LBB Report
- 3F. Response of Structures to Containment Loads
 - 3F.1 Scope
 - 3F.2 Dynamic Response
 - 3F.2.1 Classification Of Analytical Procedure
 - 3F.2.2 Analysis Models
 - 3F.2.3 Load Application

- 3F.2.4 Analysis Method
- 3F.3 Hydrodynamic Load Analysis Results
- 3G Design Details and Evaluation Results of Seismic Category I Structures
- 3H. Equipment Qualification Design Environmental Conditions
 - 3H.1 Introduction
 - 3H.2 Plant Zones
 - 3H.2.1 Containment Vessel
 - 3H.2.2 Outside Containment Vessel
 - 3H.3 Environmental Conditions
 - 3H.3.1 Plant Normal Operating Conditions
 - 3H.3.2 Accident Conditions
 - 3H.3.3 Water Quality
- 3I. Designated NEDE-24326-1-P Material Which May Not Change Without Prior NRC Approval
 - 3I.1 General Requirements for Dynamic Testing (4.4.2.5.1 of Ref. 3I-1)
 - 3I.2 Product and Assembly Testing (4.4.2.5.2 of Ref. 3I-1)
 - 3I.3 Multiple-Frequency Tests (4.4.2.5.3 of Ref. 3I-1)
 - 3I.4 Single- and Multi-axis Tests (4.4.2.5.4 of Ref. 3I-1)
 - 3I.5 Single Frequency Tests (4.4.2.5.6 of Ref. 3I-1)
 - 3I.6 Damping (4.4.2.5.7 of Ref. 3I-1)
 - 3I.7 Qualification Determination (4.4.3.3 of Ref. 3I-1)
 - 3I.8 Dynamic Qualification by Analysis (4.4.4.1.4 of Ref. 3I-1)
 - 3I.9 Required Response Spectra (4.4.4.1.4.6.20f Ref. 3I-1)
 - 3I.10 Time History Analysis (4.4.4.1.4.6.3 of Ref. 3I-1)
 - 3I.11 References
- 3J. Evaluation of Postulated Ruptures in High Energy Pipes
 - 3J.1 Background and Scope
 - 3J.2 Identification of Rupture Locations and Rupture Geometry
 - 3J.2.1 Ruptures in Containment Penetration Area.
 - 3J.2.2 Ruptures in Areas other than Containment Penetration.
 - 3J.2.3 Determine the Type of Pipe Break
 - 3J.3 Design and Selection of Pipe Whip Restraints
 - 3J.3.1 Make Preliminary Selection of Pipe Whip Restraint
 - 3J.3.2 Prepare Simplified Computer Model of Piping-Pipe Whip Restraint System.
 - 3J.3.3 Run Pipe Dynamic Analysis
 - 3J.3.4 Select Pipe Whip Restraint for Pipe Whip Restraint Analysis
 - 3J.4 Pipe Rupture Evaluation
 - 3J.4.1 General Approach
 - 3J.4.2 Procedure For Dynamic Time-History Analysis With Simplified Model
 - 3J.4.3 Procedure For Dynamic Time-History Analysis Using Detailed Piping Model
 - 3J.5 Jet Impingement on Essential Piping
- 3K. Resolution Of Intersystem Loss Of Coolant Accident
 - 3K.1 Introduction
 - 3K.2 Regulatory Positions
 - 3K.3 Boundary Limits of URS

- 3K.4 Evaluation Procedure
- 3K.5 Systems Evaluated
- 3K.6 Piping Design Pressure for URS Compliance
- 3K.7 Applicability of URS Non-piping Components
- 3K.8 Results
- 3K.9 Valve Misalignment Due To Operator Error
- 3K.10 Additional Operational Considerations
- 3K.11 Summary

4.0 REACTOR

- 4.1 Summary Description
 - 4.1.1 Reactor Pressure Vessel
 - 4.1.2 Reactor Internal Components
 - 4.1.3 Reactivity Control Systems
 - 4.1.4 Analysis Techniques
 - 4.1.5 COL Information
 - 4.1.6 References
- 4.2 Fuel System Design
 - 4.2.1 Design Bases
 - 4.2.2 Description and Drawings
 - 4.2.3 Design Evaluation
 - 4.2.4 Testing, Inspection, and Surveillance Plans
 - 4.2.5 COL Information
 - 4.2.6 References
- 4.3 Nuclear Design
 - 4.3.1 Design Basis
 - 4.3.2 Description
 - 4.3.3 Analytical Methods
 - 4.3.4 Changes
 - 4.3.5 COL Information
 - 4.3.6 References
- 4.4 Thermal and Hydraulic Design
 - 4.4.1 Design Basis
 - 4.4.2 Description of Thermal-Hydraulic Design of the Reactor Core
 - 4.4.3 Description of the Thermal–Hydraulic Design of the Reactor Coolant System
 - 4.4.4 Loose-Parts Monitoring System
 - 4.4.5 Evaluation
 - 4.4.6 Testing and Verification
 - 4.4.7 COL Information
 - 4.4.8 References
- 4.5 Reactor Materials
 - 4.5.1 Control Rod Drive System Structural Materials
 - 4.5.2 Reactor Internal Materials
 - 4.5.3 COL Information
 - 4.5.4 References
- 4.6 Functional Design of Fine Motion Control Rod Drive Systems
 - 4.6.1 Information for Control Rod Drive System
 - 4.6.2 Evaluations of the CRD Sysytem
 - 4.6.3 Testing and Verification of the CRDs
 - 4.6.4 Information for Combined Performance of Reactivity Control Systems
 - 4.6.5 Evaluation of Combined Performance
 - 4.6.6 COL Information

4.6.7 References

4A Typical Control Rod Patterns and Associated Power Distributions

- 4A.1 Introduction
- 4A.2 Results of Core Simulation Studies
- 4A.3 COL Information
- 4A.4 References

4B Fuel Licensing Acceptance Criteria

- 4B.1 Introduction
- 4B.2 General Criteria
- 4B.3 Thermal-mechanical
- 4B.4 Nuclear
- 4B.5 Hydraulic
- 4B.6 Safety Limit MCPR
- 4B.7 Operating Limit MCPR
- 4B.8 Critical Power Correlation
- 4B.9 Stability
- 4B.10 Overpressure Protection Analysis
- 4B.11 Loss-of-Coolant Accident Analysis Methods
- 4B.12 Rod Drop Accident Analysis
- 4B.13 Refueling Accident Analysis
- 4B.14 Anticipated Transient Without Scram
- 4B.15 COL Information
- 4B.16 References
- 4C Control Rod Licensing Acceptance Criteria
 - 4C.1 Introduction
 - 4C.2 General Criteria
 - 4C.3 Basis for Acceptance Criteria
 - 4C.4 COL Information
 - 4C.5 References
- 4D Stability Evaluation
 - 4D.1 Introduction
 - 4D.2 Stability Performance During Power Operation
 - 4D.3 Stability Performance During Plant Startup
 - 4D.4 COL Information
 - 4D.5 References

5.0 REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS

- 5.1 Summary Description
 - 5.1.1 Schematic Flow Diagrams
 - 5.1.2 Piping and Instrumentation Schematics
 - 5.1.3 Elevation Schematics
 - 5.1.4 COL Information
 - 5.1.5 References
- 5.2 Integrity of Reactor Coolant Pressure Boundary
 - 5.2.1 Compliance with Codes and Code Cases
 - 5.2.2 Overpressure Protection
 - 5.2.3 Reactor Coolant Pressure Boundary Materials
 - 5.2.4 Preservice and Inservice Inspection and Testing of Reactor Coolant Pressure Boundary
 - 5.2.5 Reactor Coolant Pressure Boundary (RCPB) Leakage Detection
 - 5.2.6 COL Information
 - 5.2.7 References
- 5.3 Reactor Vessel
 - 5.3.1 Reactor Vessel Materials
 - 5.3.2 Pressure/Temperature Limits
 - 5.3.3 Reactor Vessel Integrity
 - 5.3.4 COL Information
 - 5.3.5 References
- 5.4 Component and Subsystem Design
 - 5.4.1 Reactor Recirculation System
 - 5.4.2 Steam Generators (PWR)
 - 5.4.3 Reactor Coolant Piping
 - 5.4.4 Main Steamline Flow Restrictors
 - 5.4.5 Main Steamline Isolation System
 - 5.4.6 Isolation Condenser System (ICS)
 - 5.4.7 Residual Heat Removal System
 - 5.4.8 Reactor Water CleanUp/ShutDown Cooling System
 - 5.4.9 Main Steamlines and Feedwater Piping
 - 5.4.10 Pressurizer
 - 5.4.11 Pressurizer Relief Discharge System
 - 5.4.12 Reactor Coolant System High Point Vents
 - 5.4.13 Safety/Relief Valves
 - 5.4.14 Component Supports
 - 5.4.15 COL Information
 - 5.4.16 References
- 5A Method Of Compliance For Regulatory Guide 1.150
 - 5A.1 Introduction
 - 5A.2 Discussion
 - 5A.3 Inspection System Performance Checks
 - 5A.4 Calibration

- 5A.5 Examination
- 5A.6 Beam Profile
- 5A.7 Scanning Weld Metal Interface
- 5A.8 Recording and Sizing
- 5A.9 Reporting Of Results
- 5A.10 Conclusion

5B SDC System Flow And Heat Capacity Analysis Outlines

- 5B.1 Introduction
- 5B.2 Outline For Confirmation
- 5B.3 Outline For Heat Exchanger Confirmation

6. ENGINEERED SAFETY FEATURES

- 6.0 General
- 6.1 Engineer Safety Feature Materials
 - 6.1.1 Metallic Materials
 - 6.1.1.1 Materials Selection and Fabrication
 - 6.1.1.2 Compatibility of Construction Materials with Core Cooling Water and Containment Sprays
 - 6.1.1.3 Controls for Austenitic Stainless Steel
 - 6.1.1.4 Composition, Compatibility and Stability of Containment and Core Coolants
 - 6.1.2 Organic Materials
 - 6.1.2.1 Protective Coatings
 - 6.1.2.2 Other Organic Materials
 - 6.1.2.3 Evaluation
 - 6.1.3 COL Information
 - 6.1.3.1 Protective Coatings and Organic Materials
 - 6.1.4 References
- 6.2 Containment Systems
 - 6.2.1 Containment Functional Design
 - 6.2.1.1 Pressure Suppression Containment
 - 6.2.1.2 Containment Subcompartments
 - 6.2.1.3 Mass and Energy Release Analyses for Postulated Loss-of-Coolant Accidents
 - 6.2.1.4 Mass and Energy Release Analysis for Postulated Secondary System Pipe Ruptures Inside Containment (PWR)
 - 6.2.1.5 Maximum Containment Pressure Analysis for Performance Capability Studies on Emergency Core Cooling System (PWR)
 - 6.2.1.6 Testing and Inspection
 - 6.2.1.7 Instrumentation Requirements
 - 6.2.2 Passive Containment Cooling System
 - 6.2.2.1 Design Basis
 - 6.2.2.2 System Description
 - 6.2.2.3 Design Evaluation
 - 6.2.2.4 Testing and Inspection Requirements
 - 6.2.2.5 Instrumentation Requirements
 - 6.2.3 Secondary Containment Functional Design
 - 6.2.3.1 Design Bases
 - 6.2.3.2 Design Description
 - 6.2.3.3 Design Evaluation
 - 6.2.3.4 Tests and Inspections
 - 6.2.3.5 Instrumentation Requirements
 - 6.2.4 Containment Isolation System
 - 6.2.4.1 Design Bases
 - 6.2.4.2 System Design
 - 6.2.4.3 Design Evaluation
 - 6.2.4.4 Test and Inspections

- 6.2.5 Combustible Gas Control in Containment
 - 6.2.5.1 Design Bases
 - 6.2.5.2 Flammability Control System
 - 6.2.5.3 Containment Atmospheric Control System
 - 6.2.5.4 Overpressure Protection
- 6.2.6 Containment Leakage Testing
 - 6.2.6.1 Containment Integrated Leakage Rate Test (Type A)
 - 6.2.6.2 Containment Penetration Leakage Rate Test (Type B)
 - 6.2.6.3 Containment Isolation Valve Leakage Rate Test (Type C)
 - 6.2.6.4 Scheduling and Reporting of Periodic Tests
 - 6.2.6.5 Special Testing Requirements
- 6.2.7 Fracture Prevention of Containment Pressure Boundary
- 6.2.8 COL Information
 - 6.2.8.1 Alternate Hydrogen Control
 - 6.2.8.2 Administrative Control Maintaining Containment Isolation
 - 6.2.8.3 Wetwell-to-Drywell Vacuum Breaker Protection
 - 6.2.8.4 Containment Penetration Leakage Rate Test (Type B)
- 6.2.9 References
- 6.3 Emergency Core Cooling Systems
 - 6.3.1 Design Bases and Summary Description
 - 6.3.1.1 Design Bases
 - 6.3.1.2 Summary Descriptions of ECCS
 - 6.3.2 System Design
 - 6.3.2.1 Equipment and Component Descriptions
 - 6.3.2.2 Applicable Codes and Classifications
 - 6.3.2.3 Materials Specifications and Compatibility
 - 6.3.2.4 System Reliability
 - 6.3.2.5 Protection Provisions
 - 6.3.2.6 Manual Actions
 - 6.3.2.7 Gravity-Driven Cooling System
 - 6.3.2.8 Automatic Depressurization Subsystem
 - 6.3.3 ECCS Performance Evaluation
 - 6.3.3.1 ECCS Bases for Technical Specifications
 - 6.3.3.2 Acceptance Criteria for ECCS Performance
 - 6.3.3.3 Single-Failure Considerations
 - 6.3.3.4 System Performance During the Accident
 - 6.3.3.5 Use of Dual Function Components for ECCS
 - 6.3.3.6 Limits on ECCS Parameters
 - 6.3.3.7 ECCS Performance Analysis for LOCA
 - 6.3.3.8 ECCS-LOCA Performance Analysis Conclusions
 - 6.3.4 Tests and Inspections
 - 6.3.4.1 ECCS Performance Tests
 - 6.3.4.2 Reliability Tests and Inspections
 - 6.3.5 Instrumentation Requirements
 - 6.3.6 Combined Operating License Information

- 6.3.6.1 ECCS Performance Results
- 6.3.6.2 ECCS Testing Requirements
- 6.3.6.3 Limiting Break Results
- 6.3.7 References
- 6.4 Control Room Habitability Systems
 - 6.4.1 Design Bases
 - 6.4.1.1 Safety Design Basis
 - 6.4.1.2 Power Generation Design Bases
 - 6.4.2 System Design
 - 6.4.3 Sealed Emergency Operating Area
 - 6.4.4 System Operation Procedures
 - 6.4.5 Design Evaluations
 - 6.4.6 Life Support
 - 6.4.7 Testing and Inspection
 - 6.4.8 Instrumentation Requirements
 - 6.4.9 COL Information
 - 6.4.10 References
- 6.5 Fission Product Removal
 - 6.5.1 Engineered Safety Feature Atmosphere Cleanup Systems
 - 6.5.2 Containment Spray Systems
 - 6.5.3 Fission Product Control Systems and Structures
 - 6.5.3.1 General
 - 6.5.3.2 Containment
 - 6.5.3.3 Safety Envelope
 - 6.5.3.4 Reactor Building
 - 6.5.3.5 Radwaste Building
 - 6.5.3.6 Turbine Building
 - 6.5.4 Ice Condenser as a Fission Product Control System
 - 6.5.5 Suppression Pool as a Fission Product Cleanup System
 - 6.5.6 COL Information
 - 6.5.7 References
 - 6.6 Preservice and Inservice Inspection and Testing of Class 2 and 3 Components and Piping
 - 6.6.1 Class 2 and 3 System Boundaries
 - 6.6.2 Accessibility
 - 6.6.3 Examination Categories and Methods
 - 6.6.4 Inspection Intervals
 - 6.6.5 Evaluation of Examination Results
 - 6.6.6 System Pressure Tests
 - 6.6.7 Augmented Inservice Inspections
 - 6.6.8 Code Exemptions
 - 6.6.9 COL Information

7.0 INSTRUMENTATION AND CONTROL SYSTEMS

- 7.1 Introduction
 - 7.1.1 Identification of I&C Systems
 - 7.1.2 Identification of Design Bases and Safety Criteria
 - 7.1.4 COL Information
 - 7.1.5 References
- 7.2 Reactor Trip System
 - 7.2.1 Reactor Protection System
 - 7.2.2 Neutron Monitoring System
 - 7.2.3 Suppression Pool Temperature Monitoring System
 - 7.2.4 COL Information
 - 7.2.5 References
- 7.3 Engineered Safety Features Systems
 - 7.3.1 Emergency Core Cooling System
 - 7.3.1.1 Automatic Depressurization Subsystem
 - 7.3.1.2 Gravity-Driven Cooling System
 - 7.3.2 Passive Containment Cooling System
 - 7.3.3 Leak Detection and Isolation System
 - 7.3.4 Safety System Logic and Control
 - 7.3.5 Essential Multiplexing System
 - 7.3.6 Flammability Control System
 - 7.3.7 COL Information
 - 7.3.8 References
- 7.4 Safety-Related and Nonsafety-Related Shutdown Systems
 - 7.4.1 Standby Liquid Control System
 - 7.4.2 Remote Shutdown System
 - 7.4.3 Reactor Water Cleanup/Shutdown Cooling System
 - 7.4.4 Isolation Condenser System
 - 7.4.5 Alternate Rod Insertion
 - 7.4.6 COL Information
 - 7.4.7 References
- 7.5 Safety-Related Information SystemS
 - 7.5.1 General I&C Conformance to Regulatory Guide 1.97
 - 7.5.1.1 System Descriptions
 - 7.5.1.2 Post-Accident Monitoring System
 - 7.5.1.3 Systems Analysis Post-Accident Monitoring System
 - 7.5.2 Containment Atmospheric Monitoring System
 - 7.5.3 Process Radiation Monitoring System
 - 7.5.4 Area Radiation Monitoring System
 - 7.5.5 Pool Monitoring Subsystems
 - 7.5.5.1 Suppression Pool
 - 7.5.5.2 GDCS Pool
 - 7.5.5.3 ICS/PCCS Pool
 - 7.5.6 Wetwell-to-Drywell Vacuum Breaker Monitoring

- 7.5.7 COL Information
- 7.6 Interlock Systems
 - 7.6.1 HP/LP System Interlock Function
 - 7.6.2 Safety/Non-Safety System Interlocks
- 7.7 Nonsafety-Related Control Systems
 - 7.7.1 Nuclear Boiler System Non-safety Functions
 - 7.7.2 Rod Control and Information System
 - 7.7.3 Feedwater Control System
 - 7.7.4 Neutron Monitoring System Non-safety Functions
 - 7.7.5 Steam Bypass and Pressure Control System
 - 7.7.6 Process Computer System
 - 7.7.7 Containment Atmospheric Control System
 - 7.7.8 Fuel Pool Cooling and Cleanup System
 - 7.7.9 Multiplexing System Non-safety Functions
 - 7.7.10 COL Information
 - 7.7.11 References
- 7.8 Diverse Instrumentation and Control Systems
- 7.9 Data Communication Systems
- 7A Fixed In-Core Calibration System for the Neutron Monitoring System
 - 7A.1 Introduction
 - 7A.2 Radcal Gamma Thermometer Assembly Design and Accuracy
 - 7A.3 Fixed In-Core Calibration System Design Description
 - 7A.4 Local Power Measurement in ESBWR Using RGT
 - 7A.5 Other Design Considerations
 - 7A.6 Conclusion
 - 7A.7 References
- 7B ESBWR Design Response to Appendix B of the ABWR Licensing Review Bases
- 7C Implementation Requirements for Hardware/Software Development
- 7D Defense Against Common-Mode Failures in Safety-Related, Software-Based, I&C Systems

8.0 ELECTRIC POWER

- 8.1 Introduction
 - 8.1.1 General
 - 8.1.2 Utility Power Grid and Off-site Systems Description
 - 8.1.2.1 Utility Power Grid Description
 - 8.1.2.2 Off-site Power System Description
 - 8.1.3 On-site Electric Power System
 - 8.1.3.1 On-site AC Power System
 - 8.1.3.2 On-site DC Power System
 - 8.1.4 Safety-Related Loads
 - 8.1.5 Design Basis
 - 8.1.5.1 Off-site Power
 - 8.1.5.2 On-site Power
 - 8.1.6 COL License Information
 - 8.1.6.1 Utility Power Grid Description
 - 8.1.6.2 Offsite Power System Description
 - 8.1.6.3 Compliance to Regulatory Requirements and Guidelines
 - 8.1.7 References
- 8.2 Off-site Power Systems
 - 8.2.1 Description
 - 8.2.1.1 Transmission System
 - 8.2.1.2 Off-site Power System
 - 8.2.2 Analysis
 - 8.2.3 Design Bases (Interface Requirements)
 - 8.2.4 COL Information
 - 8.2.4.1 Transmission System Description
 - 8.2.4.2 Switchyard Description
 - 8.2.4.3 Normal Preferred Power
 - 8.2.4.4 Alternate Preferred Power
 - 8.2.4.5 Unit Synchronization
 - 8.2.4.6 Protective Relaying
 - 8.2.4.7 Switchyard DC Power
 - 8.2.4.8 Switchyard AC Power
 - 8.2.4.9 Transformer Protection
 - 8.2.4.10 Stability of Off-Site Power Systems
 - 8.2.4.11 Transmission System Reliability
 - 8.2.4.12 Generator Circuit Breaker
 - 8.2.5 References
- 8.3 On-site Power Systems
 - 8.3.1 AC Power Systems
 - 8.3.1.1 Description
 - 8.3.1.2 Analysis
 - 8.3.1.3 Physical Identification of Safety-Related Equipment
 - 8.3.1.4 Independence of Redundant Systems

- 8.3.2 DC Power Systems
 - 8.3.2.1 Description
 - 8.3.2.2 Analysis
- 8.3.3 Fire Protection of Cable Systems
- 8.3.4 COL Information
- 8.3.5 Additional Industry Standards
- 8.3.6 References
- 8A. Miscellaneous Electrical Systems
 - 8A.1 Station Grounding and Surge Protection
 - 8A.2 Cathodic Protection
 - 8A.3 Electric Heat Tracing
 - 8A.4 References

9.0 AUXILIARY SYSTEMS

- 9.1 Fuel Storage and Handling
 - 9.1.1 New Fuel Storage
 - 9.1.2 Spent Fuel Storage
 - 9.1.3 Fuel and Auxiliary Pools Cooling System
 - 9.1.4 Light Load Handling System (Related to Refueling)
 - 9.1.5 Overhead Heavy Load Handling Systems
 - 9.1.6 COL Information
 - 9.1.7 References
- 9.2 Water Systems
 - 9.2.1 Plant Service Water System
 - 9.2.2 Reactor Component Cooling Water System
 - 9.2.3 Makeup Water System
 - 9.2.4 Potable and Sanitary Water Systems
 - 9.2.5 Ultimate Heat Sink
 - 9.2.6 Condensate Storage and Transfer System
 - 9.2.7 Chilled Water System
 - 9.2.8 Turbine Component Cooling Water System
 - 9.2.9 COL Information
 - 9.2.10 References
- 9.3 Process Auxiliaries
 - 9.3.1 Compressed Air Systems
 - 9.3.2 Process and Post Accident Sampling Systems
 - 9.3.3 Equipment and Floor Drainage Systems
 - 9.3.4 Chemical and Volume Control System
 - 9.3.5 Standby Liquid Control System
 - 9.3.6 Instrument Air System
 - 9.3.7 Service Air System
 - 9.3.8 High Pressure Nitrogen Supply System
 - 9.3.9 Hydrogen Water Chemistry System
 - 9.3.10 Oxygen Injection System
 - 9.3.11 Zinc Injection System
 - 9.3.12 COL Information
 - 9.3.13 References
- 9.4 Air Conditioning, Heating, Cooling and Ventilation
 - 9.4.1 Control Room Area Ventilation System
 - 9.4.2 Spent Fuel Pool Area Ventilation System
 - 9.4.3 Radwaste Building Heating, Ventilation and Air Conditioning System
 - 9.4.4 Turbine Building HVAC System
 - 9.4.5 Engineered Safety Feature Ventilation System
 - 9.4.6 Reactor Building HVAC System
 - 9.4.7 Drywell Cooling System
 - 9.4.8 Containment Atmospheric Control System
 - 9.4.9 COL Information
 - 9.4.10 References

- 9.5 Other Auxiliary Systems
 - 9.5.1 Fire Protection System
 - 9.5.2 Communications Systems
 - 9.5.3 Lighting System
 - 9.5.4 Diesel-Generator Fuel Oil Storage and Transfer System
 - 9.5.5 Diesel-Generator Jacket Cooling Water System
 - 9.5.6 Diesel-Generator Starting Air System
 - 9.5.7 Diesel-Generator Lubrication System
 - 9.5.8 Diesel-Generator Combustion Air Intake and Exhaust System
 - 9.5.9 Pool Cleanup Systems
 - 9.5.9 COL Information
 - 9.5.10 References
- 9A Fire Hazards Analysis
 - 9A.1 Introduction
 - 9A.2 Analysis Criteria
 - 9A.3 Analysis Approach
 - 9A.4 Safe Shutdown Analysis by Fire Area
 - 9A.5 Fire Protection Analyses by Room or Fire Zone
 - 9A.6 Special Cases
 - 9A.7 FHA Database
- 9B Summary of Analysis Supporting Fire Protection Design Requirements
 - 9B.1 Introduction
 - 9B.2 Fire Containment System
 - 9B.3 Fire Types
 - 9B.4 Fire Barriers
 - 9B.5 Allowable Combustible Loading
 - 9B.6 References

10. STEAM AND POWER CONVERSION SYSTEM

- 10.1 Summary Description
 - 10.1.1 Protective Features
 - 10.1.2 COL Information
 - 10.1.3 References
- 10.2 Turbine Generator
 - 10.2.1 Design Bases
 - 10.2.2 Description
 - 10.2.3 Turbine Integrity
 - 10.2.4 Evaluation
 - 10.2.5 COL Information
 - 10.2.6 References
- 10.3 Main Steam Supply System
 - 10.3.1 Design Bases
 - 10.3.2 Description
 - 10.3.3 Evaluation
 - 10.3.4 Inspection and Testing Requirements
 - 10.3.5 Water Chemistry (PWR)
 - 10.3.6 Steam and Feedwater System Materials
 - 10.3.7 COL Information
- 10.4 Other Features of Steam and Power Conversion System
 - 10.4.1 Main Condenser
 - 10.4.2 Main Condenser Evacuation System
 - 10.4.3 Turbine Gland Sealing System
 - 10.4.4 Turbine Bypass System
 - 10.4.5 Circulating Water System
 - 10.4.6 Condensate Purification System
 - 10.4.7 Condensate and Feedwater System
 - 10.4.8 Steam Generator Blowdown System (PWR)
 - 10.4.9 Auxiliary Feedwater System (PWR)
 - 10.4.10 COL Information

11.0 RADIOACTIVE WASTE MANAGEMENT

- 11.1 Source Terms
 - 11.1.1 Fission Products
 - 11.1.2 Activation Products
 - 11.1.3 Radionuclide Concentration Adjustment
 - 11.1.4 Fuel Fission Production Inventory
 - 11.1.5 Process Leakage Sources
 - 11.1.6 References
- 11.2 Liquid Waste Management System
 - 11.2.1 Design Basis
 - 11.2.2 System Description
 - 11.2.3 Safety Evaluation Radioactive Releases
 - 11.2.4 Testing and Inspection Requirements
 - 11.2.5 Instrumentation Requirements
 - 11.2.6 COL Information
 - 11.2.7 References
- 11.3 Gaseous Waste Management System
 - 11.3.1 Design Bases
 - 11.3.2 Offgas System Description
 - 11.3.3 Ventilation System
 - 11.3.4 Radioactive Releases
 - 11.3.5 Testing and Inspection Requirements
 - 11.3.6 Instrumentation Requirements
 - 11.3.7 Radioactive Gas Waste System Leak or Failure
 - 11.3.8 COL Information
 - 11.3.9 References
- 11.4 Solid Waste Management System
 - 11.4.1 Design Bases
 - 11.4.2 System Description
 - 11.4.3 Safety Evaluation
 - 11.4.4 Testing and Inspection Requirements
 - 11.4.5 Instrumentation Requirements
 - 11.4.6 COL Information
 - 11.4.7 References
- 11.5 Process and Effluent Radiological Monitoring Instrumentation and Sampling Systems
 - 11.5.1 System Design and Functional Objectives
 - 11.5.2 System Design Bases and Criteria
 - 11.5.3 System Description
 - 11.5.4 Safety Evaluation
 - 11.5.5 Instrumentation and Display Requirements
 - 11.5.6 Test, Calibration, and Maintenance
 - 11.5.7 COL Information
 - 11.5.8 References

12.0 RADIATION PROTECTION

12.1 Ensuring that Occupational Radiation Exposures are ALARA

- 12.1.1 Policy Considerations
- 12.1.2 Design Considerations
- 12.1.3 Operational Considerations
- 12.1.4 COL Information
- 12.2 Radiation Sources
 - 12.2.1 Contained Sources
 - 12.2.2 Airborne and Liquid Sources for Environmental Consideration
 - 12.2.3 COL Information
 - 12.2.4 References

12.3 Radiation Protection Design Features

- 12.3.1 Facility Design Features
- 12.3.2 Shielding
- 12.3.3 Ventilation
- 12.3.4 Area Radiation and Airborne Radioactivity Monitoring Instrumentation
- 12.3.5 Post-Accident Access Requirements
- 12.3.6 Post-Accident Radiation Zone Maps
- 12.3.7 COL Information
- 12.3.8 References

12.4 Dose Assessment

- 12.4.1 Drywell Dose
- 12.4.2 Reactor Building Dose
- 12.4.3 Radwaste Building Dose
- 12.4.4 Turbine Building Dose
- 12.4.5 Work at Power
- 12.4.6 References
- 12.5 Health Physics Program
 - 12.5.1 Operational Considerations
 - 12.5.2 In-Plant and Airborne Radioactivity Monitoring
 - 12.5.3 COL Information

12A Calculation of Airborne Radionuclides

13.0 CONDUCT OF OPERATIONS

- 13.1 Organizational Structure of Applicant
- 13.2 Training
 - 13.2.1 Reactor Operator Training
 - 13.2.2 Training for Non-Licensed Plant Staff
 - 13.2.3 COL Information
- 13.3 Emergency Planning
 - 13.3.1 Preliminary Planning
 - 13.3.2 Emergency Plan
 - 13.3.3 COL Information
- 13.4 Review and Audit
 - 13.4.1 COL Information
- 13.5 Plant Procedures
 - 13.5.1 Administrative Procedures
 - 13.5.2 Operating and Maintenance Procedures
 - 13.5.3 COL Information
 - 13.5.4 References
- 13.6 Physical Security
 - 13.6.1 Preliminary Planning
 - 13.6.2 Security Plan
 - 13.6.3 ESBWR Standard Plant Security Features
 - 13.6.3 COL Information

14.0 INITIAL TEST PROGRAM

- 14.1 Specific Information to be Included in Preliminary Safety Analysis Reports
- 14.2 Specific Information to be Included in Final Safety Analysis Reports
 - 14.2.1 Summary of Test Programs and Objectives
 - 14.2.2 Organization and Staffing
 - 14.2.3 Test Procedures
 - 14.2.4 Conduct of Test Program
 - 14.2.5 Review, Evaluation, and Approval of Test Results
 - 14.2.6 Test Records
 - 14.2.7 Conformance of Test Program with Regulatory Guides
 - 14.2.8 Utilization of Reactor Operating and Testing Experience in the Development of Test Program
 - 14.2.9 Trial Use of Plant Operating and Emergency Procedures
 - 14.2.10 Initial Fuel Loading and Initial Criticality
 - 14.2.11 Test Program Schedule
 - 14.2.12 Individual Test Descriptions
 - 14.2.12.1 Preoperational Tests
 - 14.2.12.2 Startup Tests
 - 14.2.13 COL Information
- 14.3 Tier 1 Selection Criteria and Processes
 - 14.3.1 Tier 1 Section: 1.0 Introduction
 - 14.3.2 Tier 1 Section: 2.0 Certified Design Material for ESBWR Systems
 - 14.3.2.1 Design Description
 - 14.3.2.2 Inspections, Tests, Analyses and Acceptance Criteria (ITAAC)
 - 14.3.3 Tier 1 Section: 3.0 Additional Design Material
 - 14.3.4 Tier 1 Section: 4.0 Interface Requirements
 - 14.3.5 Tier 1 Section: 5.0 Site Parameters

15.0 SAFETY ANALYSES

- 15.0.1 Analytical Approach
- 15.0.2 Selection of Events
 - 15.0.2.1 Anticipated Operational Occurrences
 - 15.0.2.2 Accidents
 - 15.0.2.3 Plant Capability Evaluations
- 15.0.3 Event Analysis Format
- 15.0.4 Event Acceptance Limits
 - 15.0.4.1 Anticipated Operational Occurrences
- 15.0.4.2 Accidents
 - 15.0.4.3 Plant Capability Evaluations
- 15.0.5 Single Failure
 - 15.0.5.1 Application of Single Failure Criteria
 - 15.0.5.2 Single Failures as Event Initiators
- 15.0.6 Analysis Methods
- 15.0.7 Analysis Inputs

15.1 NUCLEAR SAFETY OPERATIONAL ANALYSIS

- 15.1.1 Analytical Approach
- 15.1.2 Method of Analysis
- 15.1.3 NSOA Results
- 15.1.4 Event Evaluations

15.2 ANTICIPATED OPERATIONAL OCCURRENCES

- 15.2.1 Decrease In Core Coolant Temperature
 - 15.2.1.1 Loss Of Feedwater Heating
- 15.2.2 Increase In Reactor Pressure
 - 15.2.2.1 Pressure Regulator Failure Closure of One Control Valve
 - 15.2.2.2 Generator Load Rejection With Bypass
 - 15.2.2.3 Turbine Trip With Bypass
 - 15.2.2.4 MSIV Closure
 - 15.2.2.5 Loss of Condenser Vacuum
 - 15.2.2.6 Failure of RWCU/SDC Shutdown Cooling
- 15.2.3 Reactivity and Power Distribution Anomalies
 - 15.2.3.1 Control Rod Withdrawal Error Refueling
 - 15.2.3.2 Control Rod Withdrawal Error Startup
 - 15.2.3.3 Control Rod Withdrawal Error Power Operation
- 15.2.4 Increase in Reactor Coolant Inventory
 - 15.2.4.1 Inadvertent Startup of Isolation Condenser
 - 15.2.4.2 Feedwater Controller Failure Runout of One Feedwater Pump
 - 15.2.4.3 Feedwater Controller Failure Maximum Demand
- 15.2.5 Decrease in Reactor Coolant Inventory

- 15.2.5.1 Pressure Regulator Failure Opening of One Bypass Valve
- 15.2.5.2 Inadvertent Safety Relief Valve/Depressurization Valve Opening
- 15.2.5.3 Loss of Non-Emergency AC Power to Station Auxiliaries
- 15.2.5.4 Loss of Feedwater Flow

15.3 ACCIDENTS

- 15.3.1 Fuel Handling Accident
- 15.3.2 Loss of Coolant Accident
 - 15.3.2.1 Containment Performance Analysis
 - 15.3.2.2 ECCS Performance Analysis
 - 15.3.2.3 Radiological Analysis
- 15.3.3 Steam System Piping Break Outside Containment
- 15.3.4 Control Rod Drop Accident
- 15.3.5 Feedwater Line Break
- 15.3.6 Failure of Small Line Carrying Primary Coolant Outside Containment
- 15.3.7 Fuel Assembly Loading Error
- 15.3.8 Spent Fuel Cask Drop Accident
- 15.4 PLANT CAPABILITY EVALUATIONS
 - 15.4.1 Stability
 - 15.4.2 Overpressure Protection
 - 15.4.3 Standby Liquid Control System Capability
 - 15.4.4 Shutdown from Outside Main Control Room
 - 15.4.5 Anticipated Transients Without Scram
 - 15.4.6 Station Blackout
 - 15.4.7 Fire
 - 15.4.8 Pressure Regulator Failure Opening of All Control and Bypass Valves
 - 15.4.9 Inadvertent RWCU/SDC Cooling Operation
 - 15.4.10 Pressure Regulator Failure Closure of All Control and Bypass Valves
 - 15.4.11 Generator Load Rejection Without Bypass
 - 15.4.12 Turbine Trip Without Bypass
- 15A Failure Mode and Effects Analysis
- 15B Probability Analysis of Pressure Regulator Downscale Failure
- 15C LOCA Inventory Curves

16.0 PROPOSED TECHNICAL SPECIFICATIONS

- 1.0 Use And Application
 - 1.1 Definitions
 - 1.2 Logical Connectors
 - 1.3 Completion Times
 - 1.4 Frequency
- 2.0 Safety Limits (SLs)
 - 2.1 Safety Limits
 - 2.2 Safety Limit Violations
- 3.0 Limiting Conditions for Operation (LCOs) Applicability
- 3.0 Surveillance Requirements Applicability
 - 3.1 Reactivity Control Systems
 - 3.1.1 Shutdown Margin (SDM)
 - 3.1.2 Reactivity Anomalies
 - 3.1.3 Control Rod Operability
 - 3.1.4 Control Rod Scram Times
 - 3.1.5 Control Rod Scram Accumulators
 - 3.1.6 Rod Pattern Control
 - 3.1.7 Standby Liquid Control (SLC) System
 - 3.2 Power Distribution Limits
 - 3.2.1 Average Planar Linear Heat Generation Rate (APLHGR)
 - 3.2.2 Minimum Critical Power Ratio (MCPR)
 - 3.2.3 Linear Heat Generation Rate (LHGR)
 - 3.3 Instrumentation
 - 3.3.1.1 Reactor Protection System (RPS) Instrumentation
 - 3.3.1.2 Startup Range Neutron Monitor (SRNM) Instrumentation
 - 3.3.2.1 Control Rod Block Instrumentation
 - 3.3.3.1 Post-Accident Monitoring (PAM) Instrumentation
 - 3.3.4.1 Emergency Core Cooling System (ECCS) Instrumentation
 - 3.3.5.1 Isolation Instrumentation
 - 3.4 Reactor Coolant System (RCS)
 - 3.4.1 Safety/Relief Valves (S/RVs)
 - 3.4.2 RCS Operational Leakage
 - 3.4.3 RCS Pressure Isolation Valve (PIV) Leakage
 - 3.4.4 RCS Leakage Detection Instrumentation System
 - 3.4.5 RCS Specific Activity
 - 3.4.6 Isolation Condenser System (ICS)
 - 3.4.7 RCS Pressure and Temperature (P/T) Limits
 - 3.4.8 Reactor Steam Dome Pressure
 - 3.5 Emergency Core Cooling Systems (ECCS)
 - 3.5.1 ECCS-Operating
 - 3.5.2 ECCS-Shutdown
 - 3.6 Containment Systems
 - 3.6.1.1 Containment
 - 3.6.1.2 Containment Air Lock

- 3.6.1.3 Containment Isolation Valves (CIVs)
- 3.6.1.4 Drywell Pressure
- 3.6.1.5 Drywell Air Temperature
- 3.6.1.6 Suppression Chamber-to-Drywell Vacuum Breakers
- 3.6.2.1 Suppression Pool Average Temperature
- 3.6.2.2 Suppression Pool Water Level
- 3.6.2.3 Passive Containment Cooling System (PCCS)
- 3.6.2.4 ICS/PCCS Pool
- 3.6.2.5 ICS/ PCCS Pool Specific Activity
- 3.6.3.1 Containment Flammability Control
- 3.6.3.2 Containment Oxygen Concentration
- 3.6.4.1 Safety Envelope
- 3.6.4.2 Safety Envelope Ventilation System Isolation Valves
- 3.7 Plant Systems
 - 3.7.1 Emergency Breathing Air System (EBAS)
 - 3.7.2 Control Room Envelope HVAC System Isolation Valves
 - 3.7.3 Main Turbine Bypass System
 - 3.7.4 Fuel Pool Water Level
- 3.8 Electrical Power Systems
 - 3.8.1 DC Sources Operating
 - 3.8.2 DC Sources Shutdown
 - 3.8.3 Battery Electrolyte
 - 3.8.4 Inverters Operating
 - 3.8.5 Inverters Shutdown
 - 3.8.6 Distribution Systems Operating
 - 3.8.7 Distribution Systems Shutdown
- 3.9 Refueling Operations
 - 3.9.1 Refueling Equipment Interlocks
 - 3.9.2 Refuel Position One-Rod-Out Interlock
 - 3.9.3 Control Rod Position
 - 3.9.4 Control Rod Position Indication
 - 3.9.5 Control Rod OPERABILITY Refueling
 - 3.9.6 Reactor Pressure Vessel (RPV) Water Level
 - 3.9.7 Core Decay Heat Removal (CDHR) High Water Level
 - 3.9.8 Core Decay Heat Removal (CDHR) Low Water Level
- 3.10 Special Operations
 - 3.10.1 Inservice Leak and Hydrostatic (ISLH) Testing Operation
 - 3.10.2 Reactor Mode Switch Interlock Testing
 - 3.10.3 Control Rod Withdrawal Safe Shutdown
 - 3.10.4 Control Rod Withdrawal Cold Shutdown
 - 3.10.5 Control Rod Drive (CRD) Removal Refueling
 - 3.10.6 Multiple Control Rod Withdrawal Refueling
 - 3.10.7 Control Rod Testing Operating
 - 3.10.8 SDM Test Refueling
- 4.0 Design Features
 - 4.1 Site

- Reactor Core Fuel Storage 4.2
- 4.3
- 5.0 Administrative Controls

17. QUALITY ASSURANCE

17.1 Quality Assurance During Design and Construction

- 17.1.1 Organization
- 17.1.2 Quality Assurance Program
- 17.1.3 Design Control
- 17.1.4 Procurement Document Control
- 17.1.5 Instruction, Procedures, and Drawings
- 17.1.6 Document Control
- 17.1.7 Control of Purchased Material, Equipment, and Services
- 17.1.8 Identification and Control of Materials, Parts, and Components
- 17.1.9 Control of Special Processes
- 17.1.10 Inspection
- 17.1.11 Test Control
- 17.1.12 Control of Measuring and Test Equipment
- 17.1.13 Handling, Storage, and Shipping
- 17.1.14 Inspection, Test, and Operating Status
- 17.1.15 Nonconforming Materials, Parts, or Components
- 17.1.16 Corrective Action
- 17.1.17 Quality Assurance Records
- 17.1.18 Audits
- 17.1.19 References
- 17.2 Quality Assurance During the Operations Phase
- 17.3 Reliability Assurance Program During Design Phase
 - 17.3.1 Introduction
 - 17.3.2 Scope
 - 17.3.3 Purpose
 - 17.3.4 Objective
 - 17.3.5 GENE Organization for D-RAP
 - 17.3.6 SSC Identification/Prioritization
 - 17.3.7 Design Considerations
 - 17.3.8 Defining Failure Modes
 - 17.3.9 Operational Reliability Assurance Activities
 - 17.3.10 Owner/Operator's Reliability Assurance Program
 - 17.3.11 D-RAP Implementation
 - 17.3.12 Glossary of Terms
 - 17.3.13 COL Information
 - 17.3.14 References

18.0 HUMAN FACTORS ENGINEERING

- 18.1 Introduction
- 18.2 Design Goals and Design Bases
- 18.3 Planning, Development and Design
 - 18.3.1 Introduction
 - 18.3.2 Standard Design Features
 - 18.3.3 Inventory of Controls and Instrumentation
 - 18.3.4 Detailed Design Implementation Process
- 18.4 Control Room Standard Design Features
 - 18.4.1 Introduction
 - 18.4.2 Standard Design Feature Descriptions
 - 18.4.3 Control Room HSI Technology
- 18.5 Remote Shutdown System
- 18.6 Systems Integration
 - 18.6.1 Safety-Related Systems
 - 18.6.2 Nonsafety-Related Systems
- 18.7 Detailed Design of the Operator Interface System
- 18.8 COL Information
- 18A Emergency Procedure Guidelines
- 18B ESBWR EPG Compared to Generic EPG
- 18C Operator Interface Equipment Characterization
- 18D Emergency Procedures Guidelines-Input Data and Calculation Results
- 18E ESBWR Human-System Interface Design Implementation Process
- 18F Emergency Operation Information and Controls
- 18G Design Development and Validation Testing
- 18H Supporting Analysis for Emergency Operation Information and Controls

19.0 RESPONSE TO SEVERE ACCIDENT POLICY STATEMENT

- 19.1 Introduction
- 19.2 Goals
 - 19.2.1 Conformance to Goals
 - 19.2.2 Use of PRA in the Design Process

19.3 Plant Design Features and Operator Actions Included in the Risk Model

- 19.3.1 Frontline Systems
- 19.3.2 Support Systems
- 19.3.3 Operator Actions
- 19.3.4 Severe Accident Protection Overview
- 19.4 Level 1 Probabilistic Safety Analysis (PSA)
 - 19.4.1 Success Criteria
 - 19.4.2 Internal Events
 - 19.4.2.1 Initiating Events
 - 19.4.2.2 Event Trees
 - 19.4.2.3 Fault Trees
 - 19.4.2.4 Level 1 Results
 - 19.4.2.5 Level 1 Sensitivity and Uncertainty Analyses
 - 19.4.3 External Events Probabilistic Safety Analyses
 - 19.4.3.1 External Events Methodology
 - 19.4.3.2 Seismic Analysis
 - 19.4.3.3 Probabilistic Fire Analysis
 - 19.4.3.4 Probabilistic Flooding Analysis
 - 19.4.3.5 High Wind Analysis
 - 19.4.3.6 Other External Events
 - 19.4.3.7 External Events Conclusions
 - 19.4.4 Shutdown Probabilistic Safety Analysis
- 19.5 Level 2 Probabilistic Safety Analysis
 - 19.5.1 Accident Progression Analysis
 - 19.5.2 Containment Event Trees
 - 19.5.3 Release Categories
 - 19.5.4 Source Terms
 - 19.5.5 Level 2 Results
 - 19.5.6 Level 2 Sensitivity and Uncertainty Analyses
- 19.6 Conclusions
- 19.7 References