December 16, 2004

- MEMORANDUM TO: David C. Lew, Chief Probabilistic Risk Analysis Branch Division of Risk Analysis and Applications Office of Nuclear Regulatory Research
- FROM: Hugh W. Woods /RA/ Probabilistic Risk Analysis Branch Division of Risk Analysis and Applications Office of Nuclear Regulatory Research
- SUBJECT: USE OF THE UNIVERSITY OF MARYLAND'S (UMD's) LETTER REPORT, "THERMAL-HYDRAULIC UNCERTAINTY ANALYSIS IN PRESSURIZED THERMAL SHOCK RISK ASSESSMENT," AS A REFERENCE IN OUR NUREG-CR-6859, "PRA PROCEDURES AND UNCERTAINTY FOR PTS ANALYSIS"

The attached University of Maryland (UMD) report, "Thermal-Hydraulic Uncertainty Analysis in Pressurized Thermal Shock Risk Assessment - Methodology and Implementation on Oconee, Beaver Valley, and Palisades Nuclear Power Plants," March, 2003, was provided to me as the NRC/RES Project Manager for our Cooperative Research Agreement K-6007 with UMD.

The report describes methods used to account for uncertainties in the PTS calculations performed by the RES staff and our contractors in re-evaluating PTS risk at U.S. PWRs. As such, the report is cited as a reference in our NUREG/CR-6859 report, "PRA Procedures and Uncertainty for PTS Analysis," to be submitted for publication before the end of 2004.

Much of the work described in UMD's report was performed several years ago (our cooperative research agreement with UMD started in August, 1998, and an earlier draft of the report was provided in December, 2001). The attached report includes that earlier work, plus work performed between that time and March, 2003, but of course it does not take into account PTS methods, corrections, and results since that time. Thus, the UMD report may not in all cases be totally consistent with more recent reports such as the staff's NUREG-1806, "Technical Basis for Revision of the Pressurized Thermal Shock (PTS) Screening Limit in the PTS Rule (10CFR50.61): Summary Report," to be published by early 2005. If such inconsistencies are noted, the more recent results should be given precedence. However, the UMD report does provide a correct description of the general methods used to account for uncertainties in the PTS calculations, and for that purpose it is cited in NUREG/CR-6859.

	Attachment: UI Distribution: PF										
DOCUMENT NAME:G:\PTS\UmdTHuncertRptRefInNUREG.wpd								SISP Review Complete			
OAR in ADAMS? (Y or N) Y ADAMS ACCESSION NO.:								TEMPLATE NO. RES- 006			
Publicly Available? (Y or N) Y DATE OF RELEASE TO PUBLIC asap								SENSITI	VE?	N	
To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy											
OFFICE	DRAA/PRAB	С	DRAA/PRAB		DRAA/PRAB						
NAME	HWoods		DLew								
DATE	12/16/04		12/16/04								