



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

September 24, 2004

Terry Cox
Radiation Safety Officer
Pliant Corporation
4100 Profile Parkway
Bloomington, IN 47404

SUBJECT: ACKNOWLEDGMENT OF CORRESPONDENCE
(Letter Dated 9/2/2004)

Dear Terry Cox:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

 New License ✓ Amendment Termination

No Administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-2 below, as applicable).

1. New and Amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number(s). Please direct any questions concerning your request to the Materials Licensing Branch at (630) 829-9887.

Materials Licensing Branch

Mail Control No. 313705
License No. 13-32090-01