



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, STE 210  
LISLE, ILLINOIS 60532-4352

DEC 13 2004

Dan Kribs  
Radiation Safety Officer  
Conestoga-Rovers & Associates  
14496 Sheldon Road, Suite 200  
Plymouth, MI 48170

Dear Mr. Kribs:

Enclosed is Amendment No. 01, terminating your NRC Material License No. 12-32261-01 and also enclosed is the concurrent replacement license, new NRC License No. 21-32548-01, covering your fixed gauge licensed activities at your facility located in Plymouth, Michigan. These changes were necessitated by your change in the mailing address for the license, from Chicago, Illinois, to Plymouth, Michigan. It also addresses the requested change in the storage location for the portable gauges, as well as the named individual serving as the Radiation Safety Officer for the licensed activities.

Please review the enclosed documents carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
  - a. When the Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
  - b. When the mailing address listed on the license changes.

313939

DEC 13 2004

D. Kribs

2

3. In accordance with 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
  - a. Change Radiation Safety Officers;
  - b. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
  - c. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
  - d. Change ownership of your organization.
5. Submit a complete renewal application or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

D. Kribs

3

DEC 13 2004

Please note that on October 25, 2004, the NRC suspended public access to ADAMS, and initiated an additional security review of publicly available documents to ensure that potentially sensitive information is removed from the ADAMS database accessible through the NRC's web site. Interested members of the public may obtain copies of the referenced documents for review and/or copying by contacting the Public Document Room pending resumption of public access to ADAMS. The NRC Public Document Room is located at NRC Headquarters in Rockville, MD, and can be contacted at 800-397-4209 or 301-415-4737 or [pdr@nrc.gov](mailto:pdr@nrc.gov)

Sincerely,



Loren J. Hueter  
Materials Licensing Branch

License No. 12-32261-01  
Docket No. 030-35417

Enclosure: Amendment No. 01 (termination)

License No. 21-32548-01  
Docket No. 030-36768

Enclosure: new License No. 21-32548-01