	1
1	UNITED STATES OF AMERICA
2	NUCLEAR REGULATORY COMMISSION
3	+ + + +
4	OFFICE OF INVESTIGATIONS
5	PETITION REVIEW BOARD MEETING
6	
7	
8	Tuesday, December 7, 2004
9	0-7B6
10	11222 Rockville Pike
11	Rockville, Maryland 20852
12	
13	The above-entitled matter was conducted at 2:00 p.m.
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
I	

	2
1	P-R-O-C-E-E-D-I-N-G-S
2	(2:00 p.m.)
3	MR. MILANO: Do you have a quorum now, Mr.
4	Judson (phonetic)?
5	MR. JUDSON: Yes, we do. We should be
6	joined shortly by Robin Miller who will be dialing up
7	in just a couple of minutes.
8	MR. MILANO: Do you want to wait for is
9	it a her?
10	MR. JUDSON: Yes, well, we can go ahead.
11	MALE VOICE: Robin should be on the line.
12	MS. MILLER: I'm here.
13	MR. MILANO: Okay, great. Then we'll go
14	ahead and get the meeting started.
15	MR. JUDSON: Okay, so I'm assuming that
16	everybody got the agenda that we put together.
17	MALE VOICE: Yes, Gateway did.
18	MR. JUDSON: Okay, so what we figured we
19	start with is
20	MR. MILANO: Well, let me kick it off, Mr.
21	Judson.
22	MR. JUDSON: Okay.
23	MR. MILANO: Okay, yeah, this is Patrick
24	Milano. I'm the petition manager for your October
25	27th, 2004 petition and what I'd like to do now is
I	1

(202) 234-4433

```
www.nealrgross.com
```

	3
1	I'll introduce the NRC members at headquarters. Then
2	we have we have participants from NRC Region 1 and
3	we have the licensee representatives on hand also and
4	then from the petitioners. And what we'll do is we'll
5	go through and everybody can introduce themselves.
6	I'll begin with, again my name is Patrick
7	Milano. With me, I've got I'll introduce everybody
8	else. It's James Kim (phonetic) and Richard
9	Lauffer, (phonetic) both of which are with Division of
10	Licensing Project Management, Steven Lewis (phonetic)
11	from our Office of General Counsel, and James Lyons,
12	(phonetic) who's the Deputy Director for the Division
13	of Licensing Project Manager and the M.S. Fasbee
14	(phonetic) is the Petition Review Board Chairman and
15	our Petition Coordinator Donna Skay (phonetic), and
16	from our technical staff, Daniel Frumkin (phonetic).
17	Region 1, would you introduce yourselves?
18	MR. ROGEY: (Phonetic) Yeah, this is John
19	Rogey, I'm the electrical branch chief. With me, I
20	have Gene Colby, he is the branch chief in projects
21	that is responsible for the Fitzpatrick Site and I
22	believe Doug Dempsey is no the phone, the resident
23	inspector at the site.
24	MR. MILANO: Entergy?
25	MS. FAYE-DUNN: (Phonetic) This is
I	1

(202) 234-4433

	4
1	Charlene Faye-Dunn of Entergy in White Plains, New
2	York.
3	MR. PLATT: (Phonetic) And this is Rick
4	Platt, Entergy at the site, licensing engineer.
5	MR. MILANO: Okay. Mr. Judson, (phonetic)
6	would you go ahead and take care of your
7	introductions?
8	MR. JUDSON: Sure, what we figured what we
9	would do is the Petitioners who are on the line could
10	introduce themselves and make a couple of comments
11	about, you know, what their concerns are about and
12	why they joined on the petition. I'm Tim Judson, I'm
13	with Citizens Aware Network in Central New York and I
14	was the lead person in putting together the petition.
15	Deb, do you want to go?
16	MS. KATZ: (Phonetic) Yes, sure, Deb Katz,
17	Citizens Awareness Network. I'm the executive
18	director. We have been concerned about this violation
19	that's been in existence since 1992 with the
20	ventilation problem and we are concerned that it
21	remains unsolved and undealt with by the NRC and has
22	been allowed to fester for too long a time.
23	MR. BOARDWAY: (Phonetic) My name is
24	Lawrence Boardway. I represent Carl Patrickson
25	(phonetic). I'm an attorney representing Mr.
I	1

(202) 234-4433

	5
1	Patrickson. Mr. Patrickson is one of the petitioners.
2	I'd like to explain, though, that I only represent Mr.
3	Patrickson in connection with this telephone
4	conference. I do represent him in connection with the
5	whistle blower complaint that he filed against Entergy
6	that is currently pending before an Administrative Law
7	Judge and thus, because this matter relates to the
8	whistle blower complaint, Mr. Patrickson has asked me
9	to sit in on the telephone conference. I don't
10	represent any other parties to the petition, however.
11	MS. GATELY: (Phonetic) I'm Susan Gately
12	with Lake Shore Environmental Action. I'm interested
13	in this safety violation potential as a generic issue.
14	I live midway between Fitzpatrick and the Ganay Plant
15	which might have a similar problem.
16	MS. MILLER: I'm Robin Miller. I'm co-
17	chair of the Justice of Peace, which is a peace based
18	group of education and awareness of the City of
19	Oswego. I also live in the City of Oswego, seven
20	miles from the power plant and I have great concerns
21	about its safety.
22	MR. HAWKINS: My name is Larry Hawkins,
23	I'm chair of the Green Party of Onanda (phonetic)
24	County, downwind from the plant.
25	
ļ	I

(202) 234-4433

www.nealrgross.com

6 MR. JUDSON: Okay, and is that everyone? 1 We also -- there are also two reporters on the line, 2 3 Dillon Goldberg (phonetic) from the Post Standard and 4 Sean Tracy from the Palladian Times (phonetic) who are 5 just listening in at this point. I'll start going 6 through some of these items. It may actually go 7 quicker than the time I allotted on the agenda. 8 MR. MILANO: Yes, also, excuse me for a 9 Mr. Lyons, he just has some opening remarks second. 10 that could set the stage for -- you know, for the discussions this afternoon, and then we'll be turning 11 12 to over to you, Mr. Judson. Jim. Thank you, Pat. 13 MR. LYONS: Aqain, I'm Jim Lyons and I'm the chairman of the Petition Review 14 15 Board and this conference call deals with the petition filed pursuant to 10 CFR 2.206 on October 27th, 2004 16 17 by Mr. Tim Judson of the Central New York Citizens Awareness Network on behalf of the Central New York 18 Nuclear 19 Security Coalition. Petitioners have 20 requested that the NRC order suspension of the for 21 facility operating license the James Α. Fitzpatrick Nuclear Power Plant, owned and operated by 22 23 Entergy Nuclear Operations until the following actions 24 are completed.

Number one, conduct physical tests of the

NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

25

ventilation and heat uprates of the pump room under simulated fire scenarios with verification of the test results by an independent third party, followed by an open public meeting where the results are presented and reviewed.

Two, seal floor and ceiling penetrations 6 7 between the basement level pump rooms and the first 8 floor. Three, provide alternate cooling and 9 ventilation for the emergency service water in fire 10 safety related pump rooms, and four, verify the adequacy of actions by the NRC's Division of Reactor 11 Safety, Fire Protection and Inspection Team as the 12 Agency planned to do in 1997. 13

14 In addition, the petitioners request a demand for information to provide for any document 15 related to a 2003 allegation that were not provided in 16 17 response to a prior FOIA, a Freedom of Information Act request from the Citizens Awareness Network. In 18 19 accordance with the NRC's management directive 8.11, 2.206 the purpose of 20 on 10 CFR process, this 21 teleconference is to qive the petitioners an opportunity to address the Petition Review Board to 22 23 provide additional explanations or supporting 24 information for their petition.

It also provides an opportunity for the

NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

25

1

2

3

4

5

www.nealrgross.com

NRC staff and the licensee to ask any clarifying 1 However, the purpose of this conference 2 questions. call is not to debate the specific merits of the 3 petition. Since we have members of the public who are 4 5 not petitioners, I want to insure that you understand that this is a teleconference only between 6 the petitioners, the NRC and the licensee. 7 Thus, I ask 8 that you refrain from asking questions or commenting 9 during the proceeding.

After this phone call, the PRB will meet 10 to determine whether the NRC will accept the petition 11 under the 10 CFR 2.206 process and whether the issues 12 should be dealt with under another agency program. 13 14 The PRB's meeting will not determine whether we agree 15 or disagree with the contents of the petition. This 16 teleconference is beinq transcribed, SO anyone 17 desiring to make a statement needs to first state his or her name clearly. The transcript will become a 18 supplement to the petition and will be made publicly 19 available. 20

Since Mr. Judson, you've previously agreed to be the point of contact for petitioners, I will now ask you to briefly discuss the supporting basis for the actions requested in the petition and to describe any supporting information that was not provided when

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

filing the petition. In particular, Mr. Judson notified us yesterday that one of the petitioners had 2 submitted additional information for inclusion as part of the petition. The PRB has not seen or received this information as yet, so we'd like brief а explanation 6 of the description of this new information.

Furthermore, the petition notes that the 8 9 issues were reviewed in the past under the agency's 10 allegation program. Thus, we would like your statement to point out or emphasize any new or 11 different information that is now being provided in 12 this petition from that previously provided to the 13 14 With that, I will now turn over the discussion NRC. to Mr. Jordan and thank you for your patience. 15

Yes, Mr. Judson? You said 16 MR. JUDSON: Mr. Jordan and I --17

> I'm sorry, I misspoke. MR. LYONS:

19 MR. JUDSON: Well, first, you know, we'd like to thank the NRC for the opportunity to have this 20 conference call. We're very concerned about this 21 issue and to some extent, there's a question about 22 what happens when, you know, one branch of the NRC 23 24 who's reviewed а safety issue, has done SO 25 inadequately and has failed in their regulatory

> **NEAL R. GROSS** COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

3

4

5

7

18

www.nealrgross.com

function in our view? And you know, and that the 2.206 petition is really the only other avenue that the public has to try to have, you know, some justice in this matter.

5 And you know, I also wanted to make clear, you know, that there are a number of petitioners who 6 7 weren't able to make it on this conference call who 8 were very concerned because we're having it during the 9 work day and they have work obligations to attend to. 10 With that said, I quess the first item of business is to clarify that since we've submitted the petition, we 11 do have three new petitioners. One is the Green Party 12 (phonetic) County, 13 of Onandaga also the Nuclear 14 Information and Resource Service and Carl Patrickson So that should clarify the number of 15 has signed on. petitioners that we have at this point. 16

17 Now, as far as the technical basis for the petition, we believe that the licensee event report 18 19 from 1991 that originally documented this problem stands on its own as far as being able to identify 20 21 that there is potential problem with the а ventilation, the emergency service water and prior 22 safety related pump rooms at Fitzpatrick and in fact, 23 24 that that technical evaluation was affirmed when NIFA 25 (phonetic) applied in 1992 for a temporary exemption

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

www.nealrgross.com

to postpone installing modifications that they expected to be quite extensive at that time and that NRC understood this when they granted that exemption on September 10th, 1992. So rather than dwell too much on the technical details which are very well laid out in the OER (phonetic), what we'd like to focus on is a couple of other things.

8 But prior to stating that, you know, what 9 we wanted to make sure it was clear is that it isn't 10 just the emergency service water and more residual heat removal that are at issue in this. The OER in 11 1991, clearly identified that the fire safety related 12 pumps, were perhaps even more clearly than a problem 13 14 with inadequate ventilation than the other sets of 15 pumps that we're talking about. And that, in fact, 16 none of NIFA's responses to NRC about this issue, 17 addressed the problems of the fire safety related pumps and instead focused exclusively on the ESW and 18 19 RHR pumps.

This was a major oversight and we're not 20 sure why the NRC didn't catch it in its allegations 21 22 department review. In fact, you know, as far as the diesel fire pumps are concerned, just quote 23 to 24 directly from the LER, "The dampers to the room must 25 be open for proper operation of the pumps". There is

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

6

7

www.nealrgross.com

no ventilation air or air for combustion for those pumps except for what comes through the fire dampers which will be closed in the event of a fire. And that, as Mr. Patrickson has confirmed, was never done. And the NRC doesn't seem to have ever followed up to inspect the plant to make sure that those modifications were installed.

The other issue which falls somewhat 8 9 outside the issues which was raised in the 1991 four 10 Licensee Event Report, are the ceiling penetrations between the basement pump rooms and the 11 first floor. And we believe that in combination with 12 ventilation problem, this presents 13 the - those 14 penetrations present a serious security vulnerability 15 as well as an ongoing safety problem and the only 16 reason that those penetrations themselves do not have 17 any fire dampers on them is because NIFA applied in 1986 for an exemption from the fire safety regulation 18 19 and the NRC granted that on the basis that they were going to minimize the amount of combustible material 20 in the building. 21

We believe that especially post-9/11 with the possibility for terrorist attacks that could exploit such a vulnerability deliberately, for instance, you know, by using you know, jet fuel, that

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

6

7

that decision is invalid at this point and needs to be revisited, that in combination with the ventilation problems that we discussed makes a clear case that those penetrations need to be addressed as a comprehensive solution to the problem.

Moving on from there, the issue that we're 6 especially concerned about at this point, is that --7 8 is that NIFA basically pulled a bait and switch in 9 1992 when it applied for a temporary exemption from 10 having to install modifications. And then the NRC granting that acknowledged that, in fact, NIFA had 11 made a commitment to make extensive modifications to 12 the plant to address this issue. Now, subsequent to 13 14 that none of NIFA's responses to the NRC beginning in 15 1997 with Carl Patrickson's first allegations, even addressed this commitment which was enforceable and 16 made under its license in order to gain permission to 17 restart the reactor in 1992. 18

19 In fact NIFA's response to Mr. Patrickson's 1997 allegation which served as NRC's 20 sole basis for deciding not to investigate 21 this problem at that point, does not even acknowledge their 22 commitment under that exemption request. 23 As well, 24 NIFA submitted to NRC its own internal response to Mr. 25 Patrickson's concerns which were reported to the

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

company's "Speak Out" program and that response also ignores those commitments.

3 In fact, it's impossible to tell whether 4 the actions that that report cites as completed 5 corrective actions for the LER were in fact relevant or even adequate since no information about them was 6 7 presented to NRC. And not even a date on which the We don't 8 calculations at the site were performed. 9 even know if those were calculations that were 10 performed prior to the submission of the LER.

there's two indications that 11 Now, especially this latter document provided by NIFA lack 12 credibility. One is that despite a memo about the 13 14 pump room ventilation requirements, a meeting that was 15 held in which the report mentions as though it were evidence that corrective actions in the LER were 16 17 completed, now that memo was issued before the LER was written and, in fact, seems to have been the memo that 18 19 provided the basis for the creation of the LER in the first place. So, in fact, that would not have been a 20 corrective action. 21

The report also indicates that at least four of the dampers were reclassified to have their safety significance downgraded. Now, not only did downgrading their safety rating not a corrective

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

www.nealrgross.com

action, it doesn't address, you know, the ventilation problem that was identified in the LER, but it is in direct contradiction to NRC's denial in 1996 or 1986 of NIFA's request for an exemption from Appendix R for those same fire dampers.

And I'd like to read a quote from that, 6 7 from that exemption notice that illustrates this. 8 "With regard to the remaining 12 fire dampers", these 9 fire dampers are included in this, "the licensee's 10 approach is based on quote 'downgrading' existing multi-hour fire barriers and justifying the absence of 11 fire dampers on the basis of test results and that the 12 National Fire Protection Association does not require 13 14 fire dampers in one-hour fire related walls. However, 15 this report should negate the basis by which we accepted the fire protection program at Fitzpatrick 16 17 during our review of the program. In addition, since these barriers, as designed, possess a fire rating in 18 19 excess of two hours, the Fire Protection Association Standards requires the fire dampers be installed where 20 HVAC duct penetrations exist. Fire excess on one-hour 21 rated walls with unprotected HVAC duct penetration 22 were not conducted with continuous air ducts without 23 24 air registers.

The licensee has not established that the

NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

25

1

2

3

4

5

configuration of ducts at Fitzpatrick reflected the tested configuration. Therefore, the results of these tests may not be applicable to this issue. If fire dampers were not installed in these barriers, we would not have reasonable assurance that a fire, if one should occur, would be confined to the room of origin".

8 Now, what NIFA's response I 1997 indicates 9 there's a repeated approach by NIFA of is that 10 attempting to get out of regulatory requirements of fire protection by pretending that necessary safety 11 systems were expendable and we believe that this is 12 13 further evidence that NIFA was essentially trying to 14 wiggle out of the requirement and that NRC failed to 15 notice this was going on. Now, as far as the requested actions that we've listed, I was hoping that 16 17 Carl would be able to speak to some of the engineering issues involved in this and what should have been done 18 as a proper response to the '91 LER. 19

20 MR. MILANO: Would the 9/11 change things, 21 the overall fix to seal the ceiling penetrations and 22 seal the side wall penetrations at the elevation of 23 the pump rooms and provide one or two-unit coolers for 24 each of the pump rooms to cool the rooms for the pump 25 heat and any external heat to come through the outside

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

6

7

www.nealrgross.com

walls especially through a narrow fire, that type of 1 thing so that if there was a terrorist attack, 2 it 3 would minimize the chance of fuel or heat coming from the fire getting into the pump room and then the 4 cooler core would again, cool the heat generated by 5 6 the motors and any external heat coming through 7 especially from a fire? That's really about all it 8 would take and not take a major shutdown of the plant 9 or a major shutdown of the emergency pump room to install that modification. 10 MR. JUDSON: And how about, do you also 11 want to comment on the diesel --12 And the diesel fire pumps 13 MALE VOICE: 14 would basically need just a small hole either up 15 through the building roof or through the north outside wall to provide an outside combustion air for the 16 17 diesel so they's have a short air supply. MR. JUDSON: Great. Item 2 on the agenda, 18 19 the next thing we were planning to discuss was the new information that we'd like to submit at this point and 20 the first item in that is, obviously, the information 21 Patrickson submitted to 22 that Carl Dr. Reves' (phonetic) office, or Mr. Reyes' office subsequent to 23 24 our submission of the petition. And am I correct in 25 understanding that the Petition Review Board has not

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

	18
1	seen that information yet?
2	MR. MILANO: That is correct. That
3	information had not been provided. The only thing
4	that's been the only thing that we got subsequent
5	to you know, to your October submission was the
6	item that was or the two-page letter that you sent
7	to me yesterday, dated November 16th and it has you
8	know, is that the all the information or was there
9	something attached to it?
10	MR. JUDSON: There was nothing attached to
11	the letter. Carl, maybe you could clarify what you
12	sent and when?
13	MR. BOARDWAY: This is Lawrence Boardway,
14	the attorney representing Mr. Patrickson. Before we
15	discuss the materials that Mr. Patrickson provided to
16	the NRC, we need to address the fact that Mr.
17	Patrickson is bound, by virtue of his employment for
18	Fitzpatrick by a confidentiality agreement and while
19	he can disclose the information to the NRC, he cannot
20	disclose it to any members of the public. So we can't
21	really discuss the substantively what this information
22	that he provided was in this conference.
23	If you want to talk about it, we'll have
24	to do that solely with the NRC and to the members that
25	are present at the conference that are employed by
I	

(202) 234-4433

	19
1	Entergy.
2	MR. MILANO: Okay, I understand that, Mr.
3	Boardway. What we'll do is we'll make the Petition
4	Review Board will make an attempt to try to obtain
5	that information from the Office of the Executive
6	Director for Operations and you know, and we'll
7	proceed from there. If we need further discussions,
8	we'll work through Mr. Judson to attempt to contact
9	you and Mr. Patrickson.
10	MR. BOARDWAY: Thank you.
11	MR. MILANO: You're welcome.
12	MR. LYONS: This is Jim Lyons. Just a
13	quick question for clarification. What was the date
14	of that letter that was sent to Luis Reyes' office?
15	MR. BOARDWAY: You're talking about the
16	letter that I sent?
17	MR. LYONS: Yeah, that
18	MR. BOARDWAY: That was sent my letter
19	is dated September 29th, 2004 but it was mailed in
20	close proximity to Tim Judson's 2.206 petition.
21	MR. JUDSON: Okay, it should have been
22	received within a day or two after we submitted the
23	petition.
24	MR. LYONS: Okay.
25	MR. JUDSON: The letter that we sent to
	1

(202) 234-4433

	20
1	Mr. Reyes' office was on November 16th.
2	MR. LYONS: We have the November 16th
3	letter. It's the September 29th letter that we need
4	to go find. Given the if we have the date it helps
5	us a little bit of trying to track it down.
6	MR. JUDSON: Sure.
7	MR. LYONS: Thank you very much.
8	MR. JUDSON: Uh-huh.
9	MR. MILANO: Briefly, in regards to this
10	issue, what we wanted I mean, because we understand
11	that this is, in some sense, an unusual circumstance
12	where one of the petitioners has submitted information
13	into the proceeding that the other petitioners haven't
14	been able to review
15	(End of first audio)
16	will be transcribed in its entirety and
17	will be made part of the petition itself and the
18	transcript will also be provided to you for your
19	records.
20	MR. JUDSON: Pat, you said that the
21	recommendation will be made to within a month after
22	reviewing the new information. Now, seeing that we're
23	waiting on a FOIA request and we haven't been able to
24	obtain the 1992 violation, how you know, is that 30
25	days a moving, sort of target at this point?
I	1

(202) 234-4433

	21
1	MR. MILANO: No, that's excuse me if I
2	misled you there. The that process for the final
3	decision on the part of NRC management will be made in
4	about 30 days. So the Petition Review Board will make
5	its recommendation to management sooner to that such
6	that the final decision back to you and the other
7	petitioners will be made within about 30 days.
8	MR. JUDSON: Is that 30 days after we've
9	been able to submit this information that we're
10	waiting on?
11	MR. MILANO: No, that's 30 days
12	MR. LEWIS: This is Steve Lewis with
13	General Counsel's office. The additional information
14	that you're speaking about, you know, will certainly
15	be important to us when we get, but you know, if we
16	feel that we're able to go ahead and make the decision
17	as to whether or not you've met the threshold of 2.206
18	based on what we have, we'll go ahead and make that
19	decision. And you know, whatever additional
20	information comes in later, we'll certainly look at
21	and see how it relates to your petition.
22	MR. JUDSON: Well, in that case, I mean,
23	we're not sure what the rush is.
24	MR. MILANO: Are you saying a rush to make
25	a decision as to whether to accept or reject your
I	1

(202) 234-4433

22
petition?
MR. JUDSON: Yeah, 30 days from today, I
mean, you know, clearly there's information that we're
waiting on that we haven't been able to obtain for
outside reasons and we're just not sure, you know, why
why the clock starts today as opposed to when NRC
has actually been able to you know, to have that
information in hand.
MR. LEWIS: This is Steve Lewis, again.
Mr. Judson, I really don't think the way I see it
is I don't really think that you're disadvantaged
here. We're going to make a very good faith effort to
make a determination as to whether or not you you
know, you've met the threshold. You know, it's
let's just hypothetically make the situation whereby
we might say, "Well, you didn't meet the threshold",
and but (inaudible)*** and you know, the week after
that you have some information from the Department of
Labor proceeding which you think, you know, shows that
we were wrong in making that. Well, you know, we
certainly would want to consider that and bring it to

t to our attention but you know I just think we're doing nothing other than following our normal process at this point.

> **NEAL R. GROSS** COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

MS. MILLER: Robin Miller here. My

(202) 234-4433

www.nealrgross.com

	23
1	biggest concern as a citizen of the Town of Oswego is,
2	how is the public to benefit if there's no real
3	disclosure of important information concerning public
4	safety and it's constantly kept from us?
5	FEMALE VOICE: We do get that impression.
6	MS. MILLER: That's the impression I get
7	and that's what certainly my neighbors get.
8	MR. MILANO: I'm not sure I understand
9	what information you think is being withheld?
10	MS. MILLER: Information about safety at
11	the plant. If there's a safety issue and we're not
12	kept informed and the problem isn't repaired and we're
13	not kept updated in that, then you know, we don't have
14	the sense of security.
15	MR. MILANO: Well, I understand that and
16	with this process, we should be able to address those
17	issues. So
18	MR. JUDSON: Here's another question in
19	this vein. I mean, the Petition Review Board in its,
20	you know, review of this petition going to rely on the
21	Allegations Division regarding Mr. Patrickson's
22	allegations?
23	MR. MILANO: Yes, we look back on all the
24	information that we have here in the NRC to make a
25	determination of whether or not we should move forward
	I

(202) 234-4433

	24
1	on this petition was requested.
2	MR. JUDSON: Well, I mean, for instance in
3	this case, I mean one of the major issues in our
4	petition is, of course, the lack of confidence in the
5	Allegations Department's review of this issue. You
6	know, how does the Petition Review Board deal with
7	issues like that?
8	MR. MILANO: We would consider that. We
9	would consider that you felt that it wasn't adequately
10	addressed and we would look at that.
11	MR. JUDSON: Does the Petition Review
12	Board have the authority to supersede the Allegations
13	Department's review?
14	MR. MILANO: Certainly, if there is
15	additional information that would lead us to call into
16	question the you know, the previous Agency actions,
17	we would consider that. It's similar to what Steve
18	Lewis was saying about if you had additional
19	information even after even if the Petition Review
20	Board were to say this petition doesn't warrant to be
21	handled under 2.206, if you had additional information
22	that came to light after that and you provided it to
23	us, we would relook at that and relook at our decision
24	and determine if that would change our decision and
25	we've done that in the past. We've picked up reviews
ļ	

(202) 234-4433

	25
1	that we had originally put aside.
2	MR. JUDSON: Well, I mean, just sort of
3	probing further with this, is you know, for instance,
4	you know, there's the most recent allegation that Mr.
5	Patrickson made in 2003, the allegation that the
6	Department had conducted a review, that information
7	that we haven't been able to review ourselves, is that
8	you know, is that Allegation Department information
9	going to be considered in denying our petition or
10	approving it whichever way it goes?
11	MR. LEWIS: This is Steve Lewis again. I
12	was just mentioning that I could add a little
13	something to this. I mean, once again, my concern is
14	the same one I voiced before, which is that the NRC
15	has available to it information that Mr. Patrickson
16	has supplied which was done in connection with an
17	allegation process. I think that you know, the way
18	the NRC would handle a matter that is being handled
19	under 2.206 would we would probably erect a barrier
20	between reliance on what was a basis for a
21	determination and an allegation process and what we're
22	considering now.
23	And that's because we because the
24	public needs to know what we're relying on. Now, to
25	the extent that anyone who is assisting you with
I	1

(202) 234-4433

regard to your petition has chosen to use the allegation process, you know, that was an option that they exercised and of course, I think we always make it clear to people in the allegation process is a confidential process and a non-public process and whereas 2.206 is a public process. So I mean, I want to be candid with you.

Certainly we'll look at things that are 8 9 available to us and if, in fact -- if, in fact, it 10 turns out that it was very important to out thinking to probe into, you know, why a certain matter that was 11 handled or an allegation process, you know, was not 12 satisfactory, I think at that point, you know, the 13 14 Petition Review Board would be talking quite a bit to me and the Office of General Counsel because, you 15 know, that's a problem area. 16

17 We're trying to -- we certainly welcome any one's participation in your petition but I just 18 19 want to make it clear that we have to be able to proceed on the basis of information that is publicly 20 available basically, and when I start to hear things 21 Patrickson is bound by a certain 22 about how Mr. confidentiality agreement he has with Entergy and 23 24 things of that nature, well, you know, that's another 25 matter. That will have to be dealt with elsewhere and

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

6

7

www.nealrgross.com

	27			
1	so, you know, that's my response to it.			
2	MR. JUDSON: Let me ask this. I mean, if			
3	for instance, you know absent putting our information			
4	together with information that Mr. Patrickson has			
5	provided, you know, to the PRB, the Petition Review			
6	Board decided that an investigation wasn't warranted,			
7	but with Mr. Patrickson's information it became clear			
8	that an investigation would be warranted, even though			
9	that information isn't available to the public, would			
10	the PRB then still decide that an investigation wasn't			
11	warranted just because there's this firewall that			
12	you're discussing?			
13	MR. LYONS: No, no. And, in fact, I think			
14	there are two points that I'd like to make and I hope			
15	this helps, and this is Jim Lyons. We have not been			
16	good about giving our names all the time. First of			
17	all, with respect to the technical concerns, we're			
18	going to judge the technical concerns that you			
19	provided in here regardless of whether we treat this			
20	as a 2.206 petition or not. So you will get a			
21	response on those technical concerns one way or the			
22	other. So I want you to know that.			
23	And the other is, you know, as your			
24	petition stated that you had some concerns about the			
25	way this was handled in the past. We have referred			
I				

(202) 234-4433

those comments to our Inspector General who will also look at any problems as to the way would had handled things previously. So there are things that are going to happen whether or not we accept this as a 2.206 petition or not. I just wanted to let you know that.

MR. JUDSON:

7 I mean, one thing that, you know, I mean, this is 8 obviously sort of -- you know, moving target but based 9 on the FOIA request we put into the Department of 10 Labor, if those -- you know, if and when those documents are provided to us, then, in fact, we -- you 11 know, it can turn out that the information that Mr. 12 Patrickson has provided, you know, would not 13 be 14 information that isn't available to the public and then, in fact, could change that entirely. 15

MR. MILANO: Yeah, I guess it could.

Uh-huh. Now on this point,

17 MR. JUDSON: And in certain events, you know, this is a little bit of a red herring because, 18 19 you know, obviously as I said earlier, those documents have already been discussed in public and Entergy 20 didn't bother to object to that being done. 21 So, in fact, you know, in a certain sense, we're waiting for 22 23 the documentary record to catch up with history.

24 MR. LEWIS: Well, we'll just acknowledge 25 -- this is Steve Lewis. We're acknowledging your

> NEAL R. GROSS COURT REPORTERS AND TRANSCRIBERS 1323 RHODE ISLAND AVE., N.W. WASHINGTON, D.C. 20005-3701

(202) 234-4433

1

2

3

4

5

6

16

	29	
1	point and certainly, we want you to provide us with	
2	whatever information that after your review, you	
3	believe is relevant to our to the issues that you	
4	have raised in the petition at whatever time	
5	whenever that happens.	
6	MR. JUDSON: Okay.	
7	MR. MILANO: All right, well, with that,	
8	I really appreciate the information you've given us	
9	and the time you've taken to put this together and to	
10	provide us with your thoughts today and thank you very	
11	much for the phone call. And with that, we'll sign	
12	off.	
13	MR. BOARDWAY: When will the transcript	
14	become available? Do you know?	
15	THE REPORTER: A week or two.	
16	MR. MILANO: Within about a week or two	
17	we should have it.	
18	MR. BOARDWAY: Do you know where it will	
19	be accessible from?	
20	THE REPORTER: It will be sent to the	
21	Petitioners.	
22	MR. MILANO: Yes, it will be sent to the	
23	Petitioners.	
24	MR. BOARDWAY: And Tim, you'll make that	
25	available?	
I	1	

		30
1		MR. JUDSON: Yes, I will.
2		MR. BOARDWAY: Okay, thanks.
3		MR. MILANO: All right, well, thank you
4	very much.	
5		(Whereupon the Teleconference concluded.)
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
ļ	I	