

January 19, 2005

Mr. Terry Naughton
Director of Corporate Sales
ASP, Inc.
2511 East Capitol Drive
Box 1794
Appleton, WI 54911

SUBJECT: ACKNOWLEDGMENT OF REQUEST FOR NEW EXEMPT DISTRIBUTION
LICENSE FOR WATCHES CONTAINING TRITIUM

Dear Mr. Naughton:

This letter is to acknowledge the receipt of your exempt distribution license application dated December 9, 2004, for watches containing tritium, and to inform you that the initial processing, which includes an acceptance review, has been performed. The initial review found no administrative omissions. Your application has been assigned to a technical reviewer. Please note that the technical review may require additional information which the technical reviewer would request if needed. An application for a new license is normally processed within 90 days, unless the technical review identifies major deficiencies, or policy issues requiring input and coordination with other offices.

A copy of your correspondence has been forwarded to the U. S. Nuclear Regulatory Commission, Office of the Chief Financial Officer, who will contact you separately if the appropriate license fee has not been submitted for your request, or for billing if your request is subject to full-cost recovery.

Please feel free to contact me at (301) 415-6613 (via email at teh@nrc.gov), or Jonathan Rivera (technical reviewer) at (301) 415-5810 (via email at jxr4@nrc.gov) if you have any questions.

Sincerely,

/RA/
Timothy E. Harris, Section Chief
Materials Safety and Inspection Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Docket No: 030-36779
Mail Control No: 022468

January 19, 2005

Mr. Terry Naughton
Director of Corporate Sales
ASP, Inc.
2511 East Capitol Drive
Box 1794
Appleton, WI 54911

SUBJECT: ACKNOWLEDGMENT OF REQUEST FOR NEW EXEMPT DISTRIBUTION
LICENSE FOR WATCHES CONTAINING TRITIUM

Dear Mr. Naughton:

This letter is to acknowledge the receipt of your exempt distribution license application dated December 9, 2004, for watches containing tritium, and to inform you that the initial processing, which includes an acceptance review, has been performed. The initial review found no administrative omissions. Your application has been assigned to a technical reviewer. Please note that the technical review may require additional information which the technical reviewer would request if needed. An application for a new license is normally processed within 90 days, unless the technical review identifies major deficiencies, or policy issues requiring input and coordination with other offices.

A copy of your correspondence has been forwarded to the U. S. Nuclear Regulatory Commission, Office of the Chief Financial Officer, who will contact you separately if the appropriate license fee has not been submitted for your request, or for billing if your request is subject to full-cost recovery.

Please feel free to contact me at (301) 415-6613 (via email at teh@nrc.gov), or Jonathan Rivera (technical reviewer) at (301) 415-5810 (via email at jxr4@nrc.gov) if you have any questions.

Sincerely,

/RA/

Timothy E. Harris, Section Chief
Materials Safety and Inspection Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Docket No: 030-36779
Mail Control No: 022468

DISTRIBUTION:

IMNS r/f JWard MMoriarty

ML050180421

*See Previous Concurrence

OFC	NMSS	NMSS			
NAME	JRivera*	THarris*			
DATE	1/14/05	1/19/05			

OFFICIAL RECORD COPY