Attachment 1

Attachment 1 to NRC RAIs

LCTS System "Operational Leakage" Scenario

RESRAD 6.21 Output File Reports

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary 2
Site-Specific Parameter Summary 4
Summary of Pathway Selections 9
Contaminated Zone and Total Dose Summary 10
Total Dose Components .....11 - 18
Dose/Source Ratios Summed Over All Pathways 19
Single Radionuclide Soil Guidelines 19
Dose Per Nuclide Summed Over All Pathways 21
Soil Concentration Per Nuclide 22

Part II: Source Terms, Factors, and Parameters for Individual Pathways

Iteration Logs
Maximum Ra-228 Dose/Source Ratio 3

Source Factors for Ingrowth and Decay
Radioactivity Only 5
Combined Radioactivity and Leaching 6

Ground Pathway
Source Term Parameters 7
Time Dependence of Source Geometry 7
Occupancy, Cover/Depth, and Area Factors 8
Dose Conversion and Environmental Transport Factors 8
Dose/Source Ratios 9

Inhalation Pathway (radon excluded)
Dose/Source Ratios 10
Pathway Factors 10
Dose Conversion and Environmental Transport Factors 11

Radon Pathway
Flux and Parameters 12
Concentration and Parameters 13
Working Levels 14
Dose/Source Ratios 15

Groundwater and Surface Water Pathway Segments
Transport Time Parameters for Unsaturated Zone Strata 17
Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model 19
Primary Parameters Used to Calculate Ratios 19
Water/Soil Concentration Ratios 20

Food Pathways
Storage Times for Contaminated Foodstuffs 21
Storage Time Ingrowth and Decay Factors 21

Storage Correction Factors
Drinking Water 22
Irrigation Water 22
Livestock Water 24
Plants 25
Livestock Fodder 26
Meat and Milk 27
Fish and Crustacea 28
Area and Depth Factors 29

Dose Conversion and Environmental Transport Factors
Plant 31
Meat 33
Milk 36
Fish 39
Drinking Water 39

Dose/Source Ratios
Plant 40
Plant Total 44
Meat 45
Meat Total 50
Milk 51
Milk Total 56
Fish 57
Drinking Water 58

Concentration Ratios
Plant/Air and Plant/Water 59
Plant/Soil 59
Meat/Fodder, Fodder/Air, Fodder/Water 62
Fodder/Soil 63
Meat/Soil 65
Milk/Soil 67

Soil Ingestion Pathway
Dose/Source Ratios 69
Dose Conversion and Environmental Transport Factors 69

Part III: Intake Quantities and Health Risk Factors

Cancer Risk Slope Factors 2
Amount of Intake Quantities and Excess Cancer Risks
Time= 0.000E+00 4
Time= 1.000E+00 7
Time= 3.000E+00 10
Time= 1.000E+01 13
Time= 3.000E+01 16
Time= 1.000E+02 19
Time= 3.000E+02 22
Time= 1.000E+03 25

Part IV: Concentration of Radionuclides

Concentration of radionuclides in different media
Time= 0.000E+00 2
Time= 1.000E+00 3
Time= 3.000E+00 4
Time= 1.000E+01 5
Time= 3.000E+01 6
Time= 1.000E+02 7
Time= 3.000E+02 8
Time= 1.000E+03 9

Part V: Dose from Radionuclide at Point of Action

Total Dose Components Summed to Daughter
Time = 0.000E+00 years 2
Time = 1.000E+00 years 3
Time = 3.000E+00 years 4
Time = 1.000E+01 years 5
Time = 3.000E+01 years 6
Time = 1.000E+02 years 7
Time = 3.000E+02 years 8
Time = 1.000E+03 years 9

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results
Probabilistic Input 2
Total Dose 3
Total Risk 4
Dose vs. Pathway: Ground External 5
Dose vs. Pathway: Inhalation (w/o Radon) 6
Dose vs. Pathway: Radon (Water Ind.) 7
Dose vs. Pathway: Plant (Water Ind.) 8
Dose vs. Pathway: Meat (Water Ind.) 9
Dose vs. Pathway: Milk (Water Ind.) 10
Dose vs. Pathway: Soil Ingestion 11
Dose vs. Pathway: Water Ingestion 12
Dose vs. Pathway: Fish Ingestion 13
Dose vs. Pathway: Radon (Water Dep.) 14
Dose vs. Pathway: Plant (Water Dep.) 15
Dose vs. Pathway: Meat (Water Dep.) 16
Dose vs. Pathway: Milk (Water Dep.) 17
Cumulative Probability Summary 18
Summary of dose at graphical times, repetition 1 19
Summary of dose at graphical times, repetition 2 20
Summary of dose at graphical times, repetition 3 21
Summary of dose at graphical times, repetition 4 22
Summary of dose at graphical times, repetition 5 23
Peak of the mean dose at graphical times 24
Correlation and Regression coefficients ....25 - 129



Figure 1 Cumulative Probability for Annual Radiation Dose, All Pathways, LCTS leakage Scenario



Figure 2 Projected Mean Annual Dose vs. Time—LCTS Leakage Scenario



Figure 3 Projected 95th Percentile Annual Dose vs. Time—LCTS Leakage Scenario

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary 4
Summary of Pathway Selections 9
Contaminated Zone and Total Dose Summary 10
Total Dose Components
Time = 0.000E+00 11
Time = 1.000E+00 12
Time = 3.000E+00 13
Time = 1.000E+01 14
Time = 3.000E+01 15
Time = 1.000E+02 16
Time = 3.000E+02 17
Time = 1.000E+03 18
Dose/Source Ratios Summed Over All Pathways 19
Single Radionuclide Soil Guidelines 19
Dose Per Nuclide Summed Over All Pathways 21
Soil Concentration Per Nuclide 22

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

0 Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(1)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(2)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(3)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(5)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(6)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(1)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(2)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(3)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(5)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(6)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(3,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(5,3)
D-34				
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(2,2)
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(3,2)

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: FGR 13 Morbidity

0 Menu	Parameter	Current Value	Default	Parameter Name
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(5,2)
D-5				
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(6,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(6,2)

Site-Specific Parameter Summary

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	5.725E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.220E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	3.400E+03	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	7.480E+03	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	1.095E+05	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	1.095E+05	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Th-230	3.400E+05	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Th-232	1.095E+05	0.000E+00	---	S1(6)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(6)
R013	Cover depth (m)	1.520E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	1.970E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	3.000E-06	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.650E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	3.000E-06	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.000E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	1.920E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	7.100E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.500E-02	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	3.200E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.650E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.500E-01	2.000E-01	---	EPSZ

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	1.520E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.650E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.008E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.439E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.439E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.682E-06	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.682E-06	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(6)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(6,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.682E-06	ALEACH(6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(6)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.850E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	0.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	0.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	2.850E-02	-1	---	FPLANT
R018	Contamination fraction of meat	3.000E-01	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.500E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	0.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	0.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	suppressed
6 -- aquatic foods	active
7 -- drinking water	suppressed
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions	
Area:	5725.00 square meters
Thickness:	1.22 meters
Cover Depth:	1.52 meters

Initial Soil Concentrations, pCi/g	
Pb-210	3.400E+03
Ra-226	7.480E+03
Ra-228	1.095E+05
Th-228	1.095E+05
Th-230	3.400E+05
Th-232	1.095E+05

0

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	5.309E-06	5.308E-06	5.302E-06	5.281E-06	5.275E-06	5.328E-06	5.462E-06	3.427E+01
M(t):	2.124E-07	2.123E-07	2.121E-07	2.112E-07	2.110E-07	2.131E-07	2.185E-07	1.371E+00

0Maximum TDOSE(t): 3.427E+01 mrem/yr at t = 1.000E+03 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	7.644E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.556E-08	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	8.642E-07	0.1628	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	4.372E-06	0.8234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.502E-10	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	3.729E-08	0.0070	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.309E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.644E-24	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.556E-08	0.0067
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.642E-07	0.1628
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.372E-06	0.8234
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.502E-10	0.0001
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.729E-08	0.0070
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.309E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	7.403E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.549E-08	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.011E-06	0.3789	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	3.043E-06	0.5733	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.050E-09	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	2.168E-07	0.0409	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.308E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.403E-24	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.549E-08	0.0067
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.011E-06	0.3789
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.043E-06	0.5733
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.050E-09	0.0002
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.168E-07	0.0409
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.308E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	6.944E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.536E-08	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.948E-06	0.5560	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.475E-06	0.2781	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.445E-09	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	8.418E-07	0.1588	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.302E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.944E-24	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.536E-08	0.0067
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.948E-06	0.5560
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.475E-06	0.2781
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.445E-09	0.0005
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.418E-07	0.1588
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.302E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.551E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.491E-08	0.0066	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.026E-06	0.3837	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.168E-07	0.0221	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	7.290E-09	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	3.096E-06	0.5862	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.281E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.551E-24	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.491E-08	0.0066
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.026E-06	0.3837
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.168E-07	0.0221
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.290E-09	0.0014
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.096E-06	0.5862
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.281E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.928E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.366E-08	0.0064	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.920E-07	0.0364	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.330E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.080E-08	0.0039	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	5.028E-06	0.9533	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.275E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.928E-24	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.366E-08	0.0064
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.920E-07	0.0364
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.330E-11	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.080E-08	0.0039
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.028E-06	0.9533
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.275E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
0 Water Independent Pathways (Inhalation excludes radon)

0 Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.120E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.963E-08	0.0056	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	3.772E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.078E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	6.448E-08	0.0121	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	5.234E-06	0.9823	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.328E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
0 Water Dependent Pathways

0 Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.120E-25	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.963E-08	0.0056
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.772E-11	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.078E-22	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.448E-08	0.0121
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.234E-06	0.9823
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.328E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
0 Water Independent Pathways (Inhalation excludes radon)

0 Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.058E-08	0.0038	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.657E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.632E-07	0.0299	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	5.279E-06	0.9664	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.462E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
0 Water Dependent Pathways

0 Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.058E-08	0.0038
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.657E-22	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.632E-07	0.0299
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.279E-06	0.9664
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.462E-06	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
0 Water Independent Pathways (Inhalation excludes radon)
0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.743E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.304E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	5.439E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.775E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
0 Water Dependent Pathways
0

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	2.127E+01	0.6206	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.127E+01	0.6206
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	1.300E+01	0.3794	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.300E+01	0.3794
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.439E-06	0.0000
Total	0.000E+00	0.0000	3.427E+01	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.427E+01	1.0000

0*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	2.248E-27	2.177E-27	2.042E-27	1.633E-27	8.611E-28	9.176E-29	1.529E-31	2.884E-41
0Ra-226	Ra-226	1.000E+00	4.753E-12	4.745E-12	4.727E-12	4.667E-12	4.500E-12	3.961E-12	2.751E-12	2.264E-04
Ra-226	Pb-210	1.000E+00	3.511E-29	1.038E-28	2.343E-28	6.270E-28	1.340E-27	1.873E-27	1.381E-27	2.617E-03
Ra-226	§DSR(j)		4.753E-12	4.745E-12	4.727E-12	4.667E-12	4.500E-12	3.961E-12	2.751E-12	2.843E-03
0Ra-228	Ra-228	1.000E+00	5.351E-13	4.737E-13	3.712E-13	1.581E-13	1.380E-14	2.710E-18	6.948E-29	0.000E+00
Ra-228	Th-228	1.000E+00	7.358E-12	1.790E-11	2.656E-11	1.835E-11	1.740E-12	3.418E-16	8.751E-27	0.000E+00
Ra-228	§DSR(j)		7.894E-12	1.837E-11	2.693E-11	1.851E-11	1.754E-12	3.445E-16	8.820E-27	0.000E+00
0Th-228	Th-228	1.000E+00	3.993E-11	2.780E-11	1.347E-11	1.067E-12	7.609E-16	7.379E-27	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	1.430E-29	1.430E-29	1.430E-29	1.431E-29	1.434E-29	1.444E-29	1.473E-29	1.580E-29
Th-230	Ra-226	1.000E+00	1.030E-15	3.087E-15	7.191E-15	2.144E-14	6.118E-14	1.896E-13	4.799E-13	3.431E-06
Th-230	Pb-210	1.000E+00	5.084E-33	3.525E-32	1.823E-31	1.513E-30	1.041E-29	6.342E-29	2.083E-28	3.480E-05
Th-230	§DSR(j)		1.030E-15	3.087E-15	7.191E-15	2.144E-14	6.118E-14	1.896E-13	4.799E-13	3.823E-05
0Th-232	Th-232	1.000E+00	1.080E-32	1.080E-32	1.081E-32	1.081E-32	1.084E-32	1.093E-32	1.120E-32	1.219E-32
Th-232	Ra-228	1.000E+00	3.291E-14	9.364E-14	1.950E-13	4.058E-13	5.489E-13	5.645E-13	5.703E-13	5.907E-13
Th-232	Th-228	1.000E+00	3.077E-13	1.887E-12	7.494E-12	2.787E-11	4.538E-11	4.724E-11	4.765E-11	4.909E-11
Th-232	§DSR(j)		3.406E-13	1.981E-12	7.689E-12	2.828E-11	4.593E-11	4.781E-11	4.822E-11	4.968E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

0Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13
Ra-226	*9.882E+11	*9.882E+11	*9.882E+11	*9.882E+11	*9.882E+11	*9.882E+11	*9.882E+11	8.793E+03
Ra-228	3.167E+12	1.361E+12	9.285E+11	1.351E+12	1.425E+13	*2.726E+14	*2.726E+14	*2.726E+14
Th-228	6.261E+11	8.994E+11	1.856E+12	2.344E+13	*8.192E+14	*8.192E+14	*8.192E+14	*8.192E+14
Th-230	*2.018E+10	*2.018E+10	*2.018E+10	*2.018E+10	*2.018E+10	*2.018E+10	*2.018E+10	6.539E+05
Th-232	*1.096E+05	*1.096E+05	*1.096E+05	*1.096E+05	*1.096E+05	*1.096E+05	*1.096E+05	*1.096E+05

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 1.000E+03 years

0Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Pb-210	3.400E+03	0.000E+00	2.248E-27	*7.631E+13	0.000E+00	*7.631E+13
Ra-226	7.480E+03	1.000E+03	2.843E-03	8.793E+03	2.843E-03	8.793E+03
Ra-228	1.095E+05	4.016 ± 0.008	2.768E-11	9.033E+11	0.000E+00	*2.726E+14
Th-228	1.095E+05	0.000E+00	3.993E-11	6.261E+11	0.000E+00	*8.192E+14
Th-230	3.400E+05	1.000E+03	3.823E-05	6.539E+05	3.823E-05	6.539E+05
Th-232	1.095E+05	1.000E+03	4.968E-11	*1.096E+05	4.968E-11	*1.096E+05

*At specific activity limit

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

0Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	7.644E-24	7.403E-24	6.944E-24	5.551E-24	2.928E-24	3.120E-25	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	2.626E-25	7.761E-25	1.752E-24	4.690E-24	1.003E-23	1.401E-23	1.033E-23	1.957E+01
Pb-210	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	5.143E-25	3.539E-24	2.156E-23	7.081E-23	1.183E+01
Pb-210	§DOSE(j)		7.906E-24	8.179E-24	8.697E-24	1.076E-23	1.649E-23	3.588E-23	8.114E-23	3.141E+01
0Ra-226	Ra-226	1.000E+00	3.556E-08	3.549E-08	3.536E-08	3.491E-08	3.366E-08	2.963E-08	2.058E-08	1.693E+00
Ra-226	Th-230	1.000E+00	3.502E-10	1.050E-09	2.445E-09	7.290E-09	2.080E-08	6.448E-08	1.632E-07	1.167E+00
Ra-226	§DOSE(j)		3.591E-08	3.654E-08	3.781E-08	4.220E-08	5.447E-08	9.411E-08	1.837E-07	2.860E+00
0Ra-228	Ra-228	1.000E+00	5.858E-08	5.186E-08	4.064E-08	1.731E-08	1.510E-09	2.966E-13	7.606E-24	0.000E+00
Ra-228	Th-232	1.000E+00	3.603E-09	1.025E-08	2.135E-08	4.442E-08	6.010E-08	6.181E-08	6.243E-08	6.467E-08
Ra-228	§DOSE(j)		6.219E-08	6.211E-08	6.198E-08	6.173E-08	6.161E-08	6.181E-08	6.243E-08	6.467E-08
0Th-228	Ra-228	1.000E+00	8.056E-07	1.959E-06	2.907E-06	2.009E-06	1.905E-07	3.742E-11	9.581E-22	0.000E+00
Th-228	Th-228	1.000E+00	4.372E-06	3.043E-06	1.475E-06	1.168E-07	8.330E-11	8.078E-22	0.000E+00	0.000E+00
Th-228	Th-232	1.000E+00	3.368E-08	2.066E-07	8.205E-07	3.052E-06	4.968E-06	5.172E-06	5.216E-06	5.374E-06
Th-228	§DOSE(j)		5.211E-06	5.209E-06	5.202E-06	5.177E-06	5.159E-06	5.172E-06	5.216E-06	5.374E-06
0Th-230	Th-230	1.000E+00	4.861E-24	4.861E-24	4.862E-24	4.866E-24	4.875E-24	4.909E-24	5.008E-24	5.371E-24
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.
§ is used to indicate summation; the Greek sigma is not included in this font.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated
S(j,t), pCi/g

0Nuclide (j)	Parent (i)	BRF(i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	3.400E+03	3.293E+03	3.088E+03	2.467E+03	1.298E+03	1.373E+02	2.241E-01	3.933E-11
Pb-210	Ra-226	1.000E+00	0.000E+00	2.286E+02	6.631E+02	1.969E+03	4.336E+03	6.070E+03	4.387E+03	1.183E+03
Pb-210	Th-230	1.000E+00	0.000E+00	2.263E+00	1.992E+01	2.050E+02	1.501E+03	9.282E+03	3.001E+04	6.334E+04
Pb-210	§S(j):		3.400E+03	3.523E+03	3.771E+03	4.641E+03	7.135E+03	1.549E+04	3.440E+04	6.452E+04
0Ra-226	Ra-226	1.000E+00	7.480E+03	7.466E+03	7.438E+03	7.341E+03	7.071E+03	6.203E+03	4.266E+03	1.150E+03
Ra-226	Th-230	1.000E+00	0.000E+00	1.472E+02	4.406E+02	1.459E+03	4.296E+03	1.343E+04	3.375E+04	6.612E+04
Ra-226	§S(j):		7.480E+03	7.613E+03	7.879E+03	8.800E+03	1.137E+04	1.963E+04	3.802E+04	6.727E+04
0Ra-228	Ra-228	1.000E+00	1.095E+05	9.691E+04	7.593E+04	3.233E+04	2.818E+03	5.515E-01	1.399E-11	0.000E+00
Ra-228	Th-232	1.000E+00	0.000E+00	1.242E+04	3.316E+04	7.624E+04	1.054E+05	1.082E+05	1.081E+05	1.080E+05
Ra-228	§S(j):		1.095E+05	1.093E+05	1.091E+05	1.086E+05	1.082E+05	1.082E+05	1.081E+05	1.080E+05
0Th-228	Ra-228	1.000E+00	0.000E+00	3.121E+04	5.880E+04	4.433E+04	4.246E+03	8.314E-01	2.110E-11	0.000E+00
Th-228	Th-228	1.000E+00	1.095E+05	7.620E+04	3.692E+04	2.923E+03	2.083E+00	2.014E-11	0.000E+00	0.000E+00
Th-228	Th-232	1.000E+00	0.000E+00	2.040E+03	1.359E+04	6.149E+04	1.040E+05	1.082E+05	1.081E+05	1.080E+05
Th-228	§S(j):		1.095E+05	1.095E+05	1.093E+05	1.087E+05	1.082E+05	1.082E+05	1.081E+05	1.080E+05
0Th-230	Th-230	1.000E+00	3.400E+05	3.400E+05	3.400E+05	3.400E+05	3.399E+05	3.396E+05	3.389E+05	3.364E+05
0Th-232	Th-232	1.000E+00	1.095E+05	1.095E+05	1.095E+05	1.095E+05	1.095E+05	1.095E+05	1.094E+05	1.093E+05

BRF(i) is the branch fraction of the parent nuclide.
§ is used to indicate summation; the Greek sigma is not included in this font.
0RESCALC.EXE execution time = 335.02 seconds
Total water/soil iteration failures = 6.

Table of Contents

Part II: Source Terms, Factors, and Parameters for Individual Pathways

Iteration Logs
Maximum Ra-228 Dose/Source Ratio 3

Source Factors for Ingrowth and Decay
Radioactivity Only 5
Combined Radioactivity and Leaching 6

Ground Pathway
Source Term Parameters 7
Time Dependence of Source Geometry 7
Occupancy, Cover/Depth, and Area Factors 8
Dose Conversion and Environmental Transport Factors . 9
Dose/Source Ratios 9

Inhalation Pathway (radon excluded)
Dose/Source Ratios 10
Pathway Factors 10
Dose Conversion and Environmental Transport Factors . 11

Radon Pathway
Flux and Parameters 12
Concentration and Parameters 14
Working Levels 15
Dose/Source Ratios 16

Groundwater and Surface Water Pathway Segments
Transport Time Parameters for Unsaturated Zone Strata 18
Dilution Factor and Rise Time Parameters for
Nondispersion (ND) Model 19
Primary Parameters Used to Calculate Ratios 19
Water/Soil Concentration Ratios 20

Table of Contents (cont.)

Part II: Source Terms, Factors, and Parameters for Individual Pathways

Food Pathways
- Storage Times for Contaminated Foodstuffs 21
- Storage Time Ingrowth and Decay Factors 21
- Storage Correction Factors
  - Drinking Water 22
  - Irrigation Water 22
  - Livestock Water 25
  - Plants 26
  - Livestock Fodder 27
  - Meat and Milk 28
  - Fish and Crustacea 29
- Area and Depth Factors 30
- Dose Conversion and Environmental Transport Factors
  - Plant 32
  - Meat 34
  - Milk 37
  - Fish 40
  - Drinking Water 40
- Dose/Source Ratios
  - Plant 41
    - Plant Total 45
  - Meat 46
    - Meat Total 51
  - Milk 52
    - Milk Total 57
  - Fish 58
  - Drinking Water 59
- Concentration Ratios
  - Plant/Air and Plant/Water 60
  - Plant/Soil 60
  - Meat/Fodder, Fodder/Air, Fodder/Water 63
  - Fodder/Soil 64
  - Meat/Soil 66
  - Milk/Soil 68

Soil Ingestion Pathway
- Dose/Source Ratios..... 70
- Dose Conversion and Environmental Transport Factors . 71

Iteration Log for Computation of the Time of Maximum Ra-228 Dose/Source Ratio
Pathway: Ground
0 Tolerance for tmax = 1.0E-03 (fractional accuracy)
0

Iteration Number	t (years)	DSR(t) (mrem/yr)/(pCi/g)	Step Size (years)	Step Type
0	3.77505E+00	2.76375E-11		
1	4.08636E+00	2.76722E-11	3.11307E-01	parabolic
2	4.03282E+00	2.76749E-11	-5.35362E-02	parabolic
3	4.01955E+00	2.76750E-11	-1.32768E-02	parabolic
4	4.01553E+00	2.76750E-11	-1.45980E-03	parabolic
5	4.01151E+00	2.76750E-11	-4.01553E-03	parabolic
6	4.01553E+00	2.76750E-11	0.00000E+00	direct

Notes:
1) Step size always from t with current largest DSR(t) .
2) Parabolic step based on parabola maximum through the current best triplet.
3) Golden section step, 0.5*(3-SQRT(5)) of larger interval bracketing maximum, taken only if trial parabolic step fails.
4) Direct step to a previous t only on last iteration and only if prior iteration met convergence test but DSR(t) was smaller than the previous value.

Iteration Log for Computation of the Time of Maximum Ra-228 Dose/Source Ratio
All Pathways Summed
0 Tolerance for tmax = 1.0E-03 (fractional accuracy)

0 Iteration Number	t (years)	DSR(t) (mrem/yr)/(pCi/g)	Step Size (years)	Step Type
0	3.77505E+00	2.76375E-11		
1	4.08636E+00	2.76722E-11	3.11307E-01	parabolic
2	4.03282E+00	2.76749E-11	-5.35362E-02	parabolic
3	4.01955E+00	2.76750E-11	-1.32768E-02	parabolic
4	4.01553E+00	2.76750E-11	-1.45980E-03	parabolic
5	4.01151E+00	2.76750E-11	-4.01553E-03	parabolic
6	4.01553E+00	2.76750E-11	0.00000E+00	direct

Notes:
1) Step size always from t with current largest DSR(t) .
2) Parabolic step based on parabola maximum through the current best triplet.
3) Golden section step, 0.5*(3-SQRT(5)) of larger interval bracketing maximum, taken only if trial parabolic step fails.
4) Direct step to a previous t only on last iteration and only if prior iteration met convergence test but DSR(t) was smaller than the previous value.

Source Factors for Ingrowth and Decay
Radioactivity Factors Only
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			ID(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)							
Pb-210	Pb-210	1.000E+00	1.000E+00	9.694E-01	9.110E-01	7.328E-01	3.936E-01	4.468E-02	8.918E-05	3.169E-14
0Ra-226	Ra-226	1.000E+00	1.000E+00	9.996E-01	9.987E-01	9.957E-01	9.871E-01	9.576E-01	8.781E-01	6.484E-01
Ra-226	Pb-210	1.000E+00	0.000E+00	3.060E-02	8.897E-02	2.666E-01	6.019E-01	9.258E-01	8.904E-01	6.576E-01
0Ra-228	Ra-228	1.000E+00	1.000E+00	8.864E-01	6.965E-01	2.996E-01	2.688E-02	5.817E-06	1.968E-16	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	2.853E-01	5.384E-01	4.089E-01	4.025E-02	8.717E-06	2.950E-16	0.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	6.961E-01	3.372E-01	2.670E-02	1.903E-05	1.840E-16	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.997E-01	9.991E-01	9.973E-01	9.910E-01
Th-230	Ra-226	1.000E+00	0.000E+00	4.331E-04	1.299E-03	4.323E-03	1.291E-02	4.238E-02	1.217E-01	3.499E-01
Th-230	Pb-210	1.000E+00	0.000E+00	6.663E-06	5.873E-05	6.077E-04	4.523E-03	2.948E-02	1.093E-01	3.408E-01
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	1.136E-01	3.035E-01	7.004E-01	9.731E-01	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	1.864E-02	1.243E-01	5.644E-01	9.597E-01	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

Source Factors for Ingrowth and Decay
Combined Radioactivity and Leaching Factors
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			SF(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)							
Pb-210	Pb-210	1.000E+00	1.000E+00	9.684E-01	9.082E-01	7.255E-01	3.819E-01	4.039E-02	6.591E-05	1.157E-14
0Ra-226	Ra-226	1.000E+00	1.000E+00	9.981E-01	9.944E-01	9.815E-01	9.454E-01	8.293E-01	5.703E-01	1.538E-01
Ra-226	Pb-210	1.000E+00	0.000E+00	3.056E-02	8.865E-02	2.633E-01	5.796E-01	8.114E-01	5.865E-01	1.582E-01
0Ra-228	Ra-228	1.000E+00	1.000E+00	8.852E-01	6.935E-01	2.953E-01	2.574E-02	5.037E-06	1.278E-16	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	2.851E-01	5.371E-01	4.049E-01	3.878E-02	7.594E-06	1.927E-16	0.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	6.961E-01	3.372E-01	2.670E-02	1.903E-05	1.840E-16	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.997E-01	9.989E-01	9.968E-01	9.894E-01
Th-230	Ra-226	1.000E+00	0.000E+00	4.328E-04	1.296E-03	4.292E-03	1.264E-02	3.949E-02	9.927E-02	1.945E-01
Th-230	Pb-210	1.000E+00	0.000E+00	6.657E-06	5.859E-05	6.028E-04	4.416E-03	2.730E-02	8.826E-02	1.863E-01
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.998E-01	9.995E-01	9.983E-01
Th-232	Ra-228	1.000E+00	0.000E+00	1.135E-01	3.029E-01	6.964E-01	9.627E-01	9.880E-01	9.877E-01	9.866E-01
Th-232	Th-228	1.000E+00	0.000E+00	1.863E-02	1.241E-01	5.617E-01	9.498E-01	9.880E-01	9.877E-01	9.866E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The effect of volatilization was also considered when computing the source factors for H-3 and C-14.

Parameters Used for Calculating Cover Depth and Contaminated Zone Thicknesses

0 Cover Erosion rate (vcv): 0.000003 m/yr
Contaminated Zone Erosion rate (vcz): 0.000003 m/yr
Water Table Drop rate (vwt): 0.001000 m/yr
Precipitation rate (Pr): 0.710000 m/yr
Cover Removal Time (Tc): 5.067E+05 yr
Overhead irrigation rate (Irr): 0.025 m/yr
Runoff coefficient (Cr): 0.320
Evapotranspiration coeff. (Ce): 0.600
Infiltration rate (In): 0.203 m/yr
Bulk soil density (rhob): 1.650 g/cm**3
Effective porosity (pe): 0.000

0

Radio-nuclide (i)	Distribution Coefficient Kd(i),cm**3/g	Leaching Ratio q(i)
Pb-210	1.000000E+02	1.231E-03
Ra-226	7.000000E+01	1.758E-03
Ra-228	7.000000E+01	1.758E-03
Th-228	6.000000E+04	2.055E-06
Th-230	6.000000E+04	2.055E-06
Th-232	6.000000E+04	2.055E-06

0

Time Dependence of Source Geometry

Time Dependence of Cover Depth [Cd(i,t)]

Nuclide (i)	Cd(i,t) (meters) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00
Ra-226	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00
Ra-228	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00
Th-228	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00
Th-230	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00
Th-232	1.5200E+00	1.5200E+00	1.5200E+00	1.5200E+00	1.5199E+00	1.5197E+00	1.5191E+00	1.5170E+00

0

Time Dependence of Contaminated Zone Thicknesses [T(i,t)]

Nuclide (i)	T(i,t) (meters) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00
Ra-226	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00
Ra-228	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00
Th-228	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00
Th-230	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00
Th-232	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00	1.2200E+00

Occupancy, Cover/Depth, and Area Factors for Ground Pathway

Occupancy Factor (FO1):	0.029
Area (A):	5725. sq. meters
Initial cover depth (Cd):	1.520 meters
Initial contaminated zone thickness (T):	1.220 meters

Time Dependence of Cover/Depth Factor [FCTR_COV_DEPTH(i,t)]

Nuclide	FCTR_COV_DEPTH(i,t) (dimensionless)							
(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	1.310E-23	1.310E-23	1.310E-23	1.311E-23	1.314E-23	1.323E-23	1.351E-23	1.452E-23
Ra-226	1.491E-11	1.491E-11	1.491E-11	1.491E-11	1.493E-11	1.498E-11	1.513E-11	1.565E-11
Ra-228	3.335E-12	3.335E-12	3.336E-12	3.337E-12	3.340E-12	3.352E-12	3.388E-12	3.513E-12
Th-228	1.637E-10	1.637E-10	1.638E-10	1.638E-10	1.640E-10	1.645E-10	1.659E-10	1.712E-10
Th-230	4.145E-25	4.146E-25	4.147E-25	4.150E-25	4.159E-25	4.191E-25	4.285E-25	4.630E-25
Th-232	7.274E-28	7.275E-28	7.277E-28	7.283E-28	7.301E-28	7.364E-28	7.547E-28	8.225E-28

0

Time Dependence of Area Factor [FCTR_AREA(i,t)]

Nuclide	FCTR_AREA(i,t) (dimensionless)							
(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

Dose Conversion and Environmental Transport Factors for the Ground Pathway (p=1)

0Parent (i)	Product (j)	DCF(j,1)*	ETF(j,1,t) (dimensionless) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	6.120E-03	3.733E-25	3.733E-25	3.734E-25	3.736E-25	3.744E-25	3.771E-25	3.850E-25	4.139E-25
0Ra-226	Ra-226	1.120E+01	4.248E-13	4.248E-13	4.249E-13	4.250E-13	4.254E-13	4.269E-13	4.311E-13	4.462E-13
Ra-226	Pb-210	6.120E-03	3.733E-25	3.733E-25	3.734E-25	3.736E-25	3.744E-25	3.771E-25	3.850E-25	4.139E-25
0Ra-228	Ra-228	5.980E+00	9.505E-14	9.505E-14	9.506E-14	9.510E-14	9.520E-14	9.555E-14	9.654E-14	1.001E-13
Ra-228	Th-228	1.020E+01	4.667E-12	4.667E-12	4.667E-12	4.669E-12	4.673E-12	4.687E-12	4.729E-12	4.878E-12
0Th-228	Th-228	1.020E+01	4.667E-12	4.667E-12	4.667E-12	4.669E-12	4.673E-12	4.687E-12	4.729E-12	4.878E-12
0Th-230	Th-230	1.210E-03	1.181E-26	1.182E-26	1.182E-26	1.183E-26	1.185E-26	1.195E-26	1.221E-26	1.320E-26
Th-230	Ra-226	1.120E+01	4.248E-13	4.248E-13	4.249E-13	4.250E-13	4.254E-13	4.269E-13	4.311E-13	4.462E-13
Th-230	Pb-210	6.120E-03	3.733E-25	3.733E-25	3.734E-25	3.736E-25	3.744E-25	3.771E-25	3.850E-25	4.139E-25
0Th-232	Th-232	5.210E-04	2.073E-29	2.073E-29	2.074E-29	2.076E-29	2.081E-29	2.099E-29	2.151E-29	2.344E-29
Th-232	Ra-228	5.980E+00	9.505E-14	9.505E-14	9.506E-14	9.510E-14	9.520E-14	9.555E-14	9.654E-14	1.001E-13
Th-232	Th-228	1.020E+01	4.667E-12	4.667E-12	4.667E-12	4.669E-12	4.673E-12	4.687E-12	4.729E-12	4.878E-12

* - The dose conversion factor units are (mrem/yr)/(pCi/g) at infinite depth and area.

0

Dose/Source Ratios for External Radiation from the Ground (p=1)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,1,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	2.248E-27	2.177E-27	2.042E-27	1.633E-27	8.611E-28	9.176E-29	1.529E-31	2.884E-41
0Ra-226	Ra-226	1.000E+00	4.753E-12	4.745E-12	4.727E-12	4.667E-12	4.500E-12	3.961E-12	2.751E-12	7.678E-13
Ra-226	Pb-210	1.000E+00	3.511E-29	1.038E-28	2.343E-28	6.270E-28	1.340E-27	1.873E-27	1.381E-27	4.004E-28
Ra-226	§DSR(j)		4.753E-12	4.745E-12	4.727E-12	4.667E-12	4.500E-12	3.961E-12	2.751E-12	7.678E-13
0Ra-228	Ra-228	1.000E+00	5.351E-13	4.737E-13	3.712E-13	1.581E-13	1.380E-14	2.710E-18	6.948E-29	0.000E+00
Ra-228	Th-228	1.000E+00	7.358E-12	1.790E-11	2.656E-11	1.835E-11	1.740E-12	3.418E-16	8.751E-27	0.000E+00
Ra-228	§DSR(j)		7.894E-12	1.837E-11	2.693E-11	1.851E-11	1.754E-12	3.445E-16	8.820E-27	0.000E+00
0Th-228	Th-228	1.000E+00	3.993E-11	2.780E-11	1.347E-11	1.067E-12	7.609E-16	7.379E-27	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	1.430E-29	1.430E-29	1.430E-29	1.431E-29	1.434E-29	1.444E-29	1.473E-29	1.580E-29
Th-230	Ra-226	1.000E+00	1.030E-15	3.087E-15	7.191E-15	2.144E-14	6.118E-14	1.896E-13	4.799E-13	9.719E-13
Th-230	Pb-210	1.000E+00	5.084E-33	3.525E-32	1.823E-31	1.513E-30	1.041E-29	6.342E-29	2.083E-28	4.720E-28
Th-230	§DSR(j)		1.030E-15	3.087E-15	7.191E-15	2.144E-14	6.118E-14	1.896E-13	4.799E-13	9.719E-13
0Th-232	Th-232	1.000E+00	1.080E-32	1.080E-32	1.081E-32	1.081E-32	1.084E-32	1.093E-32	1.120E-32	1.219E-32
Th-232	Ra-228	1.000E+00	3.291E-14	9.364E-14	1.950E-13	4.058E-13	5.489E-13	5.645E-13	5.703E-13	5.907E-13
Th-232	Th-228	1.000E+00	3.077E-13	1.887E-12	7.494E-12	2.787E-11	4.538E-11	4.724E-11	4.765E-11	4.909E-11
Th-232	§DSR(j)		3.406E-13	1.981E-12	7.689E-12	2.828E-11	4.593E-11	4.781E-11	4.822E-11	4.968E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Inhalation Pathway, Excluding Radon (p=2)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,2,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.
0

Pathway Factors for the Inhalation Pathway (radon excluded)

Area (A):	5.7250E+03 m**2	Occupancy Factor (FO2):	2.8500E-02
Area Factor (FA2):	1.6168E-01	Annual Air Intake (F12):	8.4000E+03 m**3/yr
Cover Depth [Cd(0)]:	1.5200E+00 m	Mass Loading (ASR2):	1.0000E-04 g/m**3
Contaminated Zone Thickness [T(0)]:	1.2200E+00 m	FA2 * FO2 * F12 * ASR2:	3.8707E-03 g/yr

Depth Factor [FD(i,2,t)] (dimensionless)

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210+D	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-226+D	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228+D	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228+D	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

Dose Conversion and Environmental Transport Factors for the Inhalation Pathway, Excluding Radon (p=2)

0Parent (i)	Product (j)	DCF(j,2)*	ETF(j,2,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	2.320E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	8.600E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	2.320E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	5.080E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	3.450E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	3.450E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	3.260E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	8.600E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	2.320E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.640E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	5.080E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	3.450E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Parameters Used for Calculating Indoor and Outdoor Radon Flux

0

	*Floor Material	Cover Material	Contaminated Zone
Radon Diffusion Coefficient (m**2/s)	3.000E-07	2.000E-06	2.000E-06
Total Porosity	1.000E-01	4.000E-01	4.000E-01
Volumetric Water Content	3.000E-02	5.000E-02	2.034E-01
Bulk Density (g/cm**3)	2.400E+00	1.970E+00	1.650E+00
Rn-222 Emanation Coefficient	2.500E-01	2.500E-01	2.500E-01
Rn-220 Emanation Coefficient	1.500E-01	1.500E-01	1.500E-01
Initial Thickness (m)	1.500E-01	1.520E+00	1.220E+00

Building Depth Below Ground Surface *(DMFL): -1.000E+00 (m)
Negative DMFL shows building depth adjusted (if necessary) for no penetration
of contaminated zone. Actual values used *(DMFLACT), m:

t=	0.0000E+00	1.0000E+00	3.0000E+00	1.0000E+01	3.0000E+01	1.0000E+02	3.0000E+02	1.0000E+03
DMFLACT=	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00

Building indoor area factor *(FAI): 0.000E+00
FAI <= 0.0 shows calculated time-dependent value based on amount of wall area
extending into the contaminated zone. Actual values used *(FAIACT):

t=	0.0000E+00	1.0000E+00	3.0000E+00	1.0000E+01	3.0000E+01	1.0000E+02	3.0000E+02	1.0000E+03
FAIACT =	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0* - Parameters are used only for indoor radon flux

0

Time Dependence of Outdoor Radon Flux [FLUXO(i,t)]

0Nuclide FLUXO(i,t) (pCi/m**2/s)

(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

Time Dependence of Indoor Radon Flux [FLUXI(i,t)]

0Nuclide	FLUXI(i,t) (pCi/m**2/s)							
(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

Parameters Used for Calculating Indoor and Outdoor Radon Concentration

Radon Vertical Dimension of Mixing (HMIX): 2.000E+00 (m)
Average Annual Wind Speed (WIND): 1.920E+00 (m/sec)
Building Room Height (HRM): 2.500E+00 (m)
Building Air Exchange Rate (REXG): 5.000E-01 (1/hr)

0 Time Dependence of Outdoor Radon Concentration [CRNO(i,t)]
0Nuclide CRNO(i,t) (pCi/m**3)

(i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0
0 Time Dependence of Indoor Radon Concentration [HCONC(i,r)]
0Nuclide HCONC(i,t) (pCi/m**3)

(i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

Outdoor Working Levels of Radon [WLOTD(i,t)]

0Nuclide WLOTD(i,t) (WL)

(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

Indoor Working Levels of Radon [WLIND(i,t)]

0Nuclide WLIND(i,t) (WL)

(i) t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

0 Fraction of Time Spent Outdoors (FOTD): 2.850E-02
Fraction of Time Spent Indoors (FIND): 0.000E+00

Dose/Source Ratios for Radon Pathway (p=9)
Subpathway: Outdoor and Indoor Radon Flux
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,9,t) - DSRRNW(j,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Radon Pathway (p=9)
Subpathway: Indoor Radon from Water Usage
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSRRNW(j,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Transport Time Parameters for Unsaturated Zone Stratum No. 1

```
            Stratum thickness [h(1)]:      1.520000 m
Bulk soil material density [rhob(1)]:      1.650000 g/cm**3
        Effective porosity [peuz(1)]:      0.200000
    Hydraulic conductivity [Khuz(1)]:     10.000000 m/yr
            Total porosity [ptuz(1)]:      0.400000
  Soil specific b parameter [buz(1)]:      5.300000
          Saturation ratio [sruz(1)]:      0.750879
```

Radio-nuclide (i)	Distribution Coefficient Kduz(i,1), cm**3/g	Retardation Factor Rduz(i,1)	Transport Time Dtuz(i,1), yr
Pb-210	1.0000E+02	5.5036E+02	6.1849E+02
Ra-226	7.0000E+01	3.8555E+02	4.3328E+02
Ra-228	7.0000E+01	3.8555E+02	4.3328E+02
Th-228	6.0000E+04	3.2961E+05	3.7042E+05
Th-230	6.0000E+04	3.2961E+05	3.7042E+05
Th-232	6.0000E+04	3.2961E+05	3.7042E+05

0

Transport Time Parameters for Unsaturated Zone created by the Falling Water Table

```
        Water table drop rate [vwt]:      0.001000 m/yr
Bulk soil material density [rhobaq]:      1.650000 g/cm**3
          Effective porosity [peaq]:      0.350000
      Hydraulic conductivity [Khaq]:     10.000000 m/yr
              Total porosity [ptaq]:      0.400000
    Soil specific b parameter [baq]:      5.300000
           Saturation ratio [sruaq]:      0.750879
```

Radio-nuclide (i)	Distribution Coefficient Kdaq(i), cm**3/g	Retardation Factor Rduaq(i)	Minimum Transport Time Dtuaq(i), yr
Pb-210	1.0000E+02	5.5036E+02	1.5297E+03
Ra-226	7.0000E+01	3.8555E+02	4.3128E+02
Ra-228	7.0000E+01	3.8555E+02	4.3128E+02
Th-228	6.0000E+04	3.2961E+05	Infinite
Th-230	6.0000E+04	3.2961E+05	Infinite
Th-232	6.0000E+04	3.2961E+05	Infinite

Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model

0 Aquifer contamination depth at well (z): 1.01560E+02 m
Depth of water intake below water table (dw): 1.00000E+01 m
Infiltration rate (In): 2.03120E-01 m/yr
Aquifer water flow rate (Vwfr): 2.00000E-01 m/yr
Hydraulic gradient (J): 2.00000E-02
Hydraulic conductivity of aquifer (Kszh): 1.00000E+01 m/yr
Contaminated zone extent parallel to gradient (l): 1.00000E+02 m
Distance below contaminated zone to water table (h): 0.15200E+01 m
Initial thickness of uncontaminated cover (Cd): 0.15200E+01 m
Initial thickness of contaminated zone (T): 0.12200E+01 m
Effective porosity of saturated zone (pesz): 0.35000E+00

0 Radio-nuclide (i)	Dilution Factor f(i)	Retardation Factor Rdsz(i)	Horizontal Transport Time Onsite Tauh(i), yr	Rise Time dt(i), yr	Decay Time Parameter 1/lamda(i),yr
Pb-210	4.580E-01	4.135E+02	7.236E+04	7.125E+03	3.217E+01
Ra-226	4.580E-01	2.898E+02	5.071E+04	4.993E+03	2.308E+03
Ra-228	4.580E-01	2.898E+02	5.071E+04	4.993E+03	8.295E+00
Th-228	4.580E-01	2.475E+05	4.331E+07	4.265E+06	2.760E+00
Th-230	4.580E-01	2.475E+05	4.331E+07	4.265E+06	1.111E+05
Th-232	4.580E-01	2.475E+05	4.331E+07	4.265E+06	2.027E+10

0

Primary Parameters Used for Calculating Water/Soil
Concentration Ratios for Groundwater Pathway Segment

0 Model used: Nondispersion (ND)
Bulk soil density in contaminated zone (rhob): 1.650 g/cm**3

0 Radio-nuclide (i)	Dilution Factor f(i)	Retardation Factor Rdcz(i)	Breakthrough Time Chain year	Breakthrough Time Single Nuclide Dt(i), yr	Rise Time dt(i), yr
Pb-210	4.580E-01	8.120E+02	8.646E+02	2.148E+03	7.125E+03
Ra-226	4.580E-01	5.687E+02	8.646E+02	8.646E+02	4.993E+03
Ra-228	4.580E-01	5.687E+02	8.646E+02	8.646E+02	4.993E+03
Th-228	4.580E-01	4.866E+05	8.646E+02	Infinite	4.265E+06
Th-230	4.580E-01	4.866E+05	Infinite	Infinite	4.265E+06
Th-232	4.580E-01	4.866E+05	Infinite	Infinite	4.265E+06

Water/Soil Concentration Ratios [WSR(j,1,t)] for Groundwater Pathway Segment

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			WSR(j,1,t) in (pCi/L)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.485E-02
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.357E-02
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.285E-04
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.447E-04
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0

Water/Soil Concentration Ratios [WSR(j,2,t)] for Surface Water Pathway Segment

0 Watershed Area (Aw) = 1.0000E+06 m**2
Contaminated Zone Area (A) = 5.7250E+03 m**2
Dilution Factor (f') = 5.7250E-03
Soil Density (rhob) = 1.6500E+00 kg/m**3

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			WSR(j,2,t) in (pCi/L)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.856E-04
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.196E-04
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.036E-05
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.559E-06
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Storage Times For Contaminated Foodstuffs

k	Food Item	STOR_T(k), days
1	non-leafy plants	14.
2	leafy plants	1.
3	milk	1.
4	meat	20.
5	fish	7.
6	crustacea	7.
7	well water	1.
8	surface water	1.
9	livestock fodder	45.

0

Storage Time Ingrowth and Decay Factors
Storage Time for k'th Foodstuff: t = STOR_T(k), days

STOR_ID(i,j,t) = CONCE(i,j,t)/CONCE(i,i,0)

Parent (i)	Product (j)	Branch Fraction	t= 1.400E+01	1.000E+00	1.000E+00	2.000E+01	7.000E+00	7.000E+00	1.000E+00	1.000E+00	4.500E+01
Pb-210	Pb-210	1.000E+00	9.988E-01	9.999E-01	9.999E-01	9.983E-01	9.994E-01	9.994E-01	9.999E-01	9.999E-01	9.962E-01
Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
Ra-226	Pb-210	1.000E+00	1.191E-03	8.510E-05	8.510E-05	1.701E-03	5.955E-04	5.955E-04	8.510E-05	8.510E-05	3.822E-03
Ra-228	Ra-228	1.000E+00	9.954E-01	9.997E-01	9.997E-01	9.934E-01	9.977E-01	9.977E-01	9.997E-01	9.997E-01	9.853E-01
Ra-228	Th-228	1.000E+00	1.376E-02	9.913E-04	9.913E-04	1.958E-02	6.912E-03	6.912E-03	9.913E-04	9.913E-04	4.333E-02
Th-228	Th-228	1.000E+00	9.862E-01	9.990E-01	9.990E-01	9.804E-01	9.931E-01	9.931E-01	9.990E-01	9.990E-01	9.563E-01
Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.661E-05	1.186E-06	1.186E-06	2.372E-05	8.303E-06	8.303E-06	1.186E-06	1.186E-06	5.337E-05
Th-230	Pb-210	1.000E+00	9.888E-09	5.047E-11	5.047E-11	2.018E-08	2.472E-09	2.472E-09	5.047E-11	5.047E-11	1.021E-07
Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	4.610E-03	3.300E-04	3.300E-04	6.579E-03	2.308E-03	2.308E-03	3.300E-04	3.300E-04	1.474E-02
Th-232	Th-228	1.000E+00	3.189E-05	1.636E-07	1.636E-07	6.490E-05	7.996E-06	7.996E-06	1.636E-07	1.636E-07	3.250E-04

CONCE(i,j,t)/CONCE(i,i,0) is the concentration ratio of Product(j) at time t to Parent(i) at start of storage time.

Storage Time Correction Factors
Drinking Water from Well and/or Surface
Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,1)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Irrigation Water for Nonleafy Plants from Well and/or Surface
Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

Storage Time Correction Factors
Irrigation Water for Nonleafy Plants from Well and/or Surface
Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Irrigation Water for Leafy Plants from Well and/or Surface
Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,3)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Irrigation Water for Livestock (Milk) Fodder from Well and/or Surface
Harvest Time = t - 1.29E-01 yr; Consumption Time = t - 1.26E-01 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,5)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface
Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,7)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

Storage Time Correction Factors
Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface
Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,7)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Livestock (Milk) Water from Well and/or Surface

Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,4)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
Livestock (Meat) Water from Well and/or Surface
Harvest Time = t - 5.75E-02 yr; Consumption Time = t - 5.48E-02 yr

0Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,6)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Nonleafy Plants
Harvest Time = t - 3.83E-02 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CF3(j,1,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.988E-01	9.988E-01	9.988E-01	9.988E-01	9.988E-01	9.988E-01	9.988E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.954E-01	9.954E-01	9.954E-01	9.954E-01	9.954E-01	9.954E-01	9.954E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.862E-01	9.862E-01	9.862E-01	9.862E-01	9.862E-01	9.862E-01	9.862E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Leafy Plants
Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CF3(j,2,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Meat) Fodder
Harvest Time = t - 1.78E-01 yr; Consumption Time = t - 5.48E-02 yr

0Parent (i)	Product (j)	Branch Fraction*	CFLF(j,1,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Milk) Fodder
Harvest Time = t - 1.26E-01 yr; Consumption Time = t - 2.74E-03 yr

0Parent (i)	Product (j)	Branch Fraction*	CFLF(j,2,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01	9.962E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01	9.853E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01	9.563E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Meat
Harvest Time = t - 5.48E-02 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CF45(j,1,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.983E-01	9.983E-01	9.983E-01	9.983E-01	9.983E-01	9.983E-01	9.983E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.934E-01	9.934E-01	9.934E-01	9.934E-01	9.934E-01	9.934E-01	9.934E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.804E-01	9.804E-01	9.804E-01	9.804E-01	9.804E-01	9.804E-01	9.804E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Milk
Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CF45(j,2,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01	9.999E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01	9.997E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01	9.990E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Fish & Crustacea
Harvest Time = t - 1.92E-02 yr; Consumption Time = t yr

0Parent (i)	Product (j)	Branch Fraction*	CFF(j,1,t)# t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.000E+00	9.994E-01	9.994E-01	9.994E-01	9.994E-01	9.994E-01	9.994E-01	9.994E-01
0Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Ra-226	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.996E-01
0Ra-228	Ra-228	1.000E+00	1.000E+00	9.977E-01	9.977E-01	9.977E-01	9.977E-01	9.977E-01	9.977E-01	9.977E-01
Ra-228	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0Th-228	Th-228	1.000E+00	1.000E+00	9.931E-01	9.931E-01	9.931E-01	9.931E-01	9.931E-01	9.931E-01	9.931E-01
0Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.996E-01
0Th-232	Th-232	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Ra-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-232	Th-228	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
Root Uptake from Contaminated Soil (q=1)

Area Factor for Plant Foods [FA(3)] = 0.03

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
	Depth Factor FD(i,1,t) (dimensionless)							
Pb-210	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
Foliar Uptake from Contaminated Dust (q=2)

Area Factor for Plant Foods [FA(3)] = 0.03

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
	Depth Factor FD(i,2,t) (dimensionless)							
Pb-210	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-226	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Ra-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-228	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-230	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
Th-232	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
Ditch Irrigation (q=3)

Area Factor for Plant Foods [FA(3)] = 0.03

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
	Depth Factor FD(i,3,t) (dimensionless)							
Pb-210	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Ra-226	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Ra-228	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Th-228	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Th-230	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Th-232	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00

```
    Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
                              Overhead Irrigation (q=4)

                      Area Factor for Plant Foods [FA(3)] = 0.03

                               The Depth Factor Value
                              FD(i,p,q,t) = 1.0000E+00
             is applicable for all radionuclides(i) and times(t).
0
           Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
             Transfer from Livestock Water (q=5) and Soil (q=6) Intake

             Area Factor for Meat and Milk [FA(p),p=4,5] = 0.30

 The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
            occur only for the meat (p=4) and milk (p=5) pathways.
0
     Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
       Transfer from Livestock Water (q=5) and Soil (q=6) Intake

             Area Factor for Meat and Milk [FA(p),p=4,5] = 0.30

 The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
            occur only for the meat (p=4) and milk (p=5) pathways.
```

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
Subpathway: Root Uptake from Contaminated Soil (q=1)

0Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,1,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
Subpathway: Foliar Uptake from Contaminated Dust (q=2)

0Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,2,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
Subpathway: Ditch Irrigation (q=3)

0Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,3,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
Subpathway: Overhead Irrigation (q=4)

0Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,4,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

0Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,1,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

0Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,2,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
Subpathway: Ditch Irrigation (q=3)

0Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,3,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
Subpathway: Overhead Irrigation (q=4)

0Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,4,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
Subpathway: Livestock Water (q=5)

0Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,5,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

0Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,1,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

0Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,2,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
Subpathway: Ditch Irrigation (q=3)

0Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,3,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
Subpathway: Overhead Irrigation (q=4)

0Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,4,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
Subpathway: Livestock Water (q=5)

0Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,5,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Fish Pathway (p=6)

0Parent (i)	Product (j)	DCF(j,6)*	ETF(j,6,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.696E-01
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.585E-01
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.562E-03
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.749E-03
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Drinking Water Pathway (p=7)

0Parent (i)	Product (j)	DCF(j,7)*	ETF(j,7,t) * SF(j,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Root Uptake from Contaminated Soil (q=1)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,1,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Foliar Uptake from Contaminated Dust (q=2)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,2,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Ditch Irrigation (q=3)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,3,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Overhead Irrigation (q=4)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,4,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Total for All Subpathways
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,4,1,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,4,2,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Subpathway: Ditch Irrigation (q=3)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,4,3,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Subpathway: Overhead Irrigation (q=4)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,4,4,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Subpathway: Livestock Water (q=5)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,4,5,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
Total for All Subpathways
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,4,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,5,1,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,5,2,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Subpathway: Ditch Irrigation (q=3)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,5,3,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Subpathway: Overhead Irrigation (q=4)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			DSR(j,5,4,t) (mrem/yr)/(pCi/g)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Subpathway: Livestock Water (q=5)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,5,5,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
Total for All Subpathways
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,5,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Fish (p=6)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,6,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.264E-04
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.617E-03
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.843E-03
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.431E-06
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.480E-05
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.823E-05
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Drinking Water (p=7)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,7,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Plant/Air and Plant/Water Concentration Ratios
0 Mass loading [ASR(3)]: 1.000E-04 g/m**3
Area Factor for Mass Loading [FA(2)]: 1.617E-01

0Nuclide (i)	FAR(i,3,2,1) m**3/g	FAR(i,3,2,2) m**3/g	FWR(i,3,3,1) L/g	FWR(i,3,3,2) L/g	FWR(i,3,4,1) L/g	FWR(i,3,4,2) L/g
Pb-210	5.4545E-02	2.6156E-01	1.4165E-07	2.0828E-07	4.3153E-05	2.0693E-04
Ra-226	5.4545E-02	2.6156E-01	5.6666E-07	8.3314E-07	4.3153E-05	2.0693E-04
Ra-228	5.4545E-02	2.6156E-01	5.6666E-07	8.3314E-07	4.3153E-05	2.0693E-04
Th-228	5.4545E-02	2.6156E-01	1.4768E-08	2.0675E-08	4.3153E-05	2.0693E-04
Th-230	5.4545E-02	2.6156E-01	1.4768E-08	2.0675E-08	4.3153E-05	2.0693E-04
Th-232	5.4545E-02	2.6156E-01	1.4768E-08	2.0675E-08	4.3153E-05	2.0693E-04

FAR(i,p,q,k) is the plant/air concentration ratio for airborne contaminated dust,
and FWR(i,p,q,k) is the plant/water concentration ratio. See groundwater displays
for water/soil concentration ratios.
0

Plant/Soil Concentration Ratios, FSR(i,3,q,k,t)
0 Root Uptake (q=1) and Foliar Dust Deposition (q=2)
Nonleafy (k=1) and/or Leafy (k=2) Vegetables
0 Nuclide(i)

	Parent	Product	FSR(i,3,1,k)	FSR(i,3,2,1)	FSR(i,3,2,2)
	Pb-210	Pb-210	1.0000E-02	8.8191E-07	4.2290E-06
0	Ra-226	Ra-226	4.0000E-02	8.8191E-07	4.2290E-06
	Ra-226	Pb-210	1.0000E-02	8.8191E-07	4.2290E-06
0	Ra-228	Ra-228	4.0000E-02	8.8191E-07	4.2290E-06
	Ra-228	Th-228	1.0000E-03	8.8191E-07	4.2290E-06
0	Th-228	Th-228	1.0000E-03	8.8191E-07	4.2290E-06
0	Th-230	Th-230	1.0000E-03	8.8191E-07	4.2290E-06
	Th-230	Ra-226	4.0000E-02	8.8191E-07	4.2290E-06
	Th-230	Pb-210	1.0000E-02	8.8191E-07	4.2290E-06
0	Th-232	Th-232	1.0000E-03	8.8191E-07	4.2290E-06
	Th-232	Ra-228	4.0000E-02	8.8191E-07	4.2290E-06
	Th-232	Th-228	1.0000E-03	8.8191E-07	4.2290E-06

Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
Ditch Irrigation (q=3)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	FSR(j,3,3,k,t) 1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0

Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
Overhead Irrigation (q=4) and Nonleafy Vegetables (k=1)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	FSR(j,3,4,1,t) * SF(j,t) 1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
Overhead Irrigation (q=4) and Leafy Vegetables (k=2)
FSR(j,3,4,2,t) * SF(j,t)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Meat/Fodder, Milk/Fodder, Fodder/Air and Fodder/Water Concentration Ratios

0 FI(4,q): 68.0 kg/day FI(5,q): 55.0 kg/day q=1,2,3,4
FI(4,q): 50.0 L/day FI(5,q): 160.0 L/day q=5
FI(4,q): 0.5 kg/day FI(5,q):

0Nuclide (i)	FQR(i,4) d/kg	FQR(i,5) d/kg	FAR(i,3,2,3) m**3/g	FWR(i,3,3,3) L/g	FWR(i,3,4,3) L/g
Pb-210	8.0000E-04	3.0000E-04	2.8659E-01	6.6684E-08	2.2673E-04
Ra-226	1.0000E-03	1.0000E-03	2.8659E-01	2.6662E-07	2.2673E-04
Ra-228	1.0000E-03	1.0000E-03	2.8659E-01	2.6662E-07	2.2673E-04
Th-228	1.0000E-04	5.0000E-06	2.8659E-01	5.9071E-09	2.2673E-04
Th-230	1.0000E-04	5.0000E-06	2.8659E-01	5.9071E-09	2.2673E-04
Th-232	1.0000E-04	5.0000E-06	2.8659E-01	5.9071E-09	2.2673E-04

FI(p,q) are the fodder (q=1,2,3,4), livestock water (q=5) and soil (q=6) intake rates; FQR(i,p) are the transfer coefficients from contaminated fodder of livestock water to meat (p=4) or milk (p=5). FAR(i,3,2,3) are the fodder/air concentration ratios, and FWR(i,3,3,3) and FWR(i,3,4,3) are the fodder/water concentration ratios for ditch and overhead irrigation, respectively.

Fodder/Soil Concentration Ratios, QSR(i,p,q,t), for Meat and Milk Pathways
Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i) Parent	Product	QSR(i,p,1)	QSR(i,p,2)
Pb-210	Pb-210	1.0000E-02	4.6337E-06
0 Ra-226	Ra-226	4.0000E-02	4.6337E-06
Ra-226	Pb-210	1.0000E-02	4.6337E-06
0 Ra-228	Ra-228	4.0000E-02	4.6337E-06
Ra-228	Th-228	1.0000E-03	4.6337E-06
0 Th-228	Th-228	1.0000E-03	4.6337E-06
0 Th-230	Th-230	1.0000E-03	4.6337E-06
Th-230	Ra-226	4.0000E-02	4.6337E-06
Th-230	Pb-210	1.0000E-02	4.6337E-06
0 Th-232	Th-232	1.0000E-03	4.6337E-06
Th-232	Ra-228	4.0000E-02	4.6337E-06
Th-232	Th-228	1.0000E-03	4.6337E-06

0

Fodder/Soil Concentration Ratio, QSR(j,p,q,t),for Meat and Milk Pathways
Ditch Irrigation (q=3)

0Parent (i)	Product (j)	Branch Fraction*	QSR(j,p,3,t) * SF(j,t) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Fodder/Soil Concentration Ratio, QSR(j,p,q,t),for Meat and Milk Pathways
Overhead Irrigation (q=4)

0Parent (i)	Product (j)	Branch Fraction*	QSR(j,p,4,t) * SF(j,t) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0

Fodder/Soil Concentration Ratio, QSR(j,p,q,t),for Meat and Milk Pathways
Livestock Water (q=5)

0Parent (i)	Product (j)	Branch Fraction*	QSR(j,p,5,t) * SF(j,t) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Meat/Soil Concentration Ratios, FSR(i,4,q,t)
Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i) Parent	Product	FSR(i,4,1)	FSR(i,4,2)
Pb-210	Pb-210	0.0000E+00	0.0000E+00
Ra-226	Ra-226	0.0000E+00	0.0000E+00
Ra-226	Pb-210	0.0000E+00	0.0000E+00
Ra-228	Ra-228	0.0000E+00	0.0000E+00
Ra-228	Th-228	0.0000E+00	0.0000E+00
Th-228	Th-228	0.0000E+00	0.0000E+00
Th-230	Th-230	0.0000E+00	0.0000E+00
Th-230	Ra-226	0.0000E+00	0.0000E+00
Th-230	Pb-210	0.0000E+00	0.0000E+00
Th-232	Th-232	0.0000E+00	0.0000E+00
Th-232	Ra-228	0.0000E+00	0.0000E+00
Th-232	Th-228	0.0000E+00	0.0000E+00

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,4,3,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
Overhead Irrigation (q=4)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,4,4,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
Livestock Water (q=5)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,4,5,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Milk/Soil Concentration Ratios, FSR(i,5,q,t)
Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i) Parent	Product	FSR(i,5,1)	FSR(i,5,2)
Pb-210	Pb-210	0.0000E+00	0.0000E+00
Ra-226	Ra-226	0.0000E+00	0.0000E+00
Ra-226	Pb-210	0.0000E+00	0.0000E+00
Ra-228	Ra-228	0.0000E+00	0.0000E+00
Ra-228	Th-228	0.0000E+00	0.0000E+00
Th-228	Th-228	0.0000E+00	0.0000E+00
Th-230	Th-230	0.0000E+00	0.0000E+00
Th-230	Ra-226	0.0000E+00	0.0000E+00
Th-230	Pb-210	0.0000E+00	0.0000E+00
Th-232	Th-232	0.0000E+00	0.0000E+00
Th-232	Ra-228	0.0000E+00	0.0000E+00
Th-232	Th-228	0.0000E+00	0.0000E+00

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,5,3,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
Overhead Irrigation (q=4)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,5,4,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
Livestock Water (q=5)

0Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
			FSR(j,5,5,t) * SF(j,t)							
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Dose/Source Ratios for Soil Ingestion Pathway (p=8)
Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	DSR(j,8,t) (mrem/yr)/(pCi/g) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	§DSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
§ is used to indicate summation; the Greek sigma is not included in this font.
The DSR includes contributions from associated (half-life <= 0.5 yr) daughters.

Dose Conversion and Environmental Transport Factors for the Soil Ingestion Pathway (p=8)

0Parent (i)	Product (j)	DCF(j,8)*	ETF(j,8,t) (g/yr) t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-228	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-228	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-230	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Th-232	Th-232	2.730E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Ra-228	1.440E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	Th-228	8.080E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Table of Contents

Part III: Intake Quantities and Health Risk Factors

Cancer Risk Slope Factors 2
Amount of Intake Quantities and Excess Cancer Risks
Time= 0.000E+00 4
Time= 1.000E+00 7
Time= 3.000E+00 10
Time= 1.000E+01 13
Time= 3.000E+01 16
Time= 1.000E+02 19
Time= 3.000E+02 22
Time= 1.000E+03 25

Cancer Risk Slope Factors Summary Table
Risk Library: FGR 13 Morbidity

0 Menu	Parameter	Current Value	Default	Parameter Name
Sf-1	Ground external radiation slope factors, 1/yr per (pCi/g):			
Sf-1	Pb-210+D	4.21E-09	4.21E-09	SLPF(1,1)
Sf-1	Ra-226+D	8.49E-06	8.49E-06	SLPF(2,1)
Sf-1	Ra-228+D	4.53E-06	4.53E-06	SLPF(3,1)
Sf-1	Th-228+D	7.79E-06	7.79E-06	SLPF(4,1)
Sf-1	Th-230	8.18E-10	8.18E-10	SLPF(5,1)
Sf-1	Th-232	3.42E-10	3.42E-10	SLPF(6,1)
Sf-2	Inhalation, slope factors, 1/(pCi):			
Sf-2	Pb-210+D	3.08E-08	3.08E-08	SLPF(1,2)
Sf-2	Ra-226+D	2.82E-08	2.82E-08	SLPF(2,2)
Sf-2	Ra-228+D	4.37E-08	4.37E-08	SLPF(3,2)
Sf-2	Th-228+D	3.58E-07	3.58E-07	SLPF(4,2)
Sf-2	Th-230	3.40E-08	3.40E-08	SLPF(5,2)
Sf-2	Th-232	4.33E-08	4.33E-08	SLPF(6,2)
Sf-3	Food ingestion, slope factors, 1/(pCi):			
Sf-3	Pb-210+D	3.44E-09	3.44E-09	SLPF(1,3)
Sf-3	Ra-226+D	5.14E-10	5.14E-10	SLPF(2,3)
Sf-3	Ra-228+D	1.43E-09	1.43E-09	SLPF(3,3)
Sf-3	Th-228+D	4.22E-10	4.22E-10	SLPF(4,3)
Sf-3	Th-230	1.19E-10	1.19E-10	SLPF(5,3)
Sf-3	Th-232	1.33E-10	1.33E-10	SLPF(6,3)
Sf-3	Water ingestion, slope factors, 1/(pCi):			
Sf-3	Pb-210+D	2.66E-09	2.66E-09	SLPF(1,4)
Sf-3	Ra-226+D	3.85E-10	3.85E-10	SLPF(2,4)
Sf-3	Ra-228+D	1.04E-09	1.04E-09	SLPF(3,4)
Sf-3	Th-228+D	3.00E-10	3.00E-10	SLPF(4,4)
Sf-3	Th-230	9.10E-11	9.10E-11	SLPF(5,4)
Sf-3	Th-232	1.01E-10	1.01E-10	SLPF(6,4)
Sf-3	Soil ingestion, slope factors, 1/(pCi):			
Sf-3	Pb-210+D	3.44E-09	3.44E-09	SLPF(1,5)
Sf-3	Ra-226+D	5.14E-10	5.14E-10	SLPF(2,5)
Sf-3	Ra-228+D	1.43E-09	1.43E-09	SLPF(3,5)
Sf-3	Th-228+D	4.22E-10	4.22E-10	SLPF(4,5)
Sf-3	Th-230	1.19E-10	1.19E-10	SLPF(5,5)
Sf-3	Th-232	1.33E-10	1.33E-10	SLPF(6,5)
Sf-Rn	Radon Inhalation slope factors, 1/(pCi):			
Sf-Rn	Rn-222	1.80E-12	1.80E-12	SLPFRN(1,1)
Sf-Rn	Po-218	3.70E-12	3.70E-12	SLPFRN(1,2)
Sf-Rn	Pb-214	6.20E-12	6.20E-12	SLPFRN(1,3)
Sf-Rn	Bi-214	1.50E-11	1.50E-11	SLPFRN(1,4)
Sf-Rn	Rn-220	1.90E-13	1.90E-13	SLPFRN(2,1)
Sf-Rn	Po-216	3.00E-15	3.00E-15	SLPFRN(2,2)
Sf-Rn	Pb-212	3.90E-11	3.90E-11	SLPFRN(2,3)
Sf-Rn	Bi-212	3.70E-11	3.70E-11	SLPFRN(2,4)

Cancer Risk Slope Factors Summary Table (continued)
Risk Library: FGR 13 Morbidity

0 Menu	Parameter	Current Value	Default	Parameter Name
Sf-Rn	Radon K factors, (mrem/WLM):			
Sf-Rn	Rn-222 Indoor	7.60E+02	7.60E+02	KFACTR(1,1)
Sf-Rn	Rn-222 Outdoor	5.70E+02	5.70E+02	KFACTR(1,2)
Sf-Rn	Rn-220 Indoor	1.50E+02	1.50E+02	KFACTR(2,1)
Sf-Rn	Rn-220 Outdoor	2.50E+02	2.50E+02	KFACTR(2,2)

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 0.000E+00 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 0.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 0.000E+00 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.603E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.093E-13	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.414E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.194E-10	0.9817	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.858E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.216E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.603E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.093E-13	0.0067
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.414E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.194E-10	0.9817
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.858E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.216E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 0.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 0.000E+00 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.603E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.093E-13	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.414E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.194E-10	0.9817	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.858E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.216E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.603E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.093E-13	0.0067
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.414E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.194E-10	0.9817
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.858E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.216E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 1.000E+00 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 1.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+00 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.552E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.237E-13	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.412E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.194E-10	0.9816	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.858E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.216E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.552E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.237E-13	0.0068
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.412E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.194E-10	0.9816
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.858E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.216E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 1.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+00 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.552E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.078E-13	0.0066	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	3.529E-11	0.2902	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.311E-11	0.6834	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.592E-14	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	2.386E-12	0.0196	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.216E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.552E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.078E-13	0.0066
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.529E-11	0.2902
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.311E-11	0.6834
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.592E-14	0.0001
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.386E-12	0.0196
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.216E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 3.000E+00 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 3.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+00 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.769E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.526E-13	0.0070	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.409E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.192E-10	0.9814	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.860E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.215E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.769E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.526E-13	0.0070
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.409E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.192E-10	0.9814
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.860E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.215E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 3.000E+00 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+00 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.456E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.049E-13	0.0066	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	6.512E-11	0.5360	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	4.027E-11	0.3315	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	4.768E-14	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	1.525E-11	0.1255	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.215E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.456E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.049E-13	0.0066
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.512E-11	0.5360
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.027E-11	0.3315
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.768E-14	0.0004
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.525E-11	0.1255
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.215E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 1.000E+01 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 1.000E+01 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+01 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	2.093E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	9.526E-13	0.0079	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.403E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.186E-10	0.9805	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.867E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.210E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.093E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.526E-13	0.0079
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.403E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.186E-10	0.9805
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.867E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.210E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 1.000E+01 years

0 Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+01 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.164E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.947E-13	0.0066	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	4.878E-11	0.4031	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	3.189E-12	0.0264	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.580E-13	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	6.808E-11	0.5626	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.210E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.164E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.947E-13	0.0066
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.878E-11	0.4031
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.189E-12	0.0264
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.580E-13	0.0013
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.808E-11	0.5626
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.210E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 3.000E+01 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 3.000E+01 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+01 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	3.374E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.232E-12	0.0102	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.400E-12	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.182E-10	0.9782	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.887E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.208E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.374E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.232E-12	0.0102
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.400E-12	0.0116
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.182E-10	0.9782
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.887E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.208E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 3.000E+01 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+01 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	6.139E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.662E-13	0.0063	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	4.673E-12	0.0387	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	2.275E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	4.655E-13	0.0039	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	1.149E-10	0.9511	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.208E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.139E-29	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.662E-13	0.0063
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.673E-12	0.0387
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.275E-15	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.655E-13	0.0039
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.149E-10	0.9511
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.208E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 1.000E+02 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 1.000E+02 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+02 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	7.312E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.134E-12	0.0175	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.405E-12	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.185E-10	0.9710	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.956E-29	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.220E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.312E-28	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.134E-12	0.0175
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.405E-12	0.0115
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.185E-10	0.9710
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.956E-29	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.220E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 1.000E+02 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+02 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	6.744E-13	0.0055	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.179E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	2.206E-26	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.460E-12	0.0120	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	1.199E-10	0.9825	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.220E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.744E-13	0.0055
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.179E-16	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.206E-26	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.460E-12	0.0120
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.199E-10	0.9825
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.220E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 3.000E+02 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil

and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 3.000E+02 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+02 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	1.672E-27	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.174E-12	0.0334	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.419E-12	0.0113	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.195E-10	0.9553	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.016E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.251E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.672E-27	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.174E-12	0.0334
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.419E-12	0.0113
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.195E-10	0.9553
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.016E-28	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.251E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 3.000E+02 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+02 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.684E-13	0.0037	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.350E-26	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.706E-12	0.0296	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	1.209E-10	0.9666	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.251E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.684E-13	0.0037
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.350E-26	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.706E-12	0.0296
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.209E-10	0.9666
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.251E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As pCi/yr at t= 1.000E+03 years

Radio-	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total
Nuclide	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	Ingestion*
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.296E+03	0.000E+00	0.000E+00	0.000E+00	4.296E+03
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.140E+03	0.000E+00	0.000E+00	0.000E+00	2.140E+03
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
Radon and its Decay Products as pCi/yr at t= 1.000E+03 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+03 years

0

Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	3.373E-27	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.644E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.470E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.231E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.089E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.322E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Plant		Meat		Milk		All Pathways**	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	4.434E-04	0.9307	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.434E-04	0.9307
Ra-226	0.000E+00	0.0000	3.300E-05	0.0693	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.300E-05	0.0693
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.470E-12	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.231E-10	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.089E-28	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	4.764E-04	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.764E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
Radon and its Decay Products at t= 1.000E+03 years

0

Radon	Radionuclides							
Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+03 years

0 Water Independent Pathways (Inhalation excludes radon)

0

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.307E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	7.513E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	1.246E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.322E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	2.963E-04	0.6221	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.963E-04	0.6221
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	1.800E-04	0.3779	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.800E-04	0.3779
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.246E-10	0.0000
Total	0.000E+00	0.0000	4.764E-04	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.764E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Table of Contents

Part IV: Concentration of Radionuclides

Concentration of radionuclides in different media
Time= 0.000E+00 2
Time= 1.000E+00 3
Time= 3.000E+00 4
Time= 1.000E+01 5
Time= 3.000E+01 6
Time= 1.000E+02 7
Time= 3.000E+02 8
Time= 1.000E+03 9

Concentration of radionuclides in environmental media
at t = 0.000E+00 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	3.400E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	7.480E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.400E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 0.000E+00 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 1.000E+00 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	3.523E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	7.613E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.093E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.400E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 1.000E+00 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 3.000E+00 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	3.771E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	7.879E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.091E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.093E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.400E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 3.000E+00 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 1.000E+01 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	4.641E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	8.800E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.086E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.087E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.400E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 1.000E+01 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 3.000E+01 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	7.135E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	1.137E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.082E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.082E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.399E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 3.000E+01 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 1.000E+02 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	1.549E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	1.963E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.082E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.082E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.396E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.095E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 1.000E+02 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 3.000E+02 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	3.440E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	3.802E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	1.081E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.081E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.389E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.094E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 3.000E+02 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
at t = 1.000E+03 years

Radio-Nuclide	Contaminated Zone pCi/g	Surface Soil* pCi/g	Air Particulate pCi/m**3	Well Water pCi/L	Surface Water pCi/L
Pb-210	6.452E+04	0.000E+00	0.000E+00	4.023E+02	5.029E+00
Ra-226	6.727E+04	0.000E+00	0.000E+00	6.920E+02	8.650E+00
Ra-228	1.080E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	1.080E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	3.364E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	1.093E+05	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
at t = 1.000E+03 years*

Radio-Nuclide	Drinking Water pCi/L	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/L	Fish pCi/kg	Crustacea pCi/kg
Pb-210	4.023E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.507E+03	5.036E+02
Ra-226	6.919E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.323E+02	2.162E+03
Ra-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-228	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-232	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Table of Contents

Part V: Dose from Radionuclide at Point of Action

Total Dose Components Summed to Daughter
Time = 0.000E+00 years 2
Time = 1.000E+00 years 3
Time = 3.000E+00 years 4
Time = 1.000E+01 years 5
Time = 3.000E+01 years 6
Time = 1.000E+02 years 7
Time = 3.000E+02 years 8
Time = 1.000E+03 years 9

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 0.000E+00 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	7.91E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.91E-24
Ra-226	3.59E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.59E-08
Ra-228	6.22E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.22E-08
Th-228	5.21E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.21E-06
Th-230	4.86E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.31E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.31E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+00 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	8.18E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.18E-24
Ra-226	3.65E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.65E-08
Ra-228	6.21E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.21E-08
Th-228	5.21E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.21E-06
Th-230	4.86E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.31E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.31E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+00 years

0

0Radio-Nuclide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	8.70E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.70E-24
Ra-226	3.78E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.78E-08
Ra-228	6.20E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.20E-08
Th-228	5.20E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.20E-06
Th-230	4.86E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.30E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.30E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+01 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	1.08E-23	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-23
Ra-226	4.22E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.22E-08
Ra-228	6.17E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.17E-08
Th-228	5.18E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.18E-06
Th-230	4.87E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.87E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.28E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+01 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	1.65E-23	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-23
Ra-226	5.45E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.45E-08
Ra-228	6.16E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.16E-08
Th-228	5.16E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.16E-06
Th-230	4.88E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.88E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.27E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.27E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+02 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	3.59E-23	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.59E-23
Ra-226	9.41E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.41E-08
Ra-228	6.18E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.18E-08
Th-228	5.17E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.17E-06
Th-230	4.91E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.91E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.33E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.33E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+02 years

0

0Radio-Nuclide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	8.11E-23	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.11E-23
Ra-226	1.84E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.84E-07
Ra-228	6.24E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.24E-08
Th-228	5.22E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.22E-06
Th-230	5.01E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.01E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.46E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.46E-06

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+03 years

0	Water Independent Pathways							Water Dependent Pathways						
0Radio-Nuclide	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Pb-210	1.63E-22	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.14E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.14E+01
Ra-226	3.36E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E+00
Ra-228	6.47E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.47E-08
Th-228	5.37E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.37E-06
Th-230	5.37E-24	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.37E-24
Th-232	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	5.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.43E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.43E+01

0*Sum of all water independent and dependent pathways.

Table of Contents

Part VI: Uncertainty Analysis

0RESRAD Uncertainty Analysis Results
Probabilistic Input 2
Total Dose 3
Total Risk 4
Dose vs Pathway: Ground External 5
Dose vs Pathway: Inhalation (w/o Radon) 6
Dose vs Pathway: Radon (Water Ind.) 7
Dose vs Pathway: Plant (Water Ind.) 8
Dose vs Pathway: Meat (Water Ind.) 9
Dose vs Pathway: Milk (Water Ind.) 10
Dose vs Pathway: Soil Ingestion 11
Dose vs Pathway: Water Ingestion 12
Dose vs Pathway: Fish Ingestion 13
Dose vs Pathway: Radon (Water Dep.) 14
Dose vs Pathway: Plant (Water Dep.) 15
Dose vs Pathway: Meat (Water Dep.) 16
Dose vs Pathway: Milk (Water Dep.) 17
Cumulative Probability Summary..... 18
Summary of dose at graphical times, reptition 1..... 19
Summary of dose at graphical times, reptition 2..... 20
Summary of dose at graphical times, reptition 3..... 21
Summary of dose at graphical times, reptition 4..... 22
Summary of dose at graphical times, reptition 5..... 23
Peak of the mean dose at graphical times..... 24
Correlation and Regression coefficients (if any)..... 25

Probabilistic Input
0Number of Sample Runs: 1500

Number	Name	Distribution	Parameters										
1	DENSAQ	TRUNCATED NORMAL	1.52	.23	.05	.95							
2	DENSUZ(1)	TRUNCATED NORMAL	1.65	.23	.05	.95							
3	DROOT	LOGNORMAL-N	-1.9	.6									
4	HCSZ	BOUNDED LOGNORMAL-N	2.3	2.11	.004	9250							
5	H(1)	BOUNDED LOGNORMAL-N	.42	.5	.5	4							
6	BCZ	BOUNDED LOGNORMAL-N	1.06	.66	.5	30							
7	BSZ	BOUNDED LOGNORMAL-N	1.06	.66	.5	30							
8	VCZ	CONTINUOUS LOGARITHMIC	3	.0000008	0	.000003	.5	.00006	1				
9	HCCZ	BOUNDED LOGNORMAL-N	7.6	.75	200	20000							
10	EVAPTR	UNIFORM	.5	.75									
11	RUNOFF	UNIFORM	.1	.8									
12	HGWT	BOUNDED LOGNORMAL-N	-5.11	1.77	.00007	.5							
13	WLAM	TRIANGULAR	5.1	18	84								
14	WIND	BOUNDED LOGNORMAL-N	1.445	.2419	1.4	13							
15	MLINH	CONTINUOUS LINEAR	8	0	0	.000008	.0151	.000016	.1365	.00003	.8119	.00004	.9495
			.00006	.9937	.000076	.9983	.0001	1					
16	DM	TRIANGULAR	0	.15	.6								
17	DENSCZ	TRUNCATED NORMAL	1.65	.23	.05	.95							
18	INHALR	TRIANGULAR	4380	8400	13100								
19	SOIL	TRIANGULAR	0	18.3	36.5								
20	DCACTC(6)	BOUNDED LOGNORMAL-N	11	1	3200	89000							
21	DCACTU1(6)	LOGNORMAL-N	8.68	3.62									
22	DCACTS(6)	LOGNORMAL-N	8.68	3.62									
23	DCACTC(4)	BOUNDED LOGNORMAL-N	11	1	3200	89000							
24	DCACTU1(4)	LOGNORMAL-N	8.68	3.62									
25	DCACTS(4)	LOGNORMAL-N	8.68	3.62									
26	AREA	UNIFORM	791	5725									
27	THICK0	BOUNDED LOGNORMAL-N	.2	.75	.3	3							
28	COVER0	TRIANGULAR	1	1.52	2								
29	DENSCV	TRUNCATED NORMAL	1.97	.23	.05	.95							
30	VCV	CONTINUOUS LOGARITHMIC	3	.0000008	0	.000003	.5	.00006	1				
31	FOTD	TRIANGULAR	0	.0285	.057								
32	FMEAT	TRIANGULAR	0	.3	.5								
33	DCACTC(5)	BOUNDED LOGNORMAL-N	11	1	3200	89000							
34	DCACTU1(5)	LOGNORMAL-N	8.68	3.62									
35	DCACTS(5)	LOGNORMAL-N	8.68	3.62									
36	FR9	TRIANGULAR	0	.39	1								
37	FPLANT	TRIANGULAR	0	.0285	.057								
38	DCACTC(2)	LOGNORMAL-N	8.17	1.7									
39	DCACTU1(2)	LOGNORMAL-N	8.17	1.7									
40	DCACTS(2)	LOGNORMAL-N	8.17	1.7									
41	DCACTC(1)	LOGNORMAL-N	7.78	2.76									
42	DCACTU1(1)	LOGNORMAL-N	7.78	2.76									
43	DCACTS(1)	LOGNORMAL-N	7.78	2.76									
44	DCACTC(3)	LOGNORMAL-N	8.17	1.7									
45	DCACTU1(3)	LOGNORMAL-N	8.17	1.7									
46	DCACTS(3)	LOGNORMAL-N	8.17	1.7									

0 Probabilistic Total Dose Summary

0Nuclide (j)	Peak Time	Peak Dose	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
			DOSE(j,t), mrem/yr							
Pb-210										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	7.54E+02	6.99E-02	1.76E-14	1.71E-14	1.60E-14	3.35E-03	4.92E-02	3.76E-02	2.31E-02	3.90E-11
Avg	4.33E+00	1.06E-04	4.13E-17	4.00E-17	3.75E-17	2.23E-06	3.96E-05	6.09E-05	1.59E-05	3.71E-14
Std	4.65E+01	2.15E-03	5.62E-16	5.45E-16	5.12E-16	8.65E-05	1.30E-03	1.33E-03	5.97E-04	1.07E-12
Ra-226										
Min	0.00E+00	1.31E-14	1.31E-14	1.31E-14	1.31E-14	1.31E-14	1.30E-14	1.27E-14	1.19E-14	0.00E+00
Max	1.00E+03	9.70E+00	1.04E-03	1.04E-03	1.04E-03	3.69E-03	8.86E-02	2.27E+00	9.40E+00	3.48E+00
Avg	1.16E+02	7.65E-03	8.68E-06	8.68E-06	8.67E-06	1.11E-05	7.35E-05	2.03E-03	7.32E-03	2.42E-03
Std	3.17E+02	2.52E-01	5.14E-05	5.14E-05	5.13E-05	1.08E-04	2.30E-03	6.03E-02	2.44E-01	8.99E-02
Ra-228										
Min	3.79E+00	3.40E-12	9.21E-13	2.23E-12	3.30E-12	2.30E-12	2.24E-13	4.89E-17	0.00E+00	0.00E+00
Max	3.48E+01	6.02E-01	1.20E-02	2.42E-02	1.03E-01	5.83E-01	2.31E-01	2.20E-04	1.79E-14	0.00E+00
Avg	4.19E+00	1.11E-03	1.13E-04	2.40E-04	4.11E-04	7.27E-04	3.77E-04	2.85E-07	2.14E-17	0.00E+00
Std	1.76E+00	1.83E-02	6.20E-04	1.28E-03	3.21E-03	1.52E-02	8.19E-03	6.89E-06	5.43E-16	0.00E+00
Th-228										
Min	0.00E+00	4.94E-12	4.94E-12	3.44E-12	1.67E-12	1.32E-13	9.43E-17	0.00E+00	0.00E+00	0.00E+00
Max	2.62E+01	8.38E-02	4.78E-02	3.33E-02	7.68E-02	3.02E-02	7.06E-05	1.82E-15	0.00E+00	0.00E+00
Avg	1.10E-01	5.49E-04	4.86E-04	3.41E-04	2.17E-04	3.86E-05	1.06E-07	4.48E-18	0.00E+00	0.00E+00
Std	1.40E+00	3.34E-03	2.56E-03	1.78E-03	2.16E-03	7.94E-04	2.18E-06	7.30E-17	0.00E+00	0.00E+00
Th-230										
Min	1.45E+02	2.35E-13	1.29E-16	3.87E-16	9.03E-16	2.71E-15	7.85E-15	2.57E-14	7.53E-14	2.35E-13
Max	1.00E+03	4.30E+01	1.02E-05	3.06E-05	7.14E-05	1.05E-01	4.25E-01	1.56E+00	2.10E+01	4.30E+01
Avg	9.95E+02	1.61E-01	8.55E-08	2.56E-07	6.17E-07	7.51E-05	5.03E-04	5.21E-03	4.14E-02	1.53E-01
Std	5.74E+01	1.80E+00	5.06E-07	1.52E-06	3.62E-06	2.71E-03	1.23E-02	7.02E-02	6.25E-01	1.68E+00
Th-232										
Min	1.71E+01	6.58E-12	3.87E-14	2.35E-13	9.33E-13	3.48E-12	5.69E-12	5.96E-12	6.10E-12	6.58E-12
Max	1.00E+03	4.55E+01	5.62E-04	2.81E-03	1.06E-02	4.46E-01	3.30E+00	1.53E+01	2.76E+01	4.48E+01
Avg	9.80E+02	2.36E-01	5.20E-06	2.71E-05	1.07E-04	6.84E-04	6.21E-03	3.95E-02	9.68E-02	2.32E-01
Std	1.29E+02	2.07E+00	2.89E-05	1.47E-04	6.00E-04	1.17E-02	1.09E-01	5.46E-01	1.21E+00	2.05E+00
§ALL										
Min	8.47E+00	6.83E-12	5.91E-12	5.91E-12	5.92E-12	5.92E-12	5.94E-12	6.00E-12	6.18E-12	6.83E-12
Max	1.00E+03	5.00E+01	6.13E-02	6.14E-02	1.90E-01	1.06E+00	3.30E+00	1.53E+01	3.04E+01	4.48E+01
Avg	9.83E+02	4.00E-01	6.14E-04	6.17E-04	7.44E-04	1.54E-03	7.21E-03	4.68E-02	1.46E-01	3.88E-01
Std	1.15E+02	2.84E+00	3.26E-03	3.26E-03	5.89E-03	2.77E-02	1.14E-01	5.56E-01	1.47E+00	2.70E+00

§ALL is total dose summed for all nuclides.

0 Probabilistic Risk Summary
0Nuclide RISK(j,t)

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	3.69E-19	3.57E-19	3.36E-19	4.26E-08	6.80E-07	5.39E-07	3.29E-07	5.62E-16
Avg	8.65E-22	8.38E-22	7.86E-22	2.84E-11	5.50E-10	8.70E-10	2.26E-10	5.34E-19
Std	1.18E-20	1.14E-20	1.07E-20	1.10E-09	1.79E-08	1.90E-08	8.48E-09	1.54E-17
Ra-226								
Min	2.98E-19	2.98E-19	2.98E-19	2.97E-19	2.95E-19	2.89E-19	2.71E-19	0.00E+00
Max	2.36E-08	2.36E-08	2.35E-08	4.09E-08	1.21E-06	3.18E-05	1.33E-04	4.95E-05
Avg	1.97E-10	1.97E-10	1.97E-10	2.24E-10	1.08E-09	2.85E-08	1.04E-07	3.45E-08
Std	1.17E-09	1.17E-09	1.17E-09	1.57E-09	3.15E-08	8.45E-07	3.47E-06	1.28E-06
Ra-228								
Min	2.59E-19	3.87E-17	7.28E-17	5.53E-17	5.45E-18	1.19E-21	0.00E+00	0.00E+00
Max	7.60E-08	4.40E-07	9.31E-07	8.95E-06	3.74E-06	3.64E-09	2.98E-19	0.00E+00
Avg	5.70E-10	4.30E-09	8.18E-09	1.29E-08	6.32E-09	4.75E-12	3.57E-22	0.00E+00
Std	3.61E-09	2.31E-08	4.67E-08	2.34E-07	1.33E-07	1.14E-10	9.03E-21	0.00E+00
Th-228								
Min	1.35E-16	9.39E-17	4.55E-17	3.61E-18	2.58E-21	0.00E+00	0.00E+00	0.00E+00
Max	1.30E-06	9.08E-07	1.05E-06	5.34E-07	1.30E-09	3.41E-20	0.00E+00	0.00E+00
Avg	1.33E-08	9.25E-09	5.21E-09	7.94E-10	2.02E-12	8.40E-23	0.00E+00	0.00E+00
Std	6.99E-08	4.86E-08	3.59E-08	1.40E-08	3.99E-11	1.36E-21	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	5.87E-21	1.76E-20	5.87E-20	1.76E-19	5.81E-19	1.71E-18	5.35E-18
Max	9.87E-19	4.64E-10	1.39E-09	6.31E-07	2.71E-06	1.18E-05	2.97E-04	5.45E-04
Avg	2.10E-21	3.89E-12	1.17E-11	4.74E-10	3.34E-09	4.02E-08	3.97E-07	1.42E-06
Std	3.08E-20	2.30E-11	6.90E-11	1.63E-08	7.84E-08	5.38E-07	7.97E-06	1.99E-05
Th-232								
Min	0.00E+00	2.54E-18	1.69E-17	7.64E-17	1.30E-16	1.37E-16	1.40E-16	1.51E-16
Max	3.06E-21	3.30E-08	1.85E-07	6.24E-06	3.53E-05	8.13E-05	1.32E-04	1.71E-04
Avg	5.63E-24	3.12E-10	1.87E-09	1.23E-08	5.32E-08	1.40E-07	2.98E-07	6.06E-07
Std	9.20E-23	1.71E-09	9.90E-09	1.66E-07	9.68E-07	2.30E-06	4.10E-06	6.05E-06
§ALL								
Min	1.35E-16	1.35E-16	1.36E-16	1.36E-16	1.36E-16	1.38E-16	1.42E-16	1.56E-16
Max	1.40E-06	1.41E-06	2.05E-06	1.57E-05	3.88E-05	8.13E-05	4.31E-04	5.45E-04
Avg	1.41E-08	1.41E-08	1.55E-08	2.67E-08	6.45E-08	2.10E-07	7.98E-07	2.06E-06
Std	7.46E-08	7.46E-08	9.13E-08	4.14E-07	1.09E-06	2.62E-06	1.21E-05	2.17E-05

§ALL is total risk summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Ground External
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.76E-14	1.71E-14	1.60E-14	1.29E-14	6.95E-15	7.95E-16	1.62E-18	0.00E+00
Avg	4.13E-17	4.00E-17	3.75E-17	3.00E-17	1.61E-17	1.81E-18	3.65E-21	0.00E+00
Std	5.62E-16	5.45E-16	5.12E-16	4.12E-16	2.22E-16	2.53E-17	5.16E-20	0.00E+00
Ra-226								
Min	1.31E-14	1.31E-14	1.31E-14	1.31E-14	1.30E-14	1.27E-14	1.19E-14	0.00E+00
Max	1.04E-03	1.04E-03	1.04E-03	1.03E-03	1.02E-03	9.90E-04	9.04E-04	6.57E-04
Avg	8.68E-06	8.68E-06	8.67E-06	8.65E-06	8.59E-06	8.39E-06	7.84E-06	6.34E-06
Std	5.14E-05	5.14E-05	5.13E-05	5.12E-05	5.08E-05	4.96E-05	4.62E-05	3.72E-05
Ra-228								
Min	9.21E-13	2.23E-12	3.30E-12	2.30E-12	2.24E-13	4.89E-17	0.00E+00	0.00E+00
Max	1.20E-02	2.42E-02	3.41E-02	2.31E-02	2.25E-03	4.89E-07	1.68E-17	0.00E+00
Avg	1.13E-04	2.39E-04	3.41E-04	2.33E-04	2.26E-05	4.90E-09	1.67E-19	0.00E+00
Std	6.20E-04	1.28E-03	1.81E-03	1.23E-03	1.19E-04	2.58E-08	8.70E-19	0.00E+00
Th-228								
Min	4.94E-12	3.44E-12	1.67E-12	1.32E-13	9.43E-17	0.00E+00	0.00E+00	0.00E+00
Max	4.78E-02	3.33E-02	1.61E-02	1.28E-03	9.11E-07	8.84E-18	0.00E+00	0.00E+00
Avg	4.86E-04	3.39E-04	1.64E-04	1.30E-05	9.30E-09	9.08E-20	0.00E+00	0.00E+00
Std	2.56E-03	1.78E-03	8.63E-04	6.84E-05	4.89E-08	4.77E-19	0.00E+00	0.00E+00
Th-230								
Min	1.29E-16	3.87E-16	9.03E-16	2.71E-15	7.85E-15	2.57E-14	7.53E-14	2.35E-13
Max	1.02E-05	3.06E-05	7.14E-05	2.14E-04	6.19E-04	2.01E-03	5.79E-03	1.69E-02
Avg	8.55E-08	2.56E-07	5.98E-07	1.79E-06	5.20E-06	1.70E-05	5.00E-05	1.61E-04
Std	5.06E-07	1.52E-06	3.54E-06	1.06E-05	3.08E-05	1.01E-04	2.95E-04	9.42E-04
Th-232								
Min	3.87E-14	2.35E-13	9.33E-13	3.48E-12	5.69E-12	5.96E-12	6.10E-12	6.58E-12
Max	5.62E-04	2.81E-03	1.01E-02	3.59E-02	5.82E-02	6.07E-02	6.14E-02	6.41E-02
Avg	5.20E-06	2.71E-05	1.00E-04	3.59E-04	5.84E-04	6.13E-04	6.32E-04	7.12E-04
Std	2.89E-05	1.47E-04	5.35E-04	1.91E-03	3.09E-03	3.24E-03	3.33E-03	3.75E-03
§ALL								
Min	5.91E-12	5.91E-12	5.92E-12	5.92E-12	5.94E-12	6.00E-12	6.18E-12	6.83E-12
Max	6.13E-02	6.14E-02	6.14E-02	6.16E-02	6.21E-02	6.37E-02	6.81E-02	8.16E-02
Avg	6.14E-04	6.14E-04	6.14E-04	6.16E-04	6.21E-04	6.38E-04	6.90E-04	8.79E-04
Std	3.26E-03	3.26E-03	3.26E-03	3.27E-03	3.30E-03	3.39E-03	3.67E-03	4.73E-03

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Radon (Water Ind.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Plant (Water Ind.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Meat (Water Ind.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Milk (Water Ind.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Soil Ingestion
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Water Ingestion
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Fish Ingestion
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	3.35E-03	4.92E-02	3.76E-02	2.31E-02	3.90E-11
Avg	0.00E+00	0.00E+00	0.00E+00	2.23E-06	3.96E-05	6.09E-05	1.59E-05	3.71E-14
Std	0.00E+00	0.00E+00	0.00E+00	8.65E-05	1.30E-03	1.33E-03	5.97E-04	1.07E-12
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	3.69E-03	8.86E-02	2.27E+00	9.40E+00	3.48E+00
Avg	0.00E+00	0.00E+00	0.00E+00	2.46E-06	6.49E-05	2.02E-03	7.31E-03	2.42E-03
Std	0.00E+00	0.00E+00	0.00E+00	9.51E-05	2.30E-03	6.03E-02	2.44E-01	8.99E-02
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.93E-04	1.03E-01	5.83E-01	2.31E-01	2.20E-04	1.79E-14	0.00E+00
Avg	0.00E+00	3.03E-07	7.01E-05	4.94E-04	3.55E-04	2.80E-07	2.12E-17	0.00E+00
Std	0.00E+00	1.03E-05	2.66E-03	1.52E-02	8.19E-03	6.89E-06	5.43E-16	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.37E-03	7.68E-02	3.02E-02	7.06E-05	1.82E-15	0.00E+00	0.00E+00
Avg	0.00E+00	2.64E-06	5.29E-05	2.56E-05	9.69E-08	4.39E-18	0.00E+00	0.00E+00
Std	0.00E+00	8.84E-05	1.98E-03	7.91E-04	2.18E-06	7.30E-17	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	2.89E-05	1.05E-01	4.25E-01	1.56E+00	2.10E+01	4.30E+01
Avg	0.00E+00	0.00E+00	1.93E-08	7.33E-05	4.97E-04	5.19E-03	4.14E-02	1.53E-01
Std	0.00E+00	0.00E+00	7.45E-07	2.71E-03	1.23E-02	7.02E-02	6.25E-01	1.68E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	4.34E-06	1.06E-02	4.46E-01	3.29E+00	1.53E+01	2.76E+01	4.48E+01
Avg	0.00E+00	3.89E-09	7.18E-06	3.25E-04	5.63E-03	3.89E-02	9.62E-02	2.31E-01
Std	0.00E+00	1.18E-07	2.73E-04	1.15E-02	1.09E-01	5.46E-01	1.21E+00	2.05E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.77E-03	1.90E-01	1.06E+00	3.29E+00	1.53E+01	3.04E+01	4.48E+01
Avg	0.00E+00	2.95E-06	1.30E-04	9.23E-04	6.59E-03	4.62E-02	1.45E-01	3.87E-01
Std	0.00E+00	9.87E-05	4.92E-03	2.76E-02	1.13E-01	5.56E-01	1.47E+00	2.70E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Radon (Water Dep.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Plant (Water Dep.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Meat (Water Dep.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

0 Probabilistic Dose vs Pathway(i): Milk (Water Dep.)
0Nuclide DOSE(i,j,t), mrem/yr

(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pb-210								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-228								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-232								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
§ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

§ALL is total pathway dose summed for all nuclides.

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	2.53E-09	2.53E-09	2.53E-09	2.53E-09	2.53E-09	2.58E-09	2.94E-09	3.40E-09
0.050	1.02E-08	1.02E-08	1.02E-08	1.03E-08	1.04E-08	1.16E-08	1.27E-08	1.60E-08
0.075	2.80E-08	2.80E-08	2.80E-08	2.81E-08	2.87E-08	2.90E-08	3.13E-08	3.87E-08
0.100	4.50E-08	4.50E-08	4.50E-08	4.51E-08	4.61E-08	4.72E-08	4.95E-08	6.01E-08
0.125	6.90E-08	6.91E-08	6.92E-08	6.99E-08	7.22E-08	7.46E-08	8.40E-08	1.01E-07
0.150	1.03E-07	1.03E-07	1.03E-07	1.04E-07	1.06E-07	1.09E-07	1.22E-07	1.48E-07
0.175	1.40E-07	1.40E-07	1.40E-07	1.47E-07	1.51E-07	1.58E-07	1.80E-07	2.22E-07
0.200	2.27E-07	2.27E-07	2.27E-07	2.35E-07	2.38E-07	2.65E-07	2.97E-07	3.68E-07
0.225	3.52E-07	3.52E-07	3.52E-07	3.59E-07	3.65E-07	3.96E-07	4.21E-07	5.02E-07
0.250	4.62E-07	4.62E-07	4.62E-07	4.67E-07	4.91E-07	5.15E-07	5.54E-07	7.15E-07
0.275	6.34E-07	6.34E-07	6.34E-07	6.52E-07	6.92E-07	7.29E-07	7.64E-07	9.55E-07
0.300	8.22E-07	8.22E-07	8.23E-07	8.34E-07	8.71E-07	9.00E-07	1.00E-06	1.32E-06
0.325	1.15E-06	1.16E-06	1.16E-06	1.16E-06	1.21E-06	1.24E-06	1.38E-06	1.73E-06
0.350	1.46E-06	1.47E-06	1.47E-06	1.49E-06	1.56E-06	1.65E-06	1.80E-06	2.25E-06
0.375	1.87E-06	1.87E-06	1.87E-06	1.94E-06	2.05E-06	2.18E-06	2.41E-06	2.97E-06
0.400	2.47E-06	2.48E-06	2.49E-06	2.53E-06	2.68E-06	2.83E-06	3.08E-06	3.89E-06
0.425	3.20E-06	3.24E-06	3.24E-06	3.29E-06	3.57E-06	3.79E-06	4.07E-06	5.21E-06
0.450	4.23E-06	4.27E-06	4.27E-06	4.46E-06	4.62E-06	4.92E-06	5.25E-06	6.61E-06
0.475	5.06E-06	5.10E-06	5.10E-06	5.40E-06	5.64E-06	5.88E-06	6.42E-06	7.99E-06
0.500	6.34E-06	6.38E-06	6.38E-06	6.52E-06	6.71E-06	7.22E-06	7.66E-06	1.06E-05
0.525	7.46E-06	7.66E-06	7.67E-06	7.82E-06	8.57E-06	9.48E-06	1.06E-05	1.41E-05
0.550	1.03E-05	1.07E-05	1.08E-05	1.15E-05	1.21E-05	1.31E-05	1.49E-05	1.86E-05
0.575	1.39E-05	1.39E-05	1.40E-05	1.47E-05	1.54E-05	1.67E-05	1.80E-05	2.41E-05
0.600	1.71E-05	1.73E-05	1.77E-05	1.86E-05	1.95E-05	2.13E-05	2.42E-05	3.35E-05
0.625	2.24E-05	2.26E-05	2.26E-05	2.38E-05	2.53E-05	2.77E-05	3.13E-05	4.30E-05
0.650	2.83E-05	2.87E-05	2.92E-05	3.09E-05	3.32E-05	3.59E-05	4.17E-05	5.47E-05
0.675	3.54E-05	3.61E-05	3.69E-05	3.95E-05	4.14E-05	4.44E-05	5.29E-05	7.32E-05
0.700	4.44E-05	4.49E-05	4.49E-05	5.07E-05	5.41E-05	6.12E-05	7.08E-05	9.58E-05
0.725	5.93E-05	5.97E-05	5.97E-05	6.53E-05	7.20E-05	7.91E-05	9.95E-05	1.37E-04
0.750	7.92E-05	8.21E-05	8.21E-05	9.00E-05	9.90E-05	1.09E-04	1.26E-04	1.93E-04
0.775	1.06E-04	1.07E-04	1.07E-04	1.13E-04	1.25E-04	1.53E-04	1.80E-04	2.78E-04
0.800	1.44E-04	1.50E-04	1.50E-04	1.65E-04	1.80E-04	2.14E-04	2.81E-04	4.14E-04
0.825	1.99E-04	2.10E-04	2.10E-04	2.48E-04	2.81E-04	3.34E-04	4.21E-04	7.05E-04
0.850	3.13E-04	3.18E-04	3.18E-04	3.56E-04	4.21E-04	5.52E-04	6.53E-04	1.09E-03
0.875	5.14E-04	5.24E-04	5.25E-04	5.78E-04	6.50E-04	7.73E-04	1.09E-03	1.73E-03
0.900	7.27E-04	7.55E-04	7.58E-04	8.61E-04	1.02E-03	1.25E-03	1.72E-03	3.23E-03
0.925	1.21E-03	1.21E-03	1.22E-03	1.42E-03	1.64E-03	2.33E-03	3.17E-03	8.85E-03
0.950	2.20E-03	2.21E-03	2.27E-03	2.59E-03	3.63E-03	5.60E-03	1.35E-02	2.16E-01
0.975	5.20E-03	5.20E-03	5.25E-03	7.00E-03	1.38E-02	5.31E-02	5.36E-01	4.42E+00
1.000	6.13E-02	6.14E-02	1.90E-01	1.06E+00	3.30E+00	1.53E+01	3.04E+01	4.48E+01

Summary of dose at graphical times, reptition 1
Dose statistics at graphical times, mrem/yr

Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.02E-10	3.64E-02	6.21E-04	4.94E-06	7.76E-04	2.55E-03	7.62E-03	1.33E-02
1.00E+00	2.02E-10	3.64E-02	6.22E-04	4.94E-06	7.76E-04	2.55E-03	7.63E-03	1.33E-02
1.30E+00	2.02E-10	3.64E-02	6.22E-04	4.94E-06	7.76E-04	2.55E-03	7.63E-03	1.34E-02
1.70E+00	2.02E-10	3.64E-02	6.22E-04	4.94E-06	7.76E-04	2.55E-03	7.63E-03	1.34E-02
2.22E+00	2.02E-10	3.64E-02	6.22E-04	4.94E-06	7.76E-04	2.56E-03	7.63E-03	1.34E-02
2.89E+00	2.02E-10	3.65E-02	6.22E-04	4.94E-06	7.76E-04	2.56E-03	7.64E-03	1.34E-02
3.00E+00	2.02E-10	3.65E-02	6.22E-04	4.94E-06	7.76E-04	2.56E-03	7.64E-03	1.34E-02
3.78E+00	2.02E-10	3.65E-02	6.41E-04	4.94E-06	9.62E-04	2.60E-03	7.64E-03	1.34E-02
4.92E+00	2.02E-10	3.65E-02	7.02E-04	4.94E-06	9.62E-04	2.60E-03	1.01E-02	1.98E-02
6.42E+00	2.02E-10	4.77E-02	7.82E-04	4.94E-06	9.63E-04	2.60E-03	1.01E-02	1.98E-02
8.38E+00	2.02E-10	7.89E-02	9.03E-04	5.00E-06	1.12E-03	2.65E-03	1.02E-02	1.99E-02
1.00E+01	2.02E-10	1.05E-01	1.21E-03	5.00E-06	1.16E-03	2.65E-03	1.13E-02	3.64E-02
1.09E+01	2.02E-10	1.28E-01	1.46E-03	5.00E-06	1.16E-03	2.76E-03	1.13E-02	3.65E-02
1.43E+01	2.02E-10	3.64E-01	2.45E-03	5.09E-06	1.16E-03	2.76E-03	1.14E-02	3.65E-02
1.86E+01	2.03E-10	6.20E-01	3.58E-03	5.10E-06	1.26E-03	3.95E-03	1.25E-02	3.66E-02
2.42E+01	2.03E-10	8.27E-01	4.74E-03	5.11E-06	1.35E-03	4.76E-03	1.35E-02	3.69E-02
3.00E+01	2.04E-10	9.39E-01	7.03E-03	5.12E-06	1.40E-03	5.42E-03	1.89E-02	4.21E-01
3.16E+01	2.04E-10	9.59E-01	7.71E-03	5.12E-06	1.40E-03	5.42E-03	2.06E-02	4.47E-01
4.12E+01	2.04E-10	1.46E+00	1.16E-02	5.14E-06	1.40E-03	5.44E-03	2.83E-02	5.99E-01
5.38E+01	2.06E-10	2.63E+00	1.65E-02	5.16E-06	1.40E-03	5.46E-03	2.85E-02	7.98E-01
7.02E+01	2.07E-10	4.14E+00	2.37E-02	5.93E-06	1.50E-03	9.83E-03	6.96E-02	1.06E+00
9.15E+01	2.09E-10	6.12E+00	4.56E-02	5.96E-06	1.51E-03	1.11E-02	1.38E-01	1.40E+00
1.00E+02	2.10E-10	7.24E+00	6.14E-02	5.97E-06	1.51E-03	1.11E-02	1.46E-01	1.54E+00
1.19E+02	2.11E-10	1.54E+01	9.74E-02	5.99E-06	1.53E-03	1.12E-02	1.84E-01	1.85E+00
1.56E+02	2.15E-10	2.76E+01	1.54E-01	6.03E-06	1.56E-03	1.13E-02	2.74E-01	2.25E+00
2.03E+02	2.19E-10	2.76E+01	1.73E-01	6.08E-06	2.03E-03	1.32E-02	3.89E-01	2.81E+00
2.65E+02	2.25E-10	2.76E+01	2.06E-01	5.77E-06	2.23E-03	1.56E-02	6.36E-01	4.00E+00
3.00E+02	2.28E-10	2.76E+01	2.19E-01	6.24E-06	2.41E-03	1.80E-02	7.54E-01	4.99E+00
3.46E+02	2.33E-10	2.76E+01	2.36E-01	6.32E-06	2.45E-03	1.88E-02	9.15E-01	7.98E+00
4.51E+02	2.43E-10	2.76E+01	2.74E-01	6.96E-06	2.53E-03	2.25E-02	1.74E+00	1.49E+01
5.88E+02	2.58E-10	2.75E+01	2.99E-01	7.09E-06	2.64E-03	4.93E-02	2.27E+00	1.70E+01
7.67E+02	2.78E-10	2.75E+01	3.25E-01	7.27E-06	2.78E-03	5.40E-02	2.85E+00	1.70E+01
1.00E+03	3.06E-10	2.75E+01	3.93E-01	7.49E-06	3.23E-03	7.68E-01	5.55E+00	1.71E+01

Summary of dose at graphical times, reptition 2
Dose statistics at graphical times, mrem/yr

Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.91E-10	6.13E-02	9.15E-04	6.64E-06	5.09E-04	3.60E-03	1.10E-02	2.84E-02
1.00E+00	1.91E-10	6.14E-02	9.28E-04	6.70E-06	6.53E-04	3.67E-03	1.10E-02	2.84E-02
1.30E+00	1.91E-10	6.14E-02	9.69E-04	6.70E-06	6.53E-04	3.67E-03	1.33E-02	2.84E-02
1.70E+00	1.91E-10	6.14E-02	1.07E-03	6.71E-06	6.53E-04	3.67E-03	1.33E-02	3.91E-02
2.22E+00	1.91E-10	9.99E-02	1.25E-03	6.71E-06	6.53E-04	3.67E-03	1.33E-02	3.91E-02
2.89E+00	1.91E-10	1.78E-01	1.51E-03	6.71E-06	6.54E-04	3.67E-03	1.33E-02	3.91E-02
3.00E+00	1.91E-10	1.90E-01	1.55E-03	6.71E-06	6.54E-04	3.67E-03	1.33E-02	3.91E-02
3.78E+00	1.91E-10	2.87E-01	1.87E-03	6.71E-06	6.54E-04	3.67E-03	1.33E-02	3.91E-02
4.92E+00	1.91E-10	4.37E-01	2.37E-03	6.71E-06	6.54E-04	3.68E-03	1.33E-02	3.91E-02
6.42E+00	1.91E-10	6.32E-01	3.02E-03	6.71E-06	6.54E-04	3.68E-03	1.33E-02	3.91E-02
8.38E+00	1.91E-10	8.74E-01	3.83E-03	6.71E-06	6.54E-04	3.68E-03	1.33E-02	3.92E-02
1.00E+01	1.91E-10	1.06E+00	4.45E-03	6.71E-06	6.55E-04	3.68E-03	1.34E-02	3.92E-02
1.09E+01	1.91E-10	1.16E+00	4.78E-03	6.71E-06	6.55E-04	3.69E-03	1.34E-02	3.92E-02
1.43E+01	1.91E-10	1.48E+00	6.33E-03	6.87E-06	6.71E-04	3.69E-03	1.62E-02	6.15E-02
1.86E+01	1.91E-10	1.82E+00	8.17E-03	6.87E-06	6.71E-04	3.70E-03	1.63E-02	6.16E-02
2.42E+01	1.91E-10	2.18E+00	1.03E-02	7.09E-06	6.72E-04	3.71E-03	1.63E-02	6.17E-02
3.00E+01	1.92E-10	2.50E+00	1.23E-02	7.09E-06	6.73E-04	3.72E-03	1.64E-02	6.18E-02
3.16E+01	1.92E-10	2.59E+00	1.28E-02	7.10E-06	6.74E-04	3.72E-03	1.64E-02	6.19E-02
4.12E+01	1.92E-10	3.04E+00	1.59E-02	7.11E-06	6.75E-04	3.74E-03	1.65E-02	6.21E-02
5.38E+01	1.92E-10	3.58E+00	2.63E-02	7.20E-06	8.05E-04	4.28E-03	2.75E-02	1.88E+00
7.02E+01	1.92E-10	6.63E+00	4.74E-02	7.22E-06	7.30E-04	4.30E-03	2.76E-02	2.82E+00
9.15E+01	1.92E-10	1.28E+01	7.45E-02	7.28E-06	8.15E-04	4.33E-03	2.78E-02	3.85E+00
1.00E+02	1.92E-10	1.53E+01	8.52E-02	7.29E-06	8.17E-04	5.53E-03	2.79E-02	4.25E+00
1.19E+02	1.93E-10	2.08E+01	1.10E-01	7.31E-06	8.71E-04	8.25E-03	3.20E-02	5.18E+00
1.56E+02	1.93E-10	2.09E+01	1.20E-01	7.38E-06	8.79E-04	8.45E-03	3.68E-02	6.60E+00
2.03E+02	1.94E-10	2.09E+01	1.29E-01	7.44E-06	1.26E-03	1.26E-02	5.94E-02	7.43E+00
2.65E+02	1.95E-10	2.09E+01	1.35E-01	7.51E-06	1.27E-03	1.28E-02	1.19E-01	7.92E+00
3.00E+02	1.95E-10	2.08E+01	1.38E-01	7.61E-06	1.59E-03	1.67E-02	1.59E-01	7.93E+00
3.46E+02	1.96E-10	2.08E+01	1.41E-01	7.66E-06	1.63E-03	1.89E-02	2.11E-01	7.93E+00
4.51E+02	1.97E-10	2.08E+01	1.52E-01	7.78E-06	2.40E-03	2.88E-02	6.86E-01	7.94E+00
5.88E+02	1.99E-10	2.08E+01	1.75E-01	8.39E-06	3.97E-03	5.30E-02	1.07E+00	7.58E+00
7.67E+02	2.01E-10	2.08E+01	2.10E-01	8.74E-06	4.88E-03	7.65E-02	2.12E+00	7.92E+00
1.00E+03	2.03E-10	2.08E+01	3.01E-01	1.04E-05	5.76E-03	3.77E-01	3.87E+00	1.11E+01

Summary of dose at graphical times, reptition 3
Dose statistics at graphical times, mrem/yr

Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.91E-12	2.69E-02	5.14E-04	7.48E-06	6.48E-04	1.56E-03	4.28E-03	2.39E-02
1.00E+00	5.91E-12	2.69E-02	5.14E-04	7.49E-06	6.48E-04	1.56E-03	4.28E-03	2.39E-02
1.30E+00	5.91E-12	2.69E-02	5.14E-04	7.49E-06	6.48E-04	1.56E-03	4.28E-03	2.39E-02
1.70E+00	5.91E-12	2.69E-02	5.14E-04	7.49E-06	6.48E-04	1.56E-03	4.28E-03	2.39E-02
2.22E+00	5.92E-12	2.69E-02	5.15E-04	7.49E-06	6.48E-04	1.56E-03	4.28E-03	2.39E-02
2.89E+00	5.92E-12	2.69E-02	5.15E-04	7.49E-06	6.48E-04	1.56E-03	4.29E-03	2.39E-02
3.00E+00	5.92E-12	2.69E-02	5.15E-04	7.49E-06	6.48E-04	1.56E-03	4.29E-03	2.39E-02
3.78E+00	5.92E-12	2.69E-02	5.15E-04	7.50E-06	6.48E-04	1.56E-03	4.29E-03	2.39E-02
4.92E+00	5.92E-12	2.69E-02	5.15E-04	7.50E-06	6.49E-04	1.56E-03	4.29E-03	2.39E-02
6.42E+00	5.92E-12	2.69E-02	5.15E-04	7.51E-06	6.49E-04	1.56E-03	4.29E-03	2.39E-02
8.38E+00	5.92E-12	2.69E-02	5.15E-04	7.51E-06	6.49E-04	1.56E-03	4.29E-03	2.40E-02
1.00E+01	5.92E-12	2.70E-02	5.17E-04	7.52E-06	6.49E-04	1.56E-03	4.30E-03	2.40E-02
1.09E+01	5.92E-12	2.70E-02	5.39E-04	7.52E-06	7.58E-04	1.67E-03	4.78E-03	2.40E-02
1.43E+01	5.93E-12	2.30E-01	1.42E-03	7.63E-06	8.38E-04	1.94E-03	5.89E-03	2.70E-02
1.86E+01	5.93E-12	1.07E+00	4.39E-03	7.64E-06	8.91E-04	2.20E-03	5.91E-03	2.70E-02
2.42E+01	5.93E-12	2.17E+00	8.28E-03	7.65E-06	8.92E-04	2.21E-03	8.72E-03	2.71E-02
3.00E+01	5.94E-12	3.30E+00	1.22E-02	7.67E-06	8.93E-04	2.21E-03	8.74E-03	2.71E-02
3.16E+01	5.94E-12	3.61E+00	1.34E-02	7.67E-06	9.06E-04	2.42E-03	1.51E-02	2.71E-02
4.12E+01	5.95E-12	5.01E+00	1.93E-02	7.70E-06	9.10E-04	2.42E-03	1.74E-02	2.57E-01
5.38E+01	5.96E-12	5.03E+00	2.10E-02	7.79E-06	9.38E-04	2.84E-03	2.55E-02	4.50E-01
7.02E+01	5.98E-12	5.03E+00	2.99E-02	8.04E-06	1.02E-03	4.29E-03	2.71E-02	9.73E-01
9.15E+01	6.00E-12	5.03E+00	4.32E-02	8.79E-06	1.05E-03	4.32E-03	5.49E-02	1.50E+00
1.00E+02	6.00E-12	6.15E+00	4.85E-02	8.83E-06	1.05E-03	4.33E-03	5.93E-02	1.71E+00
1.19E+02	6.02E-12	8.84E+00	6.09E-02	8.92E-06	1.06E-03	4.35E-03	6.96E-02	2.18E+00
1.56E+02	6.05E-12	1.39E+01	8.49E-02	9.78E-06	1.08E-03	4.64E-03	1.59E-01	3.08E+00
2.03E+02	6.10E-12	1.52E+01	9.89E-02	9.93E-06	1.16E-03	5.49E-03	3.34E-01	4.24E+00
2.65E+02	6.15E-12	1.52E+01	1.11E-01	1.01E-05	1.12E-03	5.58E-03	5.62E-01	5.01E+00
3.00E+02	6.18E-12	1.52E+01	1.18E-01	1.02E-05	1.14E-03	5.63E-03	6.93E-01	5.01E+00
3.46E+02	6.22E-12	1.52E+01	1.26E-01	1.04E-05	1.27E-03	7.40E-03	8.39E-01	5.01E+00
4.51E+02	6.32E-12	1.52E+01	1.44E-01	1.07E-05	1.31E-03	1.20E-02	1.17E+00	5.02E+00
5.88E+02	6.45E-12	1.52E+01	1.68E-01	1.10E-05	1.38E-03	2.68E-02	1.63E+00	6.02E+00
7.67E+02	6.61E-12	1.81E+01	2.49E-01	1.18E-05	1.75E-03	3.21E-02	2.91E+00	1.51E+01
1.00E+03	6.83E-12	2.37E+01	3.80E-01	1.30E-05	1.97E-03	3.63E-02	5.19E+00	1.79E+01

Summary of dose at graphical times, reptition 4
Dose statistics at graphical times, mrem/yr

Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.25E-10	4.05E-02	5.58E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
1.00E+00	5.25E-10	4.05E-02	5.58E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
1.30E+00	5.25E-10	4.05E-02	5.58E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
1.70E+00	5.25E-10	4.05E-02	5.58E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
2.22E+00	5.25E-10	4.05E-02	5.59E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
2.89E+00	5.25E-10	4.05E-02	5.59E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
3.00E+00	5.25E-10	4.05E-02	5.59E-04	5.61E-06	6.73E-04	2.19E-03	4.45E-03	1.59E-02
3.78E+00	5.25E-10	4.05E-02	5.59E-04	5.72E-06	6.74E-04	2.19E-03	4.46E-03	1.59E-02
4.92E+00	5.26E-10	4.05E-02	5.70E-04	5.73E-06	7.07E-04	2.28E-03	4.46E-03	1.59E-02
6.42E+00	5.26E-10	4.04E-02	6.00E-04	5.73E-06	7.25E-04	2.29E-03	5.00E-03	1.59E-02
8.38E+00	5.26E-10	4.04E-02	6.86E-04	5.73E-06	7.26E-04	2.33E-03	6.24E-03	2.24E-02
1.00E+01	5.27E-10	4.04E-02	7.82E-04	5.73E-06	7.96E-04	2.38E-03	6.25E-03	2.91E-02
1.09E+01	5.27E-10	4.12E-02	8.38E-04	6.11E-06	7.96E-04	2.38E-03	6.25E-03	3.84E-02
1.43E+01	5.28E-10	7.02E-02	1.03E-03	6.11E-06	8.53E-04	2.38E-03	7.30E-03	4.02E-02
1.86E+01	5.29E-10	1.01E-01	1.23E-03	6.12E-06	8.56E-04	2.59E-03	9.73E-03	4.02E-02
2.42E+01	5.30E-10	1.26E-01	1.42E-03	6.43E-06	8.58E-04	2.59E-03	1.13E-02	4.03E-02
3.00E+01	5.31E-10	1.41E-01	1.56E-03	6.54E-06	8.60E-04	2.59E-03	1.30E-02	4.04E-02
3.16E+01	5.31E-10	1.44E-01	1.59E-03	6.55E-06	8.60E-04	2.59E-03	1.35E-02	4.04E-02
4.12E+01	5.33E-10	1.57E-01	1.84E-03	6.57E-06	9.72E-04	2.72E-03	1.64E-02	4.07E-02
5.38E+01	5.36E-10	1.69E-01	2.40E-03	6.59E-06	9.76E-04	4.10E-03	2.32E-02	9.67E-02
7.02E+01	5.40E-10	3.06E-01	5.20E-03	6.72E-06	1.41E-03	5.64E-03	5.64E-02	1.95E-01
9.15E+01	5.44E-10	1.20E+00	1.11E-02	6.75E-06	1.41E-03	5.68E-03	7.00E-02	3.21E-01
1.00E+02	5.46E-10	1.56E+00	1.35E-02	6.76E-06	1.41E-03	5.70E-03	7.93E-02	3.71E-01
1.19E+02	5.50E-10	2.37E+00	1.88E-02	6.79E-06	1.42E-03	5.74E-03	1.06E-01	4.87E-01
1.56E+02	5.58E-10	3.90E+00	2.89E-02	6.77E-06	1.43E-03	5.82E-03	1.57E-01	7.03E-01
2.03E+02	5.69E-10	5.89E+00	4.20E-02	6.86E-06	1.44E-03	5.92E-03	2.23E-01	9.84E-01
2.65E+02	5.83E-10	7.66E+00	5.88E-02	7.09E-06	1.57E-03	7.67E-03	3.09E-01	1.35E+00
3.00E+02	5.91E-10	7.66E+00	6.91E-02	7.17E-06	2.10E-03	1.78E-02	4.14E-01	1.56E+00
3.46E+02	6.02E-10	7.65E+00	8.27E-02	7.27E-06	2.11E-03	1.81E-02	4.85E-01	2.49E+00
4.51E+02	6.27E-10	1.01E+01	1.09E-01	8.32E-06	2.29E-03	2.51E-02	6.56E-01	5.80E+00
5.88E+02	6.62E-10	1.28E+01	1.40E-01	9.21E-06	2.49E-03	2.59E-02	8.96E-01	7.59E+00
7.67E+02	8.53E-10	1.59E+01	1.70E-01	1.09E-05	2.66E-03	2.69E-02	1.24E+00	7.58E+00
1.00E+03	8.67E-10	2.33E+01	2.21E-01	1.29E-05	2.86E-03	5.00E-02	2.12E+00	7.58E+00

Summary of dose at graphical times, reptition 5
Dose statistics at graphical times, mrem/yr

Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.30E-10	1.69E-02	4.59E-04	5.72E-06	1.13E-03	2.21E-03	4.24E-03	1.24E-02
1.00E+00	1.30E-10	1.69E-02	4.62E-04	5.91E-06	1.13E-03	2.21E-03	4.24E-03	1.24E-02
1.30E+00	1.30E-10	1.69E-02	4.63E-04	5.91E-06	1.18E-03	2.21E-03	4.24E-03	1.24E-02
1.70E+00	1.30E-10	1.70E-02	4.66E-04	5.91E-06	1.18E-03	2.21E-03	4.24E-03	1.24E-02
2.22E+00	1.30E-10	1.70E-02	4.69E-04	5.91E-06	1.18E-03	2.27E-03	4.24E-03	1.24E-02
2.89E+00	1.30E-10	1.70E-02	4.75E-04	5.91E-06	1.18E-03	2.36E-03	4.24E-03	1.24E-02
3.00E+00	1.30E-10	1.70E-02	4.76E-04	5.91E-06	1.18E-03	2.55E-03	4.24E-03	1.24E-02
3.78E+00	1.30E-10	1.70E-02	4.85E-04	5.91E-06	1.18E-03	2.55E-03	4.40E-03	1.24E-02
4.92E+00	1.30E-10	1.70E-02	4.99E-04	6.15E-06	1.18E-03	2.55E-03	5.81E-03	1.25E-02
6.42E+00	1.31E-10	1.70E-02	5.25E-04	6.45E-06	1.18E-03	2.56E-03	6.06E-03	1.33E-02
8.38E+00	1.31E-10	2.00E-02	6.15E-04	6.45E-06	1.32E-03	3.02E-03	7.91E-03	1.55E-02
1.00E+01	1.31E-10	3.95E-02	7.32E-04	6.89E-06	1.32E-03	3.69E-03	8.03E-03	1.71E-02
1.09E+01	1.31E-10	5.41E-02	8.27E-04	6.89E-06	1.37E-03	3.91E-03	9.40E-03	1.71E-02
1.43E+01	1.31E-10	1.00E-01	1.17E-03	6.90E-06	1.37E-03	3.91E-03	1.09E-02	3.40E-02
1.86E+01	1.31E-10	1.37E-01	1.66E-03	6.90E-06	1.41E-03	3.92E-03	1.27E-02	3.94E-02
2.42E+01	1.31E-10	1.62E-01	2.31E-03	7.48E-06	1.42E-03	3.92E-03	1.65E-02	8.65E-02
3.00E+01	1.31E-10	2.30E-01	2.93E-03	7.48E-06	1.42E-03	3.93E-03	1.92E-02	1.36E-01
3.16E+01	1.31E-10	2.49E-01	3.13E-03	7.49E-06	1.52E-03	4.17E-03	1.99E-02	1.46E-01
4.12E+01	1.31E-10	3.64E-01	4.60E-03	7.23E-06	1.52E-03	4.43E-03	5.04E-02	2.04E-01
5.38E+01	1.31E-10	5.14E-01	6.85E-03	6.94E-06	1.63E-03	6.87E-03	8.37E-02	3.27E-01
7.02E+01	1.31E-10	7.21E-01	1.17E-02	6.96E-06	1.64E-03	6.90E-03	1.50E-01	5.06E-01
9.15E+01	1.32E-10	2.33E+00	2.11E-02	7.56E-06	1.67E-03	9.19E-03	2.35E-01	7.47E-01
1.00E+02	1.32E-10	3.15E+00	2.55E-02	7.28E-06	1.67E-03	9.21E-03	2.90E-01	8.41E-01
1.19E+02	1.32E-10	5.31E+00	3.73E-02	8.21E-06	1.98E-03	9.75E-03	4.18E-01	1.05E+00
1.56E+02	1.33E-10	1.01E+01	6.19E-02	8.26E-06	2.00E-03	9.85E-03	6.74E-01	1.39E+00
2.03E+02	1.33E-10	1.70E+01	9.64E-02	8.64E-06	2.20E-03	1.03E-02	1.12E+00	1.72E+00
2.65E+02	1.34E-10	2.58E+01	1.49E-01	8.71E-06	2.23E-03	1.33E-02	1.68E+00	2.17E+00
3.00E+02	1.35E-10	3.04E+01	1.85E-01	8.75E-06	2.25E-03	1.35E-02	2.00E+00	3.46E+00
3.46E+02	1.36E-10	3.57E+01	2.16E-01	8.81E-06	2.42E-03	1.36E-02	2.31E+00	4.01E+00
4.51E+02	1.37E-10	4.47E+01	3.74E-01	8.92E-06	2.50E-03	1.68E-02	3.15E+00	5.28E+00
5.88E+02	1.39E-10	4.98E+01	4.61E-01	9.07E-06	2.68E-03	1.19E-01	4.26E+00	6.70E+00
7.67E+02	1.42E-10	4.78E+01	5.22E-01	9.76E-06	3.42E-03	1.92E-01	6.13E+00	1.18E+01
1.00E+03	1.45E-10	4.48E+01	6.44E-01	1.05E-05	3.69E-03	8.36E-01	7.47E+00	3.78E+01

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose Years	Peak mean dose mrem/yr
1	1.000E+03	3.926E-01
2	1.000E+03	3.011E-01
3	1.000E+03	3.803E-01
4	1.000E+03	2.211E-01
5	1.000E+03	6.439E-01

Coefficients for peak of mean dose time Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	12	0.06	12	0.06	33	-0.03	34	-0.01
Density of Unsaturted zone 1	35	0.01	38	0.01	35	0.03	35	0.01
Depth of roots	25	-0.03	28	-0.03	30	-0.04	30	-0.02
Saturated zone hydraulic conductivity	41	-0.01	42	-0.01	14	0.09	16	0.04
Thickness of Unsaturted zone 1	9	0.07	3	0.10	39	-0.02	33	-0.01
Contaminated zone b parameter	21	0.04	25	0.04	45	0.00	45	0.00
Saturated zone b parameter	37	0.01	39	0.01	23	-0.07	23	-0.03
Contaminated zone erosion rate	43	0.01	43	0.01	44	0.00	44	0.00
Contaminated zone hydraulic conductivity	14	0.05	15	0.05	38	0.02	39	0.01
Evapotranspiration coefficient	33	0.02	36	0.02	29	-0.04	29	-0.02
Runoff coefficient	11	-0.06	11	-0.06	25	-0.06	24	-0.02
Saturated zone hydraulic gradient	27	0.03	30	0.03	20	0.08	20	0.03
Weathering removal constant of all vegetation	46	0.00	46	0.00	43	0.01	43	0.00
Wind Speed	8	-0.08	9	-0.07	21	-0.07	21	-0.03
Mass loading for inhalation	6	-0.09	6	-0.08	12	-0.10	15	-0.04
Depth of soil mixing layer	44	-0.01	44	-0.01	19	-0.08	19	-0.03
Density of contaminated zone	7	0.08	8	0.08	18	0.08	18	0.03
Inhalation rate	15	-0.04	18	-0.04	31	-0.03	31	-0.01
Soil ingestion	34	0.01	37	0.01	27	0.05	27	0.02
Kd of Th-230 in Contaminated Zone	40	-0.01	24	-0.04	16	-0.09	11	-0.13
Kd of Th-230 in Unsaturated Zone 1	31	-0.02	34	-0.02	7	-0.19	7	-0.15
Kd of Th-230 in Saturated Zone	20	-0.04	23	-0.04	4	-0.23	5	-0.18
Kd of Th-228 in Contaminated Zone	42	0.01	20	0.04	15	0.09	4	0.19
Kd of Th-228 in Unsaturated Zone 1	38	-0.01	40	-0.01	9	-0.14	12	-0.12
Kd of Th-228 in Saturated Zone	30	-0.02	32	-0.02	10	0.13	3	0.27
Area of contaminated zone	3	0.09	5	0.09	34	0.03	36	0.01
Thickness of contaminated zone	1	0.12	1	0.16	13	0.10	14	0.06
Cover depth	45	0.00	45	0.00	1	-0.87	1	-0.71
Density of cover material	17	-0.04	22	-0.04	2	-0.79	2	-0.52
Cover erosion rate	2	0.12	2	0.12	5	0.21	13	0.08
Outdoor time fraction	23	-0.03	26	-0.03	3	0.33	9	0.14
Meat	5	-0.09	7	-0.08	17	-0.09	17	-0.04
Kd of Th-230 in Contaminated Zone	36	-0.01	16	-0.05	11	-0.13	6	-0.18
Kd of Th-230 in Unsaturated Zone 1	18	-0.04	21	-0.04	8	-0.17	10	-0.14
Kd of Th-230 in Saturated Zone	16	-0.04	13	-0.06	6	-0.19	8	-0.15
Aquatic food	28	0.02	33	0.02	40	-0.02	40	-0.01
Plant food	10	0.06	10	0.06	36	0.03	37	0.01
Kd of Ra-226 in Contaminated Zone	24	0.03	27	0.03	24	-0.06	25	-0.02
Kd of Ra-226 in Unsaturated Zone 1	22	0.04	17	0.05	41	0.02	41	0.01
Kd of Ra-226 in Saturated Zone	26	-0.03	29	-0.03	46	0.00	46	0.00
Kd of Pb-210 in Contaminated Zone	29	0.02	31	0.03	26	0.06	26	0.02
Kd of Pb-210 in Unsaturated Zone 1	39	-0.01	41	-0.01	32	-0.03	32	-0.01
Kd of Pb-210 in Saturated Zone	32	0.02	35	0.02	37	0.02	38	0.01
Kd of Ra-228 in Contaminated Zone	19	-0.04	19	-0.04	28	0.05	28	0.02
Kd of Ra-228 in Unsaturated Zone 1	13	0.06	14	0.06	42	-0.01	42	-0.01
Kd of Ra-228 in Saturated Zone	4	0.09	4	0.09	22	0.07	22	0.03
R-SQUARE		0.10		0.10		0.85		0.85

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	11	-0.08	15	-0.08	25	-0.05	29	-0.02
Density of Unsaturted zone 1	30	-0.02	31	-0.02	42	-0.01	42	0.00
Depth of roots	5	-0.11	9	-0.10	43	0.00	43	0.00
Saturated zone hydraulic conductivity	27	-0.03	27	-0.03	46	0.00	46	0.00
Thickness of Unsaturted zone 1	14	-0.06	14	-0.08	15	-0.08	10	-0.05
Contaminated zone b parameter	4	0.11	8	0.10	20	0.07	23	0.03
Saturated zone b parameter	35	-0.02	35	-0.02	11	-0.09	15	-0.04
Contaminated zone erosion rate	46	0.00	46	0.00	26	0.05	30	0.02
Contaminated zone hydraulic conductivity	3	0.14	6	0.13	36	0.02	37	0.01
Evapotranspiration coefficient	8	-0.10	12	-0.09	40	-0.01	41	0.00
Runoff coefficient	23	-0.04	24	-0.03	9	-0.10	11	-0.05
Saturated zone hydraulic gradient	9	-0.09	13	-0.09	23	-0.06	27	-0.03
Weathering removal constant of all vegetation	6	0.10	10	0.10	4	0.14	9	0.07
Wind Speed	31	0.02	33	0.02	31	-0.04	33	-0.02
Mass loading for inhalation	24	-0.04	26	-0.03	14	-0.08	19	-0.04
Depth of soil mixing layer	13	-0.07	16	-0.07	13	-0.09	16	-0.04
Density of contaminated zone	18	0.05	20	0.04	45	0.00	45	0.00
Inhalation rate	17	0.05	19	0.05	21	0.07	24	0.03
Soil ingestion	7	0.10	11	0.09	29	0.04	31	0.02
Kd of Th-230 in Contaminated Zone	12	-0.07	2	-0.29	35	-0.02	17	-0.04
Kd of Th-230 in Unsaturated Zone 1	32	-0.02	30	-0.02	5	-0.14	4	-0.15
Kd of Th-230 in Saturated Zone	44	0.00	44	0.00	7	-0.13	6	-0.13
Kd of Th-228 in Contaminated Zone	26	0.03	3	0.20	41	-0.01	34	-0.02
Kd of Th-228 in Unsaturated Zone 1	39	0.01	38	0.01	27	-0.05	18	-0.04
Kd of Th-228 in Saturated Zone	16	-0.05	17	-0.06	19	0.07	3	0.17
Area of contaminated zone	38	-0.01	39	-0.01	10	-0.10	12	-0.05
Thickness of contaminated zone	10	-0.09	7	-0.11	28	-0.04	25	-0.03
Cover depth	28	-0.02	28	-0.02	1	-0.84	1	-0.72
Density of cover material	21	-0.04	22	-0.04	2	-0.71	2	-0.46
Cover erosion rate	29	0.02	29	0.02	37	0.02	38	0.01
Outdoor time fraction	2	0.17	5	0.15	3	0.27	7	0.13
Meat	15	0.06	18	0.05	24	0.06	28	0.03
Kd of Th-230 in Contaminated Zone	19	-0.05	4	-0.18	34	0.02	14	0.04
Kd of Th-230 in Unsaturated Zone 1	36	0.01	36	0.01	8	-0.11	8	-0.11
Kd of Th-230 in Saturated Zone	42	0.00	42	0.00	6	-0.13	5	-0.13
Aquatic food	40	0.01	40	0.01	39	0.01	40	0.00
Plant food	37	0.01	37	0.01	16	-0.07	20	-0.03
Kd of Ra-226 in Contaminated Zone	43	0.00	45	0.00	30	-0.04	32	-0.02
Kd of Ra-226 in Unsaturated Zone 1	45	0.00	43	0.00	17	-0.07	21	-0.03
Kd of Ra-226 in Saturated Zone	41	0.00	41	0.00	22	0.06	26	0.03
Kd of Pb-210 in Contaminated Zone	34	-0.02	34	-0.02	33	0.03	36	0.01
Kd of Pb-210 in Unsaturated Zone 1	25	0.04	25	0.03	12	-0.09	13	-0.04
Kd of Pb-210 in Saturated Zone	33	-0.02	32	-0.02	32	0.03	35	0.02
Kd of Ra-228 in Contaminated Zone	20	0.04	21	0.04	44	0.00	44	0.00
Kd of Ra-228 in Unsaturated Zone 1	1	0.30	1	0.29	18	0.07	22	0.03
Kd of Ra-228 in Saturated Zone	22	-0.04	23	-0.04	38	0.01	39	0.01
R-SQUARE		0.22		0.22		0.79		0.79

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	40	0.01	41	0.01	44	-0.01	44	0.00
Density of Unsaturted zone 1	22	0.03	25	0.03	41	0.01	42	0.01
Depth of roots	21	-0.03	23	-0.03	36	0.03	37	0.01
Saturated zone hydraulic conductivity	19	0.05	21	0.05	5	0.13	10	0.05
Thickness of Unsaturted zone 1	17	-0.06	11	-0.07	9	0.09	9	0.06
Contaminated zone b parameter	18	-0.05	20	-0.05	25	-0.04	27	-0.02
Saturated zone b parameter	24	-0.03	26	-0.03	35	-0.03	36	-0.01
Contaminated zone erosion rate	13	0.06	16	0.06	46	-0.01	46	0.00
Contaminated zone hydraulic conductivity	41	-0.01	42	0.00	22	0.05	25	0.02
Evapotranspiration coefficient	3	-0.13	4	-0.12	11	-0.09	14	-0.04
Runoff coefficient	4	-0.12	5	-0.11	21	-0.05	24	-0.02
Saturated zone hydraulic gradient	15	0.06	18	0.06	17	-0.07	18	-0.03
Weathering removal constant of all vegetation	31	0.02	30	0.02	19	0.06	22	0.03
Wind Speed	2	0.13	3	0.12	32	0.04	32	0.02
Mass loading for inhalation	7	-0.08	10	-0.08	23	-0.05	26	-0.02
Depth of soil mixing layer	30	-0.02	31	-0.02	38	-0.02	39	-0.01
Density of contaminated zone	29	0.02	29	0.02	12	0.08	15	0.04
Inhalation rate	36	0.01	37	0.01	16	-0.08	17	-0.03
Soil ingestion	6	-0.09	8	-0.08	34	-0.03	34	-0.01
Kd of Th-230 in Contaminated Zone	25	-0.03	6	-0.10	6	0.12	4	0.19
Kd of Th-230 in Unsaturated Zone 1	35	-0.01	35	-0.01	43	0.01	40	0.01
Kd of Th-230 in Saturated Zone	5	-0.10	2	-0.17	14	-0.08	8	-0.06
Kd of Th-228 in Contaminated Zone	45	0.00	36	0.01	4	-0.13	3	-0.30
Kd of Th-228 in Unsaturated Zone 1	42	0.00	43	0.00	39	0.02	35	0.01
Kd of Th-228 in Saturated Zone	20	-0.04	22	-0.04	24	-0.04	7	-0.08
Area of contaminated zone	32	-0.02	32	-0.02	37	0.03	38	0.01
Thickness of contaminated zone	14	-0.06	9	-0.08	15	0.08	11	0.05
Cover depth	37	0.01	39	0.01	1	-0.86	1	-0.73
Density of cover material	8	-0.07	13	-0.07	2	-0.75	2	-0.48
Cover erosion rate	27	-0.02	27	-0.02	13	0.08	16	0.04
Outdoor time fraction	12	-0.06	17	-0.06	3	0.20	6	0.09
Meat	44	0.00	45	0.00	45	0.01	45	0.00
Kd of Th-230 in Contaminated Zone	26	-0.03	7	-0.09	7	0.12	5	0.18
Kd of Th-230 in Unsaturated Zone 1	39	-0.01	40	-0.01	29	-0.04	21	-0.03
Kd of Th-230 in Saturated Zone	38	0.01	38	0.01	28	-0.04	20	-0.03
Aquatic food	16	0.06	19	0.05	30	-0.04	30	-0.02
Plant food	11	0.06	15	0.06	20	-0.06	23	-0.03
Kd of Ra-226 in Contaminated Zone	9	0.07	12	0.07	26	-0.04	28	-0.02
Kd of Ra-226 in Unsaturated Zone 1	46	0.00	46	0.00	33	0.03	33	0.01
Kd of Ra-226 in Saturated Zone	34	0.02	34	0.02	42	0.01	43	0.00
Kd of Pb-210 in Contaminated Zone	23	0.03	24	0.03	40	-0.02	41	-0.01
Kd of Pb-210 in Unsaturated Zone 1	1	0.13	1	0.22	10	-0.09	13	-0.04
Kd of Pb-210 in Saturated Zone	43	0.00	44	0.00	27	-0.04	29	-0.02
Kd of Ra-228 in Contaminated Zone	28	-0.02	28	-0.02	8	-0.10	12	-0.04
Kd of Ra-228 in Unsaturated Zone 1	10	-0.07	14	-0.06	31	-0.04	31	-0.02
Kd of Ra-228 in Saturated Zone	33	0.02	33	0.02	18	0.07	19	0.03
R-SQUARE		0.13		0.13		0.82		0.82

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	32	-0.01	33	-0.01	20	0.07	24	0.03
Density of Unsaturted zone 1	3	-0.14	5	-0.14	42	-0.01	42	0.00
Depth of roots	41	0.01	41	0.01	39	0.02	39	0.01
Saturated zone hydraulic conductivity	25	-0.02	27	-0.02	25	0.05	28	0.02
Thickness of Unsaturted zone 1	27	-0.02	25	-0.02	45	0.00	44	0.00
Contaminated zone b parameter	42	0.01	42	0.01	34	0.02	35	0.01
Saturated zone b parameter	26	-0.02	28	-0.02	32	0.02	34	0.01
Contaminated zone erosion rate	8	0.08	11	0.07	31	-0.02	33	-0.01
Contaminated zone hydraulic conductivity	43	0.00	43	0.00	41	0.01	41	0.00
Evapotranspiration coefficient	4	-0.10	7	-0.10	4	-0.16	10	-0.07
Runoff coefficient	6	0.08	9	0.08	24	-0.05	27	-0.02
Saturated zone hydraulic gradient	5	0.10	6	0.10	40	0.01	40	0.00
Weathering removal constant of all vegetation	11	-0.05	14	-0.05	14	-0.08	18	-0.04
Wind Speed	12	-0.05	15	-0.05	35	0.02	36	0.01
Mass loading for inhalation	40	0.01	40	0.01	27	-0.04	29	-0.02
Depth of soil mixing layer	9	-0.07	12	-0.06	18	-0.07	22	-0.03
Density of contaminated zone	2	0.15	4	0.14	29	0.03	31	0.01
Inhalation rate	19	0.03	22	0.03	46	0.00	46	0.00
Soil ingestion	34	-0.01	35	-0.01	44	0.00	45	0.00
Kd of Th-230 in Contaminated Zone	22	0.02	8	0.09	26	-0.04	11	-0.06
Kd of Th-230 in Unsaturated Zone 1	29	0.02	29	0.02	9	-0.11	8	-0.09
Kd of Th-230 in Saturated Zone	45	0.00	45	0.00	5	-0.13	5	-0.12
Kd of Th-228 in Contaminated Zone	15	-0.04	1	-0.26	36	0.02	15	0.04
Kd of Th-228 in Unsaturated Zone 1	23	-0.02	26	-0.02	11	-0.10	9	-0.09
Kd of Th-228 in Saturated Zone	39	0.01	20	0.03	17	0.07	3	0.16
Area of contaminated zone	7	0.08	10	0.08	38	0.02	38	0.01
Thickness of contaminated zone	17	0.04	16	0.05	21	0.07	14	0.04
Cover depth	18	-0.03	21	-0.03	1	-0.85	1	-0.71
Density of cover material	30	-0.02	31	-0.02	2	-0.74	2	-0.48
Cover erosion rate	16	-0.04	19	-0.04	8	0.12	12	0.05
Outdoor time fraction	20	-0.02	23	-0.02	3	0.30	4	0.14
Meat	35	0.01	36	0.01	10	0.11	13	0.05
Kd of Th-230 in Contaminated Zone	10	0.06	2	0.25	33	0.02	21	0.03
Kd of Th-230 in Unsaturated Zone 1	37	-0.01	37	-0.01	6	-0.13	6	-0.12
Kd of Th-230 in Saturated Zone	24	-0.02	13	-0.06	7	-0.12	7	-0.11
Aquatic food	28	-0.02	30	-0.02	23	-0.05	26	-0.02
Plant food	36	-0.01	38	-0.01	43	0.00	43	0.00
Kd of Ra-226 in Contaminated Zone	44	0.00	44	0.00	30	-0.02	32	-0.01
Kd of Ra-226 in Unsaturated Zone 1	13	-0.05	17	-0.05	37	-0.02	37	-0.01
Kd of Ra-226 in Saturated Zone	38	-0.01	39	-0.01	13	-0.09	17	-0.04
Kd of Pb-210 in Contaminated Zone	21	-0.02	24	-0.02	28	-0.04	30	-0.02
Kd of Pb-210 in Unsaturated Zone 1	31	-0.02	32	-0.02	12	-0.10	16	-0.04
Kd of Pb-210 in Saturated Zone	1	0.21	3	0.20	19	-0.07	23	-0.03
Kd of Ra-228 in Contaminated Zone	33	-0.01	34	-0.01	22	0.06	25	0.03
Kd of Ra-228 in Unsaturated Zone 1	14	0.04	18	0.04	16	-0.08	20	-0.03
Kd of Ra-228 in Saturated Zone	46	0.00	46	0.00	15	-0.08	19	-0.04
R-SQUARE		0.14		0.14		0.81		0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	16	-0.05	18	-0.05	34	0.02	37	0.01
Density of Unsaturted zone 1	18	0.05	21	0.04	45	0.00	45	0.00
Depth of roots	29	0.03	28	0.03	4	0.19	9	0.09
Saturated zone hydraulic conductivity	25	-0.04	20	-0.05	23	-0.05	26	-0.02
Thickness of Unsaturted zone 1	5	-0.09	5	-0.12	12	-0.09	12	-0.06
Contaminated zone b parameter	38	-0.01	39	-0.01	33	-0.02	36	-0.01
Saturated zone b parameter	9	-0.07	14	-0.07	41	0.02	42	0.01
Contaminated zone erosion rate	4	-0.09	8	-0.09	5	-0.13	13	-0.06
Contaminated zone hydraulic conductivity	41	0.00	42	0.00	18	0.07	22	0.03
Evapotranspiration coefficient	21	0.04	24	0.04	36	-0.02	38	-0.01
Runoff coefficient	10	-0.07	15	-0.06	44	0.01	44	0.00
Saturated zone hydraulic gradient	1	0.14	4	0.14	22	0.05	25	0.02
Weathering removal constant of all vegetation	24	-0.04	25	-0.04	26	-0.04	27	-0.02
Wind Speed	30	-0.02	30	-0.02	46	0.00	46	0.00
Mass loading for inhalation	22	0.04	23	0.04	32	-0.03	35	-0.01
Depth of soil mixing layer	19	0.04	22	0.04	37	0.02	39	0.01
Density of contaminated zone	15	0.05	17	0.05	15	0.07	18	0.03
Inhalation rate	28	-0.03	29	-0.03	20	-0.07	23	-0.03
Soil ingestion	35	-0.01	35	-0.01	31	-0.03	34	-0.01
Kd of Th-230 in Contaminated Zone	20	0.04	3	0.18	42	0.02	20	0.03
Kd of Th-230 in Unsaturated Zone 1	46	0.00	46	0.00	9	-0.11	7	-0.10
Kd of Th-230 in Saturated Zone	26	-0.04	26	-0.04	6	-0.13	5	-0.12
Kd of Th-228 in Contaminated Zone	14	-0.06	1	-0.37	35	-0.02	11	-0.07
Kd of Th-228 in Unsaturated Zone 1	36	-0.01	36	-0.01	40	-0.02	30	-0.02
Kd of Th-228 in Saturated Zone	43	0.00	43	0.00	19	0.07	3	0.15
Area of contaminated zone	32	0.02	32	0.02	29	-0.03	32	-0.01
Thickness of contaminated zone	23	-0.04	16	-0.06	14	-0.07	15	-0.05
Cover depth	6	0.09	10	0.09	1	-0.85	1	-0.72
Density of cover material	3	-0.10	6	-0.10	2	-0.74	2	-0.49
Cover erosion rate	8	0.08	13	0.08	28	0.04	31	0.02
Outdoor time fraction	2	0.10	7	0.10	3	0.28	4	0.13
Meat	7	-0.09	11	-0.09	39	-0.02	41	-0.01
Kd of Th-230 in Contaminated Zone	12	0.06	2	0.27	25	0.04	10	0.08
Kd of Th-230 in Unsaturated Zone 1	44	0.00	44	0.00	10	-0.11	8	-0.10
Kd of Th-230 in Saturated Zone	34	-0.01	33	-0.01	7	-0.12	6	-0.11
Aquatic food	37	0.01	38	0.01	16	-0.07	19	-0.03
Plant food	27	-0.04	27	-0.03	17	-0.07	21	-0.03
Kd of Ra-226 in Contaminated Zone	39	0.01	40	0.01	30	0.03	33	0.01
Kd of Ra-226 in Unsaturated Zone 1	11	-0.06	9	-0.09	11	-0.11	16	-0.05
Kd of Ra-226 in Saturated Zone	17	-0.05	19	-0.05	24	0.04	29	0.02
Kd of Pb-210 in Contaminated Zone	45	0.00	45	0.00	13	-0.09	17	-0.04
Kd of Pb-210 in Unsaturated Zone 1	33	0.01	34	0.01	27	-0.04	28	-0.02
Kd of Pb-210 in Saturated Zone	42	0.00	41	0.00	8	-0.11	14	-0.05
Kd of Ra-228 in Contaminated Zone	31	-0.02	31	-0.02	21	0.05	24	0.02
Kd of Ra-228 in Unsaturated Zone 1	13	0.06	12	0.08	43	-0.01	43	0.00
Kd of Ra-228 in Saturated Zone	40	0.01	37	0.01	38	0.02	40	0.01
R-SQUARE		0.11		0.11		0.81		0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	12	0.06	13	0.06	37	-0.03	38	-0.01
Density of Unsaturted zone 1	36	0.01	38	0.01	39	0.02	39	0.01
Depth of roots	25	-0.03	28	-0.03	27	-0.04	27	-0.02
Saturated zone hydraulic conductivity	41	-0.01	42	-0.01	18	0.08	19	0.03
Thickness of Unsaturted zone 1	9	0.07	3	0.10	38	-0.02	28	-0.02
Contaminated zone b parameter	21	0.04	25	0.04	42	-0.01	42	-0.01
Saturated zone b parameter	37	0.01	39	0.01	23	-0.06	23	-0.03
Contaminated zone erosion rate	44	0.01	43	0.01	44	0.00	44	0.00
Contaminated zone hydraulic conductivity	14	0.05	16	0.05	45	0.00	45	0.00
Evapotranspiration coefficient	33	0.02	36	0.02	24	-0.05	25	-0.02
Runoff coefficient	11	-0.06	11	-0.06	29	-0.04	29	-0.02
Saturated zone hydraulic gradient	27	0.03	30	0.03	13	0.10	16	0.04
Weathering removal constant of all vegetation	46	0.00	46	0.00	40	0.02	40	0.01
Wind Speed	8	-0.08	9	-0.07	21	-0.07	21	-0.03
Mass loading for inhalation	6	-0.09	6	-0.08	11	-0.12	14	-0.05
Depth of soil mixing layer	43	-0.01	44	-0.01	20	-0.07	20	-0.03
Density of contaminated zone	7	0.08	8	0.08	14	0.10	17	0.04
Inhalation rate	16	-0.04	19	-0.04	41	-0.02	41	-0.01
Soil ingestion	34	0.01	37	0.01	22	0.07	22	0.03
Kd of Th-230 in Contaminated Zone	40	-0.01	23	-0.04	16	-0.09	11	-0.13
Kd of Th-230 in Unsaturated Zone 1	31	-0.02	34	-0.02	7	-0.17	8	-0.14
Kd of Th-230 in Saturated Zone	20	-0.04	24	-0.04	4	-0.22	6	-0.18
Kd of Th-228 in Contaminated Zone	42	0.01	17	0.05	15	0.09	4	0.19
Kd of Th-228 in Unsaturated Zone 1	38	-0.01	40	-0.01	9	-0.15	12	-0.13
Kd of Th-228 in Saturated Zone	30	-0.02	32	-0.02	12	0.12	3	0.25
Area of contaminated zone	3	0.09	5	0.09	32	0.04	33	0.01
Thickness of contaminated zone	1	0.12	1	0.16	19	0.07	15	0.04
Cover depth	45	0.00	45	0.00	1	-0.86	1	-0.70
Density of cover material	17	-0.04	21	-0.04	2	-0.79	2	-0.52
Cover erosion rate	2	0.12	2	0.12	5	0.19	13	0.08
Outdoor time fraction	24	-0.03	27	-0.03	3	0.34	7	0.15
Meat	5	-0.09	7	-0.08	17	-0.08	18	-0.03
Kd of Th-230 in Contaminated Zone	35	-0.01	15	-0.05	10	-0.13	5	-0.19
Kd of Th-230 in Unsaturated Zone 1	18	-0.04	22	-0.04	8	-0.16	10	-0.13
Kd of Th-230 in Saturated Zone	15	-0.04	12	-0.06	6	-0.18	9	-0.14
Aquatic food	28	0.02	33	0.02	28	-0.04	30	-0.02
Plant food	10	0.06	10	0.06	34	0.03	35	0.01
Kd of Ra-226 in Contaminated Zone	23	0.04	26	0.03	26	-0.05	26	-0.02
Kd of Ra-226 in Unsaturated Zone 1	22	0.04	18	0.05	36	0.03	37	0.01
Kd of Ra-226 in Saturated Zone	26	-0.03	29	-0.03	31	-0.04	32	-0.01
Kd of Pb-210 in Contaminated Zone	29	0.02	31	0.02	25	0.05	24	0.02
Kd of Pb-210 in Unsaturated Zone 1	39	-0.01	41	-0.01	30	-0.04	31	-0.01
Kd of Pb-210 in Saturated Zone	32	0.02	35	0.02	43	-0.01	43	0.00
Kd of Ra-228 in Contaminated Zone	19	-0.04	20	-0.04	35	0.03	36	0.01
Kd of Ra-228 in Unsaturated Zone 1	13	0.06	14	0.06	46	0.00	46	0.00
Kd of Ra-228 in Saturated Zone	4	0.09	4	0.09	33	0.03	34	0.01
R-SQUARE		0.10		0.10		0.84		0.84

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	11	-0.08	15	-0.08	37	-0.03	39	-0.01
Density of Unsaturted zone 1	30	-0.02	31	-0.02	45	0.01	45	0.00
Depth of roots	5	-0.11	9	-0.10	43	-0.01	43	0.00
Saturated zone hydraulic conductivity	27	-0.03	27	-0.03	42	0.01	42	0.01
Thickness of Unsaturted zone 1	14	-0.06	14	-0.08	17	-0.08	11	-0.06
Contaminated zone b parameter	4	0.11	8	0.10	22	0.07	24	0.04
Saturated zone b parameter	35	-0.02	35	-0.01	11	-0.10	15	-0.05
Contaminated zone erosion rate	46	0.00	46	0.00	19	0.08	22	0.04
Contaminated zone hydraulic conductivity	3	0.14	6	0.13	33	0.04	35	0.02
Evapotranspiration coefficient	8	-0.10	12	-0.09	39	-0.02	41	-0.01
Runoff coefficient	23	-0.04	24	-0.03	14	-0.09	18	-0.04
Saturated zone hydraulic gradient	9	-0.09	13	-0.09	25	-0.06	28	-0.03
Weathering removal constant of all vegetation	6	0.10	10	0.10	8	0.12	12	0.06
Wind Speed	31	0.02	33	0.02	34	-0.03	36	-0.02
Mass loading for inhalation	24	-0.04	26	-0.03	24	-0.06	26	-0.03
Depth of soil mixing layer	13	-0.07	16	-0.07	9	-0.10	13	-0.05
Density of contaminated zone	18	0.05	20	0.04	36	0.03	38	0.01
Inhalation rate	17	0.05	19	0.05	21	0.08	23	0.04
Soil ingestion	7	0.10	11	0.09	28	0.05	32	0.02
Kd of Th-230 in Contaminated Zone	12	-0.07	2	-0.29	30	-0.04	9	-0.08
Kd of Th-230 in Unsaturated Zone 1	32	-0.02	30	-0.02	4	-0.16	4	-0.16
Kd of Th-230 in Saturated Zone	45	0.00	45	0.00	6	-0.13	6	-0.14
Kd of Th-228 in Contaminated Zone	26	0.03	3	0.20	41	0.01	25	0.03
Kd of Th-228 in Unsaturated Zone 1	39	0.01	38	0.01	23	-0.06	10	-0.06
Kd of Th-228 in Saturated Zone	16	-0.05	17	-0.06	20	0.08	3	0.20
Area of contaminated zone	38	-0.01	39	-0.01	18	-0.08	21	-0.04
Thickness of contaminated zone	10	-0.09	7	-0.11	32	-0.04	27	-0.03
Cover depth	28	-0.02	28	-0.02	1	-0.83	1	-0.71
Density of cover material	21	-0.04	22	-0.04	2	-0.69	2	-0.46
Cover erosion rate	29	0.02	29	0.02	31	0.04	34	0.02
Outdoor time fraction	2	0.17	5	0.15	3	0.25	7	0.12
Meat	15	0.06	18	0.05	35	0.03	37	0.01
Kd of Th-230 in Contaminated Zone	19	-0.05	4	-0.18	40	0.01	31	0.02
Kd of Th-230 in Unsaturated Zone 1	36	0.01	36	0.01	7	-0.12	8	-0.12
Kd of Th-230 in Saturated Zone	42	0.00	42	0.00	5	-0.13	5	-0.14
Aquatic food	40	0.01	40	0.01	44	0.01	44	0.00
Plant food	37	0.01	37	0.01	12	-0.09	16	-0.04
Kd of Ra-226 in Contaminated Zone	43	0.00	44	0.00	27	-0.05	30	-0.03
Kd of Ra-226 in Unsaturated Zone 1	44	0.00	43	0.00	10	-0.10	14	-0.05
Kd of Ra-226 in Saturated Zone	41	0.00	41	0.00	16	0.08	20	0.04
Kd of Pb-210 in Contaminated Zone	34	-0.02	34	-0.02	29	0.05	33	0.02
Kd of Pb-210 in Unsaturated Zone 1	25	0.04	25	0.03	13	-0.09	17	-0.04
Kd of Pb-210 in Saturated Zone	33	-0.02	32	-0.02	26	0.06	29	0.03
Kd of Ra-228 in Contaminated Zone	20	0.05	21	0.04	46	0.00	46	0.00
Kd of Ra-228 in Unsaturated Zone 1	1	0.30	1	0.30	15	0.08	19	0.04
Kd of Ra-228 in Saturated Zone	22	-0.04	23	-0.04	38	0.03	40	0.01
R-SQUARE		0.22		0.22		0.78		0.78

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	41	0.01	42	0.01	45	0.01	45	0.00
Density of Unsaturted zone 1	22	0.03	24	0.03	44	-0.01	44	0.00
Depth of roots	21	-0.03	23	-0.03	36	0.03	36	0.01
Saturated zone hydraulic conductivity	19	0.05	21	0.05	4	0.14	8	0.06
Thickness of Unsaturted zone 1	17	-0.05	12	-0.07	18	0.07	13	0.04
Contaminated zone b parameter	18	-0.05	20	-0.05	22	-0.06	24	-0.03
Saturated zone b parameter	24	-0.03	26	-0.03	46	-0.01	46	0.00
Contaminated zone erosion rate	15	0.06	17	0.06	39	-0.02	40	-0.01
Contaminated zone hydraulic conductivity	40	-0.01	41	-0.01	33	0.03	34	0.01
Evapotranspiration coefficient	3	-0.13	4	-0.12	12	-0.09	16	-0.04
Runoff coefficient	4	-0.12	5	-0.12	15	-0.07	20	-0.03
Saturated zone hydraulic gradient	8	0.07	11	0.07	14	-0.09	18	-0.04
Weathering removal constant of all vegetation	34	0.01	35	0.01	26	0.04	28	0.02
Wind Speed	1	0.13	3	0.12	24	0.05	26	0.02
Mass loading for inhalation	7	-0.09	9	-0.08	35	-0.03	35	-0.01
Depth of soil mixing layer	31	-0.02	32	-0.02	41	-0.02	42	-0.01
Density of contaminated zone	28	0.02	29	0.02	11	0.10	15	0.04
Inhalation rate	35	0.01	36	0.01	19	-0.07	22	-0.03
Soil ingestion	6	-0.09	8	-0.09	30	-0.04	31	-0.02
Kd of Th-230 in Contaminated Zone	23	-0.03	6	-0.11	7	0.11	4	0.17
Kd of Th-230 in Unsaturated Zone 1	36	-0.01	37	-0.01	34	0.03	23	0.03
Kd of Th-230 in Saturated Zone	5	-0.10	2	-0.17	21	-0.06	10	-0.05
Kd of Th-228 in Contaminated Zone	43	0.00	28	0.02	5	-0.12	3	-0.27
Kd of Th-228 in Unsaturated Zone 1	45	0.00	45	0.00	27	0.04	19	0.03
Kd of Th-228 in Saturated Zone	20	-0.04	22	-0.04	20	-0.07	6	-0.13
Area of contaminated zone	29	-0.02	31	-0.02	28	0.04	29	0.02
Thickness of contaminated zone	13	-0.06	10	-0.08	17	0.07	12	0.04
Cover depth	38	0.01	39	0.01	1	-0.86	1	-0.72
Density of cover material	9	-0.07	14	-0.07	2	-0.74	2	-0.48
Cover erosion rate	27	-0.03	27	-0.03	10	0.10	14	0.04
Outdoor time fraction	14	-0.06	18	-0.06	3	0.19	7	0.09
Meat	44	0.00	44	0.00	40	0.02	41	0.01
Kd of Th-230 in Contaminated Zone	26	-0.03	7	-0.10	9	0.10	5	0.16
Kd of Th-230 in Unsaturated Zone 1	39	-0.01	40	-0.01	43	-0.01	43	-0.01
Kd of Th-230 in Saturated Zone	37	0.01	38	0.01	42	-0.01	39	-0.01
Aquatic food	16	0.06	19	0.05	31	-0.04	32	-0.02
Plant food	11	0.07	15	0.07	16	-0.07	21	-0.03
Kd of Ra-226 in Contaminated Zone	10	0.07	13	0.07	29	-0.04	30	-0.02
Kd of Ra-226 in Unsaturated Zone 1	46	0.00	46	0.00	25	0.05	27	0.02
Kd of Ra-226 in Saturated Zone	33	0.02	34	0.01	38	0.02	38	0.01
Kd of Pb-210 in Contaminated Zone	25	0.03	25	0.03	37	-0.02	37	-0.01
Kd of Pb-210 in Unsaturated Zone 1	2	0.13	1	0.22	8	-0.11	11	-0.05
Kd of Pb-210 in Saturated Zone	42	0.00	43	0.00	23	-0.06	25	-0.02
Kd of Ra-228 in Contaminated Zone	30	-0.02	30	-0.02	6	-0.12	9	-0.05
Kd of Ra-228 in Unsaturated Zone 1	12	-0.07	16	-0.06	32	-0.04	33	-0.02
Kd of Ra-228 in Saturated Zone	32	0.02	33	0.01	13	0.09	17	0.04
R-SQUARE		0.14		0.14		0.81		0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	32	-0.02	33	-0.01	24	0.06	26	0.03
Density of Unsaturted zone 1	3	-0.14	5	-0.14	32	0.02	33	0.01
Depth of roots	41	0.01	41	0.01	26	0.04	27	0.02
Saturated zone hydraulic conductivity	25	-0.02	27	-0.02	30	0.03	30	0.01
Thickness of Unsaturted zone 1	28	-0.02	25	-0.02	35	0.02	31	0.01
Contaminated zone b parameter	42	0.01	42	0.01	45	0.00	45	0.00
Saturated zone b parameter	26	-0.02	28	-0.02	29	0.03	28	0.01
Contaminated zone erosion rate	8	0.07	11	0.07	34	-0.02	35	-0.01
Contaminated zone hydraulic conductivity	43	0.01	43	0.00	42	0.01	43	0.00
Evapotranspiration coefficient	4	-0.10	7	-0.10	4	-0.18	12	-0.08
Runoff coefficient	6	0.08	9	0.08	22	-0.07	24	-0.03
Saturated zone hydraulic gradient	5	0.10	6	0.10	44	0.00	44	0.00
Weathering removal constant of all vegetation	11	-0.05	14	-0.05	21	-0.07	23	-0.03
Wind Speed	12	-0.05	15	-0.05	33	0.02	34	0.01
Mass loading for inhalation	40	0.01	40	0.01	23	-0.06	25	-0.03
Depth of soil mixing layer	9	-0.07	12	-0.06	18	-0.08	21	-0.04
Density of contaminated zone	2	0.15	4	0.14	39	0.01	40	0.00
Inhalation rate	19	0.03	22	0.03	41	0.01	42	0.00
Soil ingestion	34	-0.01	35	-0.01	37	-0.02	38	-0.01
Kd of Th-230 in Contaminated Zone	22	0.02	8	0.09	25	-0.06	10	-0.09
Kd of Th-230 in Unsaturated Zone 1	30	0.02	29	0.02	7	-0.11	9	-0.10
Kd of Th-230 in Saturated Zone	45	0.00	45	0.00	5	-0.13	5	-0.12
Kd of Th-228 in Contaminated Zone	15	-0.04	1	-0.26	27	0.03	11	0.08
Kd of Th-228 in Unsaturated Zone 1	23	-0.02	26	-0.02	9	-0.11	8	-0.10
Kd of Th-228 in Saturated Zone	39	0.01	20	0.03	20	0.07	3	0.16
Area of contaminated zone	7	0.08	10	0.08	36	0.02	37	0.01
Thickness of contaminated zone	17	0.04	17	0.05	13	0.09	13	0.06
Cover depth	18	-0.03	21	-0.03	1	-0.83	1	-0.69
Density of cover material	27	-0.02	30	-0.02	2	-0.72	2	-0.48
Cover erosion rate	16	-0.04	19	-0.04	12	0.10	16	0.05
Outdoor time fraction	20	-0.03	23	-0.02	3	0.28	4	0.13
Meat	35	0.01	36	0.01	11	0.11	15	0.05
Kd of Th-230 in Contaminated Zone	10	0.06	2	0.25	43	0.00	36	0.01
Kd of Th-230 in Unsaturated Zone 1	37	-0.01	37	-0.01	6	-0.12	6	-0.12
Kd of Th-230 in Saturated Zone	24	-0.02	13	-0.06	8	-0.11	7	-0.11
Aquatic food	29	-0.02	31	-0.02	28	-0.03	29	-0.01
Plant food	36	-0.01	38	-0.01	46	0.00	46	0.00
Kd of Ra-226 in Contaminated Zone	44	0.00	44	0.00	38	-0.01	39	-0.01
Kd of Ra-226 in Unsaturated Zone 1	13	-0.05	16	-0.05	40	-0.01	41	0.00
Kd of Ra-226 in Saturated Zone	38	-0.01	39	-0.01	15	-0.08	18	-0.04
Kd of Pb-210 in Contaminated Zone	21	-0.02	24	-0.02	31	-0.03	32	-0.01
Kd of Pb-210 in Unsaturated Zone 1	31	-0.02	32	-0.02	10	-0.11	14	-0.05
Kd of Pb-210 in Saturated Zone	1	0.21	3	0.20	16	-0.08	19	-0.04
Kd of Ra-228 in Contaminated Zone	33	-0.01	34	-0.01	17	0.08	20	0.04
Kd of Ra-228 in Unsaturated Zone 1	14	0.04	18	0.04	19	-0.08	22	-0.04
Kd of Ra-228 in Saturated Zone	46	0.00	46	0.00	14	-0.08	17	-0.04
R-SQUARE		0.14		0.14		0.79		0.79

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	13	-0.06	19	-0.06	29	0.03	34	0.01
Density of Unsaturted zone 1	24	0.04	26	0.04	46	0.00	46	0.00
Depth of roots	25	0.04	27	0.04	4	0.19	5	0.09
Saturated zone hydraulic conductivity	26	-0.04	22	-0.04	24	-0.04	28	-0.02
Thickness of Unsaturted zone 1	4	-0.10	5	-0.13	9	-0.09	11	-0.07
Contaminated zone b parameter	38	-0.01	38	-0.01	34	-0.03	37	-0.01
Saturated zone b parameter	9	-0.07	14	-0.07	39	0.02	41	0.01
Contaminated zone erosion rate	5	-0.10	8	-0.10	5	-0.14	9	-0.07
Contaminated zone hydraulic conductivity	37	-0.01	37	-0.01	23	0.05	27	0.02
Evapotranspiration coefficient	22	0.04	24	0.04	20	-0.05	24	-0.02
Runoff coefficient	10	-0.07	15	-0.07	44	-0.01	44	-0.01
Saturated zone hydraulic gradient	1	0.16	3	0.16	27	0.03	32	0.01
Weathering removal constant of all vegetation	23	-0.04	25	-0.04	30	-0.03	35	-0.01
Wind Speed	31	-0.02	31	-0.02	40	-0.02	42	-0.01
Mass loading for inhalation	19	0.05	21	0.05	38	0.02	40	0.01
Depth of soil mixing layer	11	0.06	17	0.06	21	0.05	25	0.02
Density of contaminated zone	12	0.06	18	0.06	10	0.09	18	0.04
Inhalation rate	30	-0.02	30	-0.02	17	-0.07	20	-0.03
Soil ingestion	29	-0.03	29	-0.03	36	-0.02	38	-0.01
Kd of Th-230 in Contaminated Zone	27	0.04	4	0.15	33	-0.03	13	-0.05
Kd of Th-230 in Unsaturated Zone 1	46	0.00	46	0.00	13	-0.08	7	-0.08
Kd of Th-230 in Saturated Zone	28	-0.03	28	-0.03	11	-0.09	4	-0.09
Kd of Th-228 in Contaminated Zone	17	-0.05	1	-0.32	35	0.02	8	0.07
Kd of Th-228 in Unsaturated Zone 1	36	-0.01	36	-0.01	41	-0.02	31	-0.02
Kd of Th-228 in Saturated Zone	39	0.01	39	0.01	32	0.03	12	0.06
Area of contaminated zone	35	0.01	35	0.01	25	-0.04	29	-0.02
Thickness of contaminated zone	20	-0.05	16	-0.06	16	-0.07	17	-0.05
Cover depth	6	0.09	9	0.09	1	-0.84	1	-0.71
Density of cover material	2	-0.11	6	-0.10	2	-0.72	2	-0.48
Cover erosion rate	8	0.07	13	0.07	22	0.05	26	0.02
Outdoor time fraction	3	0.11	7	0.10	3	0.25	3	0.12
Meat	7	-0.08	11	-0.08	31	-0.03	36	-0.01
Kd of Th-230 in Contaminated Zone	15	0.05	2	0.23	43	-0.01	22	-0.03
Kd of Th-230 in Unsaturated Zone 1	44	0.00	44	0.00	15	-0.07	10	-0.07
Kd of Th-230 in Saturated Zone	32	-0.02	32	-0.02	12	-0.09	6	-0.09
Aquatic food	45	0.00	45	0.00	37	-0.02	39	-0.01
Plant food	21	-0.04	23	-0.04	14	-0.07	19	-0.03
Kd of Ra-226 in Contaminated Zone	40	0.01	40	0.01	26	0.04	30	0.02
Kd of Ra-226 in Unsaturated Zone 1	14	-0.06	10	-0.08	6	-0.11	14	-0.05
Kd of Ra-226 in Saturated Zone	18	-0.05	20	-0.05	19	0.06	23	0.03
Kd of Pb-210 in Contaminated Zone	42	0.00	43	0.00	8	-0.10	16	-0.05
Kd of Pb-210 in Unsaturated Zone 1	33	0.02	33	0.02	45	-0.01	45	0.00
Kd of Pb-210 in Saturated Zone	41	0.01	41	0.01	7	-0.10	15	-0.05
Kd of Ra-228 in Contaminated Zone	34	-0.01	34	-0.01	18	0.06	21	0.03
Kd of Ra-228 in Unsaturated Zone 1	16	0.05	12	0.07	42	0.01	43	0.01
Kd of Ra-228 in Saturated Zone	43	0.00	42	0.01	28	0.03	33	0.01
R-SQUARE		0.11		0.11		0.79		0.79

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	41	-0.01	41	-0.01	13	-0.09	16	-0.02
Density of Unsaturted zone 1	9	0.08	12	0.07	9	-0.10	12	-0.02
Depth of roots	26	0.04	25	0.04	10	-0.10	13	-0.02
Saturated zone hydraulic conductivity	35	-0.02	36	-0.02	43	-0.01	45	0.00
Thickness of Unsaturted zone 1	4	-0.12	7	-0.14	33	-0.02	32	-0.01
Contaminated zone b parameter	42	-0.01	42	-0.01	42	-0.01	44	0.00
Saturated zone b parameter	13	0.07	15	0.06	39	-0.01	42	0.00
Contaminated zone erosion rate	18	-0.05	19	-0.05	26	0.04	29	0.01
Contaminated zone hydraulic conductivity	44	0.01	44	0.01	34	-0.02	35	0.00
Evapotranspiration coefficient	11	-0.07	14	-0.06	37	-0.02	40	0.00
Runoff coefficient	30	0.03	30	0.03	31	0.03	34	0.01
Saturated zone hydraulic gradient	45	0.00	45	0.00	20	0.06	22	0.01
Weathering removal constant of all vegetation	37	-0.02	37	-0.02	18	0.06	21	0.01
Wind Speed	21	-0.05	22	-0.04	6	0.10	9	0.02
Mass loading for inhalation	27	0.04	27	0.03	38	-0.01	41	0.00
Depth of soil mixing layer	23	-0.04	24	-0.04	7	-0.10	11	-0.02
Density of contaminated zone	46	0.00	46	0.00	23	0.05	26	0.01
Inhalation rate	24	-0.04	23	-0.04	44	-0.01	46	0.00
Soil ingestion	28	0.04	28	0.03	22	-0.05	24	-0.01
Kd of Th-230 in Contaminated Zone	7	-0.09	3	-0.33	35	0.02	20	0.01
Kd of Th-230 in Unsaturated Zone 1	33	-0.02	32	-0.02	19	0.06	8	0.02
Kd of Th-230 in Saturated Zone	34	0.02	35	0.02	40	0.01	39	0.00
Kd of Th-228 in Contaminated Zone	12	0.07	1	0.40	46	0.00	36	0.00
Kd of Th-228 in Unsaturated Zone 1	20	0.05	21	0.04	25	0.04	17	0.02
Kd of Th-228 in Saturated Zone	39	-0.01	39	-0.01	17	-0.06	4	-0.06
Area of contaminated zone	15	-0.06	16	-0.05	41	0.01	43	0.00
Thickness of contaminated zone	5	-0.09	8	-0.12	29	0.03	27	0.01
Cover depth	1	-0.37	2	-0.35	1	-0.97	1	-0.80
Density of cover material	2	-0.25	4	-0.23	2	-0.94	2	-0.53
Cover erosion rate	3	0.16	6	0.15	4	0.25	5	0.05
Outdoor time fraction	19	0.05	18	0.05	3	0.57	3	0.13
Meat	25	0.04	26	0.04	5	-0.15	6	-0.03
Kd of Th-230 in Contaminated Zone	17	-0.06	5	-0.22	45	0.00	37	0.00
Kd of Th-230 in Unsaturated Zone 1	43	-0.01	43	-0.01	16	0.07	7	0.03
Kd of Th-230 in Saturated Zone	6	-0.09	9	-0.10	32	0.03	25	0.01
Aquatic food	8	-0.08	11	-0.07	11	0.10	14	0.02
Plant food	10	0.07	13	0.06	27	-0.03	30	-0.01
Kd of Ra-226 in Contaminated Zone	31	-0.03	31	-0.03	14	0.08	18	0.01
Kd of Ra-226 in Unsaturated Zone 1	14	0.07	10	0.08	21	-0.06	23	-0.01
Kd of Ra-226 in Saturated Zone	29	0.03	29	0.03	30	-0.03	33	-0.01
Kd of Pb-210 in Contaminated Zone	38	-0.02	38	-0.02	24	-0.04	28	-0.01
Kd of Pb-210 in Unsaturated Zone 1	40	-0.01	40	-0.01	12	-0.09	15	-0.02
Kd of Pb-210 in Saturated Zone	22	-0.04	20	-0.05	15	0.07	19	0.01
Kd of Ra-228 in Contaminated Zone	36	-0.02	34	-0.02	28	0.03	31	0.01
Kd of Ra-228 in Unsaturated Zone 1	16	-0.06	17	-0.05	8	0.10	10	0.02
Kd of Ra-228 in Saturated Zone	32	0.03	33	0.02	36	-0.02	38	0.00
R-SQUARE		0.26		0.26		0.97		0.97

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	35	0.03	35	0.02	37	0.02	39	0.00
Density of Unsaturted zone 1	5	0.12	9	0.08	11	-0.07	17	-0.01
Depth of roots	8	0.10	13	0.06	24	0.05	27	0.01
Saturated zone hydraulic conductivity	36	-0.02	36	-0.02	21	-0.06	23	-0.01
Thickness of Unsaturted zone 1	12	-0.07	12	-0.07	40	-0.02	36	-0.01
Contaminated zone b parameter	21	-0.04	22	-0.03	41	0.02	41	0.00
Saturated zone b parameter	28	-0.04	27	-0.02	34	-0.03	37	-0.01
Contaminated zone erosion rate	42	-0.01	42	0.00	7	0.10	14	0.02
Contaminated zone hydraulic conductivity	26	-0.04	26	-0.03	32	0.03	35	0.01
Evapotranspiration coefficient	6	-0.11	11	-0.07	39	0.02	40	0.00
Runoff coefficient	16	-0.07	16	-0.04	14	0.07	19	0.01
Saturated zone hydraulic gradient	40	-0.02	40	-0.01	42	-0.02	42	0.00
Weathering removal constant of all vegetation	7	0.11	10	0.07	44	-0.01	44	0.00
Wind Speed	27	0.04	28	0.02	45	-0.01	45	0.00
Mass loading for inhalation	33	0.03	33	0.02	33	-0.03	34	-0.01
Depth of soil mixing layer	34	0.03	34	0.02	35	-0.02	38	0.00
Density of contaminated zone	41	0.01	41	0.01	17	-0.06	21	-0.01
Inhalation rate	17	-0.06	17	-0.04	5	0.18	9	0.04
Soil ingestion	38	0.02	38	0.01	25	-0.05	28	-0.01
Kd of Th-230 in Contaminated Zone	10	0.08	4	0.22	20	-0.06	6	-0.04
Kd of Th-230 in Unsaturated Zone 1	1	0.63	1	0.61	38	0.02	25	0.01
Kd of Th-230 in Saturated Zone	32	0.03	30	0.02	9	0.08	10	0.04
Kd of Th-228 in Contaminated Zone	11	-0.07	2	-0.31	12	0.07	4	0.08
Kd of Th-228 in Unsaturated Zone 1	44	0.00	44	0.00	18	0.06	12	0.02
Kd of Th-228 in Saturated Zone	23	-0.04	21	-0.03	13	-0.07	5	-0.07
Area of contaminated zone	20	0.05	20	0.03	15	-0.06	20	-0.01
Thickness of contaminated zone	9	-0.09	7	-0.09	26	-0.04	18	-0.01
Cover depth	2	-0.36	3	-0.26	1	-0.97	1	-0.82
Density of cover material	3	-0.30	5	-0.21	2	-0.94	2	-0.54
Cover erosion rate	4	0.13	8	0.09	4	0.21	7	0.04
Outdoor time fraction	18	0.06	18	0.04	3	0.54	3	0.13
Meat	45	0.00	45	0.00	43	-0.02	43	0.00
Kd of Th-230 in Contaminated Zone	14	0.07	6	0.18	22	-0.05	8	-0.04
Kd of Th-230 in Unsaturated Zone 1	39	-0.02	39	-0.01	16	0.06	11	0.03
Kd of Th-230 in Saturated Zone	31	0.03	31	0.02	36	0.02	24	0.01
Aquatic food	46	0.00	46	0.00	46	0.00	46	0.00
Plant food	25	0.04	25	0.03	27	-0.04	29	-0.01
Kd of Ra-226 in Contaminated Zone	19	0.05	19	0.03	6	-0.11	13	-0.02
Kd of Ra-226 in Unsaturated Zone 1	13	0.07	14	0.05	8	-0.09	15	-0.02
Kd of Ra-226 in Saturated Zone	37	0.02	37	0.02	10	-0.08	16	-0.01
Kd of Pb-210 in Contaminated Zone	30	-0.03	32	-0.02	28	0.04	30	0.01
Kd of Pb-210 in Unsaturated Zone 1	43	0.01	43	0.00	30	0.04	32	0.01
Kd of Pb-210 in Saturated Zone	24	-0.04	24	-0.03	29	0.04	31	0.01
Kd of Ra-228 in Contaminated Zone	15	-0.07	15	-0.05	23	0.05	26	0.01
Kd of Ra-228 in Unsaturated Zone 1	22	-0.04	23	-0.03	31	0.03	33	0.01
Kd of Ra-228 in Saturated Zone	29	-0.03	29	-0.02	19	0.06	22	0.01
R-SQUARE		0.59		0.59		0.96		0.96

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	30	0.03	31	0.03	22	0.06	23	0.01
Density of Unsaturted zone 1	46	0.00	46	0.00	18	-0.07	20	-0.01
Depth of roots	16	-0.06	18	-0.05	43	-0.01	44	0.00
Saturated zone hydraulic conductivity	1	0.41	3	0.39	35	0.02	35	0.00
Thickness of Unsaturted zone 1	20	0.04	17	0.05	33	0.02	31	0.01
Contaminated zone b parameter	23	0.04	24	0.04	9	-0.12	13	-0.02
Saturated zone b parameter	17	-0.05	20	-0.04	15	-0.09	17	-0.02
Contaminated zone erosion rate	9	0.09	9	0.07	26	-0.05	27	-0.01
Contaminated zone hydraulic conductivity	21	-0.04	25	-0.04	32	-0.03	33	-0.01
Evapotranspiration coefficient	13	0.06	14	0.05	20	0.07	21	0.01
Runoff coefficient	28	-0.04	28	-0.03	10	0.11	14	0.02
Saturated zone hydraulic gradient	36	-0.01	36	-0.01	36	-0.02	37	0.00
Weathering removal constant of all vegetation	26	0.04	27	0.03	23	0.06	25	0.01
Wind Speed	27	0.04	29	0.03	28	-0.04	29	-0.01
Mass loading for inhalation	43	0.01	43	0.01	38	0.01	39	0.00
Depth of soil mixing layer	45	0.00	45	0.00	40	-0.01	40	0.00
Density of contaminated zone	31	0.03	32	0.03	42	-0.01	43	0.00
Inhalation rate	11	0.08	12	0.06	8	-0.13	11	-0.03
Soil ingestion	18	-0.05	21	-0.04	16	0.09	18	0.02
Kd of Th-230 in Contaminated Zone	7	-0.12	2	-0.39	6	0.17	4	0.11
Kd of Th-230 in Unsaturated Zone 1	40	0.01	40	0.01	11	0.11	9	0.04
Kd of Th-230 in Saturated Zone	32	0.03	23	0.04	44	0.01	42	0.00
Kd of Th-228 in Contaminated Zone	6	0.12	1	0.57	5	-0.17	3	-0.17
Kd of Th-228 in Unsaturated Zone 1	42	-0.01	42	-0.01	19	0.07	12	0.02
Kd of Th-228 in Saturated Zone	35	-0.02	35	-0.02	24	-0.06	8	-0.04
Area of contaminated zone	38	0.01	38	0.01	13	0.09	16	0.02
Thickness of contaminated zone	25	0.04	19	0.05	39	0.01	36	0.00
Cover depth	2	-0.33	5	-0.29	1	-0.98	1	-0.82
Density of cover material	3	-0.29	6	-0.24	2	-0.94	2	-0.52
Cover erosion rate	14	-0.06	15	-0.05	4	0.29	7	0.06
Outdoor time fraction	4	0.17	7	0.14	3	0.51	5	0.11
Meat	5	0.13	8	0.10	17	0.08	19	0.02
Kd of Th-230 in Contaminated Zone	8	-0.11	4	-0.34	7	0.16	6	0.11
Kd of Th-230 in Unsaturated Zone 1	19	0.05	22	0.04	14	0.09	10	0.03
Kd of Th-230 in Saturated Zone	10	-0.08	10	-0.07	31	-0.03	24	-0.01
Aquatic food	22	-0.04	26	-0.03	34	-0.02	34	0.00
Plant food	44	0.01	44	0.00	30	-0.03	32	-0.01
Kd of Ra-226 in Contaminated Zone	12	-0.08	11	-0.06	45	0.01	45	0.00
Kd of Ra-226 in Unsaturated Zone 1	39	0.01	39	0.01	46	0.00	46	0.00
Kd of Ra-226 in Saturated Zone	37	-0.01	37	-0.01	25	-0.05	26	-0.01
Kd of Pb-210 in Contaminated Zone	15	0.06	16	0.05	21	-0.07	22	-0.01
Kd of Pb-210 in Unsaturated Zone 1	24	-0.04	13	-0.06	37	0.01	38	0.00
Kd of Pb-210 in Saturated Zone	33	0.02	33	0.02	12	-0.10	15	-0.02
Kd of Ra-228 in Contaminated Zone	34	0.02	34	0.02	27	-0.05	28	-0.01
Kd of Ra-228 in Unsaturated Zone 1	29	0.03	30	0.03	29	-0.04	30	-0.01
Kd of Ra-228 in Saturated Zone	41	0.01	41	0.01	41	-0.01	41	0.00
R-SQUARE		0.38		0.38		0.97		0.97

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	20	-0.05	23	-0.04	33	0.04	34	0.01
Density of Unsaturted zone 1	29	-0.03	32	-0.03	34	-0.04	35	-0.01
Depth of roots	9	-0.09	14	-0.08	8	-0.12	15	-0.02
Saturated zone hydraulic conductivity	15	-0.07	20	-0.06	31	0.05	31	0.01
Thickness of Unsaturted zone 1	43	0.01	40	0.01	36	0.04	32	0.01
Contaminated zone b parameter	17	0.06	22	0.05	12	-0.11	18	-0.02
Saturated zone b parameter	8	0.09	13	0.08	20	-0.09	21	-0.02
Contaminated zone erosion rate	3	0.16	6	0.14	46	0.00	46	0.00
Contaminated zone hydraulic conductivity	36	0.02	36	0.02	44	0.01	44	0.00
Evapotranspiration coefficient	32	-0.03	33	-0.03	24	-0.07	26	-0.01
Runoff coefficient	11	-0.08	16	-0.07	30	-0.06	30	-0.01
Saturated zone hydraulic gradient	4	0.11	8	0.10	29	-0.06	29	-0.01
Weathering removal constant of all vegetation	13	-0.07	18	-0.06	9	0.12	16	0.02
Wind Speed	6	0.10	10	0.09	19	0.09	22	0.02
Mass loading for inhalation	16	-0.07	21	-0.06	40	-0.02	40	0.00
Depth of soil mixing layer	10	0.08	15	0.07	6	-0.13	14	-0.02
Density of contaminated zone	40	0.01	41	0.01	37	-0.04	38	-0.01
Inhalation rate	19	-0.05	24	-0.04	15	0.10	19	0.02
Soil ingestion	14	0.07	19	0.06	27	0.07	28	0.01
Kd of Th-230 in Contaminated Zone	24	0.04	5	0.14	18	-0.09	6	-0.05
Kd of Th-230 in Unsaturated Zone 1	41	0.01	42	0.01	5	0.14	8	0.04
Kd of Th-230 in Saturated Zone	35	0.02	35	0.02	14	0.10	11	0.04
Kd of Th-228 in Contaminated Zone	30	-0.03	4	-0.16	21	0.08	5	0.07
Kd of Th-228 in Unsaturated Zone 1	45	0.00	46	0.00	13	0.11	12	0.03
Kd of Th-228 in Saturated Zone	31	0.03	12	0.08	7	-0.12	4	-0.10
Area of contaminated zone	5	-0.10	9	-0.09	22	-0.08	23	-0.01
Thickness of contaminated zone	46	0.00	45	0.00	39	0.02	37	0.01
Cover depth	1	-0.35	1	-0.33	1	-0.98	1	-0.80
Density of cover material	2	-0.25	2	-0.23	2	-0.96	2	-0.55
Cover erosion rate	37	-0.02	37	-0.02	4	0.25	7	0.04
Outdoor time fraction	7	0.10	11	0.09	3	0.61	3	0.13
Meat	44	0.00	44	0.00	10	0.12	17	0.02
Kd of Th-230 in Contaminated Zone	33	0.03	7	0.10	28	-0.07	10	-0.04
Kd of Th-230 in Unsaturated Zone 1	39	-0.01	38	-0.01	11	0.11	9	0.04
Kd of Th-230 in Saturated Zone	18	-0.06	3	-0.16	16	0.10	13	0.03
Aquatic food	25	-0.04	28	-0.03	23	0.08	24	0.01
Plant food	21	0.05	25	0.04	43	0.01	43	0.00
Kd of Ra-226 in Contaminated Zone	23	-0.04	27	-0.04	38	-0.03	39	-0.01
Kd of Ra-226 in Unsaturated Zone 1	22	-0.04	26	-0.04	42	-0.02	42	0.00
Kd of Ra-226 in Saturated Zone	42	-0.01	43	-0.01	32	-0.05	33	-0.01
Kd of Pb-210 in Contaminated Zone	26	-0.04	29	-0.03	41	-0.02	41	0.00
Kd of Pb-210 in Unsaturated Zone 1	38	0.01	39	0.01	26	-0.07	25	-0.01
Kd of Pb-210 in Saturated Zone	27	-0.04	30	-0.03	45	0.00	45	0.00
Kd of Ra-228 in Contaminated Zone	28	-0.03	31	-0.03	25	0.07	27	0.01
Kd of Ra-228 in Unsaturated Zone 1	34	-0.03	34	-0.02	35	0.04	36	0.01
Kd of Ra-228 in Saturated Zone	12	-0.07	17	-0.07	17	-0.10	20	-0.02
R-SQUARE		0.26		0.26		0.97		0.97

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	19	-0.04	22	-0.04	14	0.07	21	0.01
Density of Unsaturted zone 1	7	-0.08	11	-0.07	16	0.06	22	0.01
Depth of roots	9	0.07	14	0.06	23	0.05	28	0.01
Saturated zone hydraulic conductivity	23	-0.03	23	-0.04	45	0.01	45	0.00
Thickness of Unsaturted zone 1	46	0.00	46	0.00	44	-0.01	42	0.00
Contaminated zone b parameter	28	0.03	30	0.02	43	-0.01	44	0.00
Saturated zone b parameter	14	-0.06	18	-0.06	20	0.06	26	0.01
Contaminated zone erosion rate	42	0.00	42	0.00	12	-0.08	17	-0.01
Contaminated zone hydraulic conductivity	5	0.13	6	0.11	5	0.15	8	0.03
Evapotranspiration coefficient	26	-0.03	29	-0.03	38	0.02	40	0.00
Runoff coefficient	16	-0.06	19	-0.05	7	0.14	10	0.03
Saturated zone hydraulic gradient	12	-0.07	16	-0.06	46	0.00	46	0.00
Weathering removal constant of all vegetation	6	-0.09	9	-0.08	39	-0.02	41	0.00
Wind Speed	21	-0.04	24	-0.03	32	-0.03	36	-0.01
Mass loading for inhalation	38	0.01	39	0.01	21	-0.05	27	-0.01
Depth of soil mixing layer	24	-0.03	28	-0.03	11	0.08	16	0.02
Density of contaminated zone	8	-0.08	12	-0.07	33	-0.03	38	-0.01
Inhalation rate	17	-0.05	21	-0.04	35	-0.02	39	0.00
Soil ingestion	13	0.06	17	0.06	42	0.01	43	0.00
Kd of Th-230 in Contaminated Zone	27	-0.03	7	-0.11	31	-0.03	11	-0.02
Kd of Th-230 in Unsaturated Zone 1	25	-0.03	27	-0.03	28	-0.03	19	-0.01
Kd of Th-230 in Saturated Zone	31	-0.02	31	-0.02	41	0.02	35	0.01
Kd of Th-228 in Contaminated Zone	20	0.04	3	0.25	34	0.02	7	0.03
Kd of Th-228 in Unsaturated Zone 1	18	-0.05	20	-0.05	40	0.02	34	0.01
Kd of Th-228 in Saturated Zone	37	0.01	37	0.01	22	0.05	4	0.05
Area of contaminated zone	22	0.03	26	0.03	9	-0.11	12	-0.02
Thickness of contaminated zone	29	0.03	25	0.03	37	-0.02	37	-0.01
Cover depth	1	-0.38	1	-0.36	1	-0.98	1	-0.82
Density of cover material	2	-0.31	2	-0.28	2	-0.95	2	-0.53
Cover erosion rate	3	0.15	4	0.14	4	0.22	6	0.04
Outdoor time fraction	4	0.13	5	0.12	3	0.56	3	0.12
Meat	10	-0.07	15	-0.06	19	0.06	25	0.01
Kd of Th-230 in Contaminated Zone	30	-0.02	8	-0.09	36	-0.02	14	-0.02
Kd of Th-230 in Unsaturated Zone 1	44	0.00	44	0.00	8	-0.12	5	-0.04
Kd of Th-230 in Saturated Zone	36	0.01	36	0.01	25	-0.04	15	-0.02
Aquatic food	33	-0.02	34	-0.02	29	0.03	32	0.01
Plant food	41	0.00	41	0.00	24	-0.04	29	-0.01
Kd of Ra-226 in Contaminated Zone	11	-0.07	13	-0.06	6	0.14	9	0.03
Kd of Ra-226 in Unsaturated Zone 1	40	0.01	38	0.01	18	0.06	24	0.01
Kd of Ra-226 in Saturated Zone	39	-0.01	40	-0.01	13	0.08	18	0.01
Kd of Pb-210 in Contaminated Zone	45	0.00	45	0.00	27	-0.03	31	-0.01
Kd of Pb-210 in Unsaturated Zone 1	32	-0.02	33	-0.02	15	-0.07	20	-0.01
Kd of Pb-210 in Saturated Zone	43	0.00	43	0.00	26	-0.04	30	-0.01
Kd of Ra-228 in Contaminated Zone	35	0.02	35	0.01	17	0.06	23	0.01
Kd of Ra-228 in Unsaturated Zone 1	15	-0.06	10	-0.07	30	-0.03	33	-0.01
Kd of Ra-228 in Saturated Zone	34	0.02	32	0.02	10	0.09	13	0.02
R-SQUARE		0.28		0.28		0.97		0.97

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	12	0.06	12	0.06	20	0.06	23	0.05
Density of Unsaturted zone 1	36	0.01	38	0.01	37	0.02	37	0.02
Depth of roots	25	-0.03	28	-0.03	24	-0.06	26	-0.05
Saturated zone hydraulic conductivity	41	-0.01	42	-0.01	23	0.06	25	0.05
Thickness of Unsaturted zone 1	9	0.07	3	0.10	18	0.07	13	0.09
Contaminated zone b parameter	21	0.04	25	0.04	36	0.02	36	0.02
Saturated zone b parameter	37	0.01	39	0.01	25	-0.05	27	-0.04
Contaminated zone erosion rate	43	0.01	43	0.01	42	-0.01	42	-0.01
Contaminated zone hydraulic conductivity	14	0.05	16	0.05	38	0.02	38	0.02
Evapotranspiration coefficient	33	0.02	36	0.02	33	-0.04	33	-0.03
Runoff coefficient	11	-0.06	11	-0.06	10	-0.11	14	-0.09
Saturated zone hydraulic gradient	27	0.03	30	0.03	35	0.03	35	0.02
Weathering removal constant of all vegetation	46	0.00	46	0.00	45	0.00	45	0.00
Wind Speed	8	-0.08	9	-0.07	8	-0.11	12	-0.09
Mass loading for inhalation	6	-0.09	6	-0.08	12	-0.09	17	-0.08
Depth of soil mixing layer	44	-0.01	44	-0.01	28	-0.05	30	-0.04
Density of contaminated zone	7	0.08	8	0.08	22	0.06	24	0.05
Inhalation rate	16	-0.04	19	-0.04	46	0.00	46	0.00
Soil ingestion	34	0.01	37	0.01	11	0.09	16	0.08
Kd of Th-230 in Contaminated Zone	40	-0.01	23	-0.04	30	-0.04	10	-0.13
Kd of Th-230 in Unsaturated Zone 1	31	-0.02	34	-0.02	6	-0.13	6	-0.23
Kd of Th-230 in Saturated Zone	20	-0.04	24	-0.04	1	-0.18	2	-0.31
Kd of Th-228 in Contaminated Zone	42	0.01	18	0.04	29	0.05	7	0.21
Kd of Th-228 in Unsaturated Zone 1	38	-0.01	40	-0.01	3	-0.16	4	-0.29
Kd of Th-228 in Saturated Zone	30	-0.02	32	-0.02	13	0.09	1	0.37
Area of contaminated zone	3	0.09	5	0.09	31	0.04	31	0.03
Thickness of contaminated zone	1	0.12	1	0.16	5	0.14	9	0.18
Cover depth	45	0.01	45	0.01	27	0.05	29	0.04
Density of cover material	17	-0.04	22	-0.04	15	-0.08	19	-0.07
Cover erosion rate	2	0.12	2	0.12	19	0.07	22	0.06
Outdoor time fraction	24	-0.03	27	-0.03	40	0.02	40	0.01
Meat	5	-0.09	7	-0.08	9	-0.11	15	-0.09
Kd of Th-230 in Contaminated Zone	35	-0.01	15	-0.05	21	-0.06	8	-0.18
Kd of Th-230 in Unsaturated Zone 1	18	-0.04	21	-0.04	4	-0.14	5	-0.24
Kd of Th-230 in Saturated Zone	15	-0.04	13	-0.06	2	-0.18	3	-0.30
Aquatic food	28	0.02	33	0.02	41	-0.02	41	-0.01
Plant food	10	0.06	10	0.06	43	-0.01	43	-0.01
Kd of Ra-226 in Contaminated Zone	23	0.04	26	0.03	39	-0.02	39	-0.02
Kd of Ra-226 in Unsaturated Zone 1	22	0.04	17	0.05	34	0.03	34	0.03
Kd of Ra-226 in Saturated Zone	26	-0.03	29	-0.03	44	-0.01	44	0.00
Kd of Pb-210 in Contaminated Zone	29	0.02	31	0.02	16	0.07	20	0.06
Kd of Pb-210 in Unsaturated Zone 1	39	-0.01	41	-0.01	14	-0.09	18	-0.07
Kd of Pb-210 in Saturated Zone	32	0.02	35	0.02	17	-0.07	21	-0.06
Kd of Ra-228 in Contaminated Zone	19	-0.04	20	-0.04	7	0.11	11	0.09
Kd of Ra-228 in Unsaturated Zone 1	13	0.06	14	0.06	26	0.05	28	0.04
Kd of Ra-228 in Saturated Zone	4	0.09	4	0.09	32	0.04	32	0.03
R-SQUARE		0.10		0.10		0.29		0.29

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	11	-0.08	15	-0.08	45	0.00	45	0.00
Density of Unsaturted zone 1	31	-0.02	31	-0.02	26	0.04	27	0.04
Depth of roots	5	-0.11	9	-0.10	33	-0.02	35	-0.02
Saturated zone hydraulic conductivity	27	-0.03	27	-0.03	40	0.01	41	0.01
Thickness of Unsaturted zone 1	14	-0.06	14	-0.08	10	-0.11	7	-0.14
Contaminated zone b parameter	4	0.11	8	0.10	7	0.14	8	0.12
Saturated zone b parameter	35	-0.02	35	-0.01	12	-0.10	13	-0.09
Contaminated zone erosion rate	46	0.00	46	0.00	31	0.02	33	0.02
Contaminated zone hydraulic conductivity	3	0.14	6	0.13	41	0.01	42	0.01
Evapotranspiration coefficient	8	-0.10	12	-0.09	29	-0.03	31	-0.02
Runoff coefficient	23	-0.04	24	-0.03	15	-0.09	17	-0.08
Saturated zone hydraulic gradient	9	-0.09	13	-0.09	16	-0.07	18	-0.06
Weathering removal constant of all vegetation	6	0.10	10	0.10	8	0.12	9	0.10
Wind Speed	32	0.02	33	0.02	34	-0.02	36	-0.01
Mass loading for inhalation	24	-0.04	26	-0.03	11	-0.10	12	-0.09
Depth of soil mixing layer	13	-0.07	16	-0.07	36	-0.02	37	-0.01
Density of contaminated zone	18	0.05	20	0.04	27	0.03	30	0.02
Inhalation rate	17	0.05	19	0.05	32	0.02	34	0.02
Soil ingestion	7	0.10	11	0.09	9	0.12	10	0.10
Kd of Th-230 in Contaminated Zone	12	-0.07	2	-0.29	28	-0.03	11	-0.09
Kd of Th-230 in Unsaturated Zone 1	30	-0.02	28	-0.02	2	-0.23	3	-0.42
Kd of Th-230 in Saturated Zone	44	0.00	44	0.00	1	-0.24	2	-0.46
Kd of Th-228 in Contaminated Zone	25	0.04	3	0.20	43	-0.01	29	-0.03
Kd of Th-228 in Unsaturated Zone 1	39	0.01	38	0.01	5	-0.17	6	-0.29
Kd of Th-228 in Saturated Zone	16	-0.05	17	-0.06	6	0.15	1	0.68
Area of contaminated zone	38	-0.01	39	-0.01	22	-0.06	23	-0.05
Thickness of contaminated zone	10	-0.09	7	-0.11	19	-0.06	15	-0.08
Cover depth	28	-0.02	29	-0.02	35	0.02	38	0.01
Density of cover material	21	-0.04	22	-0.04	21	0.06	22	0.05
Cover erosion rate	29	0.02	30	0.02	46	0.00	46	0.00
Outdoor time fraction	2	0.17	5	0.15	38	0.01	40	0.01
Meat	15	0.06	18	0.05	14	0.09	16	0.08
Kd of Th-230 in Contaminated Zone	19	-0.05	4	-0.18	39	0.01	28	0.04
Kd of Th-230 in Unsaturated Zone 1	36	0.02	36	0.01	3	-0.21	4	-0.38
Kd of Th-230 in Saturated Zone	42	0.00	43	0.00	4	-0.18	5	-0.34
Aquatic food	40	0.01	40	0.01	30	0.03	32	0.02
Plant food	37	0.01	37	0.01	20	-0.06	21	-0.05
Kd of Ra-226 in Contaminated Zone	45	0.00	45	0.00	24	-0.05	25	-0.04
Kd of Ra-226 in Unsaturated Zone 1	43	0.00	42	0.00	17	-0.07	20	-0.06
Kd of Ra-226 in Saturated Zone	41	0.00	41	0.00	23	0.06	24	0.05
Kd of Pb-210 in Contaminated Zone	34	-0.02	34	-0.02	37	0.01	39	0.01
Kd of Pb-210 in Unsaturated Zone 1	26	0.04	25	0.03	18	-0.07	19	-0.06
Kd of Pb-210 in Saturated Zone	33	-0.02	32	-0.02	42	0.01	43	0.01
Kd of Ra-228 in Contaminated Zone	20	0.05	21	0.04	44	0.00	44	0.00
Kd of Ra-228 in Unsaturated Zone 1	1	0.30	1	0.30	13	0.10	14	0.08
Kd of Ra-228 in Saturated Zone	22	-0.04	23	-0.04	25	-0.04	26	-0.04
R-SQUARE		0.22		0.22		0.31		0.31

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	41	0.01	42	0.01	35	0.02	38	0.01
Density of Unsaturted zone 1	22	0.03	24	0.03	41	0.01	41	0.01
Depth of roots	21	-0.03	23	-0.03	32	-0.02	35	-0.02
Saturated zone hydraulic conductivity	19	0.05	21	0.05	2	0.14	3	0.12
Thickness of Unsaturted zone 1	17	-0.05	12	-0.07	38	0.01	36	0.02
Contaminated zone b parameter	18	-0.05	20	-0.05	28	-0.03	33	-0.02
Saturated zone b parameter	24	-0.03	26	-0.03	9	0.08	14	0.07
Contaminated zone erosion rate	15	0.06	17	0.06	42	-0.01	42	0.00
Contaminated zone hydraulic conductivity	40	-0.01	41	-0.01	46	0.00	46	0.00
Evapotranspiration coefficient	3	-0.13	4	-0.12	8	-0.11	12	-0.10
Runoff coefficient	4	-0.12	5	-0.12	3	-0.13	5	-0.11
Saturated zone hydraulic gradient	8	0.07	11	0.07	18	-0.05	20	-0.05
Weathering removal constant of all vegetation	34	0.01	35	0.01	39	-0.01	40	-0.01
Wind Speed	1	0.13	3	0.12	7	0.12	10	0.10
Mass loading for inhalation	7	-0.09	9	-0.08	10	-0.08	15	-0.07
Depth of soil mixing layer	31	-0.02	32	-0.02	19	0.05	21	0.05
Density of contaminated zone	28	0.02	29	0.02	20	0.05	22	0.05
Inhalation rate	35	0.01	36	0.01	27	0.03	32	0.03
Soil ingestion	6	-0.09	8	-0.09	17	-0.06	19	-0.05
Kd of Th-230 in Contaminated Zone	23	-0.03	6	-0.11	31	0.03	13	0.08
Kd of Th-230 in Unsaturated Zone 1	36	-0.01	37	-0.01	13	-0.07	9	-0.10
Kd of Th-230 in Saturated Zone	5	-0.10	2	-0.17	1	-0.15	1	-0.23
Kd of Th-228 in Contaminated Zone	43	0.00	28	0.02	30	-0.03	4	-0.12
Kd of Th-228 in Unsaturated Zone 1	45	0.00	45	0.00	12	-0.07	7	-0.11
Kd of Th-228 in Saturated Zone	20	-0.04	22	-0.04	40	0.01	24	0.04
Area of contaminated zone	29	-0.02	31	-0.02	34	-0.02	37	-0.02
Thickness of contaminated zone	13	-0.06	10	-0.08	33	0.02	31	0.03
Cover depth	38	0.01	39	0.01	16	0.06	18	0.05
Density of cover material	9	-0.07	14	-0.07	44	0.00	44	0.00
Cover erosion rate	27	-0.03	27	-0.03	43	0.00	43	0.00
Outdoor time fraction	14	-0.06	18	-0.06	45	0.00	45	0.00
Meat	44	0.00	44	0.00	22	-0.04	26	-0.03
Kd of Th-230 in Contaminated Zone	26	-0.03	7	-0.10	37	0.01	23	0.04
Kd of Th-230 in Unsaturated Zone 1	39	-0.01	40	-0.01	5	-0.13	2	-0.20
Kd of Th-230 in Saturated Zone	37	0.01	38	0.01	14	-0.07	11	-0.10
Aquatic food	16	0.06	19	0.05	29	-0.03	34	-0.02
Plant food	11	0.07	15	0.07	26	-0.03	30	-0.03
Kd of Ra-226 in Contaminated Zone	10	0.07	13	0.07	23	0.04	27	0.03
Kd of Ra-226 in Unsaturated Zone 1	46	0.00	46	0.00	25	0.04	29	0.03
Kd of Ra-226 in Saturated Zone	33	0.02	34	0.01	6	0.12	8	0.10
Kd of Pb-210 in Contaminated Zone	25	0.03	25	0.03	21	-0.04	25	-0.04
Kd of Pb-210 in Unsaturated Zone 1	2	0.13	1	0.22	4	-0.13	6	-0.11
Kd of Pb-210 in Saturated Zone	42	0.00	43	0.00	15	-0.06	17	-0.06
Kd of Ra-228 in Contaminated Zone	30	-0.02	30	-0.02	11	-0.08	16	-0.07
Kd of Ra-228 in Unsaturated Zone 1	12	-0.07	16	-0.06	36	0.01	39	0.01
Kd of Ra-228 in Saturated Zone	32	0.02	33	0.01	24	0.04	28	0.03
R-SQUARE		0.14		0.14		0.27		0.27

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	32	-0.02	33	-0.01	36	0.02	36	0.02
Density of Unsaturted zone 1	3	-0.14	5	-0.14	26	0.04	27	0.04
Depth of roots	41	0.01	41	0.01	8	0.11	11	0.10
Saturated zone hydraulic conductivity	26	-0.02	27	-0.02	40	-0.01	41	-0.01
Thickness of Unsaturted zone 1	27	-0.02	25	-0.02	41	0.01	38	0.01
Contaminated zone b parameter	42	0.01	42	0.01	28	0.03	29	0.03
Saturated zone b parameter	25	-0.02	28	-0.02	12	0.08	15	0.07
Contaminated zone erosion rate	8	0.07	11	0.07	38	-0.01	39	-0.01
Contaminated zone hydraulic conductivity	43	0.01	43	0.00	39	-0.01	40	-0.01
Evapotranspiration coefficient	4	-0.10	7	-0.10	6	-0.12	10	-0.10
Runoff coefficient	6	0.08	9	0.08	20	-0.05	22	-0.04
Saturated zone hydraulic gradient	5	0.10	6	0.10	17	0.07	19	0.06
Weathering removal constant of all vegetation	11	-0.05	14	-0.05	30	-0.03	31	-0.03
Wind Speed	12	-0.05	15	-0.05	42	0.01	42	0.00
Mass loading for inhalation	40	0.01	40	0.01	37	0.01	37	0.01
Depth of soil mixing layer	9	-0.07	12	-0.06	44	0.00	44	0.00
Density of contaminated zone	2	0.15	4	0.14	43	0.00	43	0.00
Inhalation rate	18	0.03	21	0.03	9	0.11	12	0.10
Soil ingestion	34	-0.01	35	-0.01	46	0.00	46	0.00
Kd of Th-230 in Contaminated Zone	22	0.02	8	0.09	32	0.03	14	0.08
Kd of Th-230 in Unsaturated Zone 1	28	0.02	29	0.02	3	-0.16	6	-0.27
Kd of Th-230 in Saturated Zone	45	0.00	45	0.00	5	-0.16	5	-0.29
Kd of Th-228 in Contaminated Zone	15	-0.04	1	-0.26	22	-0.05	8	-0.21
Kd of Th-228 in Unsaturated Zone 1	23	-0.02	26	-0.02	2	-0.17	4	-0.29
Kd of Th-228 in Saturated Zone	39	0.01	20	0.03	7	0.12	1	0.51
Area of contaminated zone	7	0.08	10	0.08	25	0.04	26	0.04
Thickness of contaminated zone	17	0.04	17	0.05	11	0.09	9	0.11
Cover depth	19	-0.03	22	-0.03	29	0.03	30	0.03
Density of cover material	31	-0.02	32	-0.02	45	0.00	45	0.00
Cover erosion rate	16	-0.04	19	-0.04	33	-0.03	33	-0.02
Outdoor time fraction	20	-0.03	23	-0.02	27	-0.04	28	-0.03
Meat	35	0.01	36	0.01	14	0.08	17	0.07
Kd of Th-230 in Contaminated Zone	10	0.06	2	0.25	16	0.07	7	0.21
Kd of Th-230 in Unsaturated Zone 1	37	-0.01	38	-0.01	4	-0.16	3	-0.30
Kd of Th-230 in Saturated Zone	24	-0.02	13	-0.06	1	-0.20	2	-0.37
Aquatic food	29	-0.02	30	-0.02	13	-0.08	16	-0.07
Plant food	36	-0.01	37	-0.01	23	-0.05	24	-0.04
Kd of Ra-226 in Contaminated Zone	44	0.00	44	0.00	35	-0.02	35	-0.02
Kd of Ra-226 in Unsaturated Zone 1	13	-0.05	16	-0.05	34	0.02	34	0.02
Kd of Ra-226 in Saturated Zone	38	-0.01	39	-0.01	15	-0.07	18	-0.06
Kd of Pb-210 in Contaminated Zone	21	-0.02	24	-0.02	31	0.03	32	0.03
Kd of Pb-210 in Unsaturated Zone 1	30	-0.02	31	-0.02	10	-0.11	13	-0.09
Kd of Pb-210 in Saturated Zone	1	0.21	3	0.20	18	-0.06	20	-0.06
Kd of Ra-228 in Contaminated Zone	33	-0.01	34	-0.01	24	-0.04	25	-0.04
Kd of Ra-228 in Unsaturated Zone 1	14	0.04	18	0.04	19	-0.05	21	-0.05
Kd of Ra-228 in Saturated Zone	46	0.00	46	0.00	21	-0.05	23	-0.04
R-SQUARE		0.14		0.14		0.24		0.24

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	13	-0.06	19	-0.06	35	-0.03	35	-0.02
Density of Unsaturted zone 1	24	0.04	26	0.04	15	-0.08	19	-0.07
Depth of roots	25	0.04	27	0.04	2	0.18	9	0.15
Saturated zone hydraulic conductivity	26	-0.04	22	-0.04	16	-0.08	20	-0.07
Thickness of Unsaturted zone 1	4	-0.10	5	-0.13	4	-0.15	6	-0.18
Contaminated zone b parameter	38	-0.01	38	-0.01	14	0.09	18	0.07
Saturated zone b parameter	9	-0.07	14	-0.07	39	0.01	39	0.01
Contaminated zone erosion rate	5	-0.10	8	-0.10	12	-0.09	17	-0.08
Contaminated zone hydraulic conductivity	37	-0.01	37	-0.01	26	-0.05	29	-0.04
Evapotranspiration coefficient	22	0.04	24	0.04	19	-0.07	23	-0.06
Runoff coefficient	10	-0.07	15	-0.07	6	-0.13	12	-0.11
Saturated zone hydraulic gradient	1	0.16	3	0.16	42	0.01	42	0.01
Weathering removal constant of all vegetation	23	-0.04	25	-0.04	30	-0.04	32	-0.03
Wind Speed	31	-0.02	31	-0.02	41	-0.01	41	-0.01
Mass loading for inhalation	19	0.05	21	0.05	46	0.00	46	0.00
Depth of soil mixing layer	11	0.06	17	0.06	36	0.02	36	0.01
Density of contaminated zone	12	0.06	18	0.06	18	0.07	22	0.06
Inhalation rate	30	-0.02	30	-0.02	31	-0.03	33	-0.03
Soil ingestion	29	-0.03	29	-0.03	28	-0.04	31	-0.03
Kd of Th-230 in Contaminated Zone	27	0.04	4	0.15	25	0.05	7	0.18
Kd of Th-230 in Unsaturated Zone 1	46	0.00	46	0.00	7	-0.13	4	-0.22
Kd of Th-230 in Saturated Zone	28	-0.03	28	-0.03	1	-0.19	1	-0.33
Kd of Th-228 in Contaminated Zone	17	-0.05	1	-0.32	32	-0.03	8	-0.17
Kd of Th-228 in Unsaturated Zone 1	36	-0.01	36	-0.01	8	-0.12	5	-0.21
Kd of Th-228 in Saturated Zone	39	0.01	39	0.01	20	0.06	2	0.27
Area of contaminated zone	35	0.01	35	0.01	24	-0.06	27	-0.05
Thickness of contaminated zone	20	-0.05	16	-0.06	29	-0.04	28	-0.05
Cover depth	6	0.09	9	0.09	17	0.08	21	0.07
Density of cover material	2	-0.11	6	-0.10	11	-0.09	16	-0.08
Cover erosion rate	8	0.07	13	0.07	23	-0.06	26	-0.05
Outdoor time fraction	3	0.11	7	0.10	27	-0.04	30	-0.04
Meat	7	-0.08	11	-0.08	45	0.00	45	0.00
Kd of Th-230 in Contaminated Zone	15	0.05	2	0.23	34	0.03	13	0.11
Kd of Th-230 in Unsaturated Zone 1	44	0.00	44	0.00	13	-0.09	10	-0.15
Kd of Th-230 in Saturated Zone	32	-0.02	32	-0.02	5	-0.14	3	-0.24
Aquatic food	45	0.00	45	0.00	43	-0.01	43	0.00
Plant food	21	-0.04	23	-0.04	33	-0.03	34	-0.03
Kd of Ra-226 in Contaminated Zone	40	0.01	40	0.01	40	-0.01	40	-0.01
Kd of Ra-226 in Unsaturated Zone 1	14	-0.06	10	-0.08	10	-0.10	15	-0.09
Kd of Ra-226 in Saturated Zone	18	-0.05	20	-0.05	44	0.00	44	0.00
Kd of Pb-210 in Contaminated Zone	42	0.00	43	0.00	38	0.01	38	0.01
Kd of Pb-210 in Unsaturated Zone 1	33	0.02	33	0.02	22	-0.06	24	-0.05
Kd of Pb-210 in Saturated Zone	41	0.01	41	0.01	3	-0.17	11	-0.15
Kd of Ra-228 in Contaminated Zone	34	-0.01	34	-0.01	21	0.06	25	0.05
Kd of Ra-228 in Unsaturated Zone 1	16	0.05	12	0.07	9	0.11	14	0.10
Kd of Ra-228 in Saturated Zone	43	0.00	42	0.01	37	0.01	37	0.01
R-SQUARE		0.11		0.11		0.32		0.32

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Pb-210 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	14	-0.04	16	-0.04	18	-0.06	25	-0.02
Density of Unsaturted zone 1	41	-0.01	41	-0.01	7	-0.10	8	-0.03
Depth of roots	39	-0.01	39	-0.01	8	-0.10	10	-0.03
Saturated zone hydraulic conductivity	30	-0.02	31	-0.02	10	-0.09	13	-0.02
Thickness of Unsaturted zone 1	31	-0.02	24	-0.02	23	-0.04	21	-0.02
Contaminated zone b parameter	18	-0.03	19	-0.03	30	-0.03	33	-0.01
Saturated zone b parameter	19	0.03	21	0.03	14	-0.07	19	-0.02
Contaminated zone erosion rate	33	-0.02	35	-0.02	11	0.08	15	0.02
Contaminated zone hydraulic conductivity	15	-0.04	17	-0.04	36	-0.02	40	-0.01
Evapotranspiration coefficient	38	-0.01	38	-0.01	34	-0.03	39	-0.01
Runoff coefficient	20	0.03	20	0.03	26	-0.04	30	-0.01
Saturated zone hydraulic gradient	42	-0.01	42	-0.01	31	0.03	35	0.01
Weathering removal constant of all vegetation	37	-0.01	37	-0.01	5	0.14	5	0.04
Wind Speed	5	0.09	6	0.09	17	0.06	24	0.02
Mass loading for inhalation	11	-0.06	11	-0.05	38	0.02	41	0.00
Depth of soil mixing layer	34	-0.02	36	-0.01	6	-0.11	7	-0.03
Density of contaminated zone	7	0.09	7	0.08	41	-0.01	43	0.00
Inhalation rate	27	-0.02	29	-0.02	22	-0.04	28	-0.01
Soil ingestion	45	0.00	45	0.00	25	0.04	29	0.01
Kd of Th-230 in Contaminated Zone	2	-0.13	2	-0.54	39	0.02	22	0.02
Kd of Th-230 in Unsaturated Zone 1	44	0.00	44	0.00	28	0.03	17	0.02
Kd of Th-230 in Saturated Zone	29	-0.02	30	-0.02	20	-0.05	11	-0.03
Kd of Th-228 in Contaminated Zone	4	0.12	1	0.73	43	-0.01	32	-0.01
Kd of Th-228 in Unsaturated Zone 1	22	0.03	23	0.03	19	0.05	6	0.03
Kd of Th-228 in Saturated Zone	28	0.02	28	0.02	35	-0.02	9	-0.03
Area of contaminated zone	10	0.07	10	0.07	33	0.03	37	0.01
Thickness of contaminated zone	16	-0.04	12	-0.05	29	0.03	26	0.01
Cover depth	25	-0.02	27	-0.02	1	-0.94	1	-0.78
Density of cover material	6	-0.09	5	-0.09	2	-0.89	2	-0.55
Cover erosion rate	17	-0.04	18	-0.04	44	0.01	44	0.00
Outdoor time fraction	23	0.02	25	0.02	3	0.24	3	0.07
Meat	12	-0.05	13	-0.05	21	-0.05	27	-0.01
Kd of Th-230 in Contaminated Zone	3	-0.13	3	-0.53	42	-0.01	38	-0.01
Kd of Th-230 in Unsaturated Zone 1	43	0.00	43	0.00	24	0.04	14	0.02
Kd of Th-230 in Saturated Zone	21	-0.03	15	-0.04	37	0.02	34	0.01
Aquatic food	8	-0.08	8	-0.07	45	0.00	45	0.00
Plant food	24	-0.02	26	-0.02	27	-0.04	31	-0.01
Kd of Ra-226 in Contaminated Zone	1	0.35	4	0.35	46	0.00	46	0.00
Kd of Ra-226 in Unsaturated Zone 1	26	0.02	22	0.03	32	-0.03	36	-0.01
Kd of Ra-226 in Saturated Zone	40	-0.01	40	-0.01	15	-0.06	20	-0.02
Kd of Pb-210 in Contaminated Zone	13	-0.04	14	-0.04	13	-0.07	18	-0.02
Kd of Pb-210 in Unsaturated Zone 1	35	0.02	34	0.02	4	-0.16	4	-0.04
Kd of Pb-210 in Saturated Zone	36	-0.01	33	-0.02	16	-0.06	23	-0.02
Kd of Ra-228 in Contaminated Zone	46	0.00	46	0.00	12	0.07	16	0.02
Kd of Ra-228 in Unsaturated Zone 1	9	0.07	9	0.07	9	0.09	12	0.03
Kd of Ra-228 in Saturated Zone	32	-0.02	32	-0.02	40	0.02	42	0.00
R-SQUARE		0.20		0.20		0.93		0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Pb-210 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	7	0.07	10	0.07	32	0.03	33	0.01
Density of Unsaturted zone 1	36	-0.02	37	-0.01	19	-0.08	22	-0.02
Depth of roots	39	-0.01	39	-0.01	30	0.04	31	0.01
Saturated zone hydraulic conductivity	34	-0.02	34	-0.02	16	-0.08	20	-0.02
Thickness of Unsaturted zone 1	28	0.02	23	0.03	42	0.02	37	0.01
Contaminated zone b parameter	9	-0.06	12	-0.06	43	0.02	43	0.00
Saturated zone b parameter	13	-0.04	17	-0.04	21	-0.08	24	-0.02
Contaminated zone erosion rate	12	-0.05	15	-0.05	12	0.09	16	0.02
Contaminated zone hydraulic conductivity	3	0.11	7	0.11	11	0.09	15	0.02
Evapotranspiration coefficient	6	0.10	9	0.09	13	0.09	17	0.02
Runoff coefficient	11	0.05	14	0.05	14	0.09	18	0.02
Saturated zone hydraulic gradient	1	0.14	3	0.14	15	0.09	19	0.02
Weathering removal constant of all vegetation	8	0.06	11	0.06	29	0.04	30	0.01
Wind Speed	30	0.02	30	0.02	39	-0.03	41	-0.01
Mass loading for inhalation	14	0.04	18	0.04	46	0.00	46	0.00
Depth of soil mixing layer	26	-0.02	28	-0.02	35	0.03	38	0.01
Density of contaminated zone	32	0.02	32	0.02	25	-0.06	27	-0.02
Inhalation rate	24	-0.03	25	-0.03	4	0.15	12	0.04
Soil ingestion	10	0.06	13	0.06	33	-0.03	35	-0.01
Kd of Th-230 in Contaminated Zone	23	-0.03	5	-0.13	27	-0.06	7	-0.06
Kd of Th-230 in Unsaturated Zone 1	44	-0.01	44	-0.01	38	0.03	28	0.02
Kd of Th-230 in Saturated Zone	41	-0.01	41	-0.01	5	0.13	5	0.07
Kd of Th-228 in Contaminated Zone	18	0.04	1	0.23	24	0.07	4	0.10
Kd of Th-228 in Unsaturated Zone 1	21	-0.03	21	-0.04	18	0.08	11	0.04
Kd of Th-228 in Saturated Zone	15	0.04	16	0.05	8	-0.10	3	-0.13
Area of contaminated zone	4	-0.10	8	-0.10	17	-0.08	21	-0.02
Thickness of contaminated zone	5	0.10	4	0.13	41	0.02	34	0.01
Cover depth	35	-0.02	35	-0.02	1	-0.95	1	-0.82
Density of cover material	2	0.11	6	0.11	2	-0.90	2	-0.52
Cover erosion rate	20	-0.03	22	-0.03	20	-0.08	23	-0.02
Outdoor time fraction	16	-0.04	19	-0.04	3	0.22	6	0.06
Meat	17	-0.04	20	-0.04	28	-0.05	29	-0.01
Kd of Th-230 in Contaminated Zone	19	-0.03	2	-0.14	26	-0.06	8	-0.06
Kd of Th-230 in Unsaturated Zone 1	40	-0.01	40	-0.01	6	0.10	10	0.05
Kd of Th-230 in Saturated Zone	25	-0.03	26	-0.03	10	0.10	9	0.05
Aquatic food	33	-0.02	33	-0.02	44	0.01	44	0.00
Plant food	45	0.00	45	0.00	34	-0.03	36	-0.01
Kd of Ra-226 in Contaminated Zone	27	-0.02	27	-0.02	9	-0.10	14	-0.03
Kd of Ra-226 in Unsaturated Zone 1	38	-0.01	38	-0.01	31	-0.04	32	-0.01
Kd of Ra-226 in Saturated Zone	42	0.01	42	0.01	22	-0.08	25	-0.02
Kd of Pb-210 in Contaminated Zone	22	-0.03	24	-0.03	40	-0.02	42	-0.01
Kd of Pb-210 in Unsaturated Zone 1	29	-0.02	29	-0.02	36	-0.03	39	-0.01
Kd of Pb-210 in Saturated Zone	31	0.02	31	0.02	23	-0.07	26	-0.02
Kd of Ra-228 in Contaminated Zone	46	0.00	46	0.00	37	0.03	40	0.01
Kd of Ra-228 in Unsaturated Zone 1	43	-0.01	43	-0.01	7	0.10	13	0.03
Kd of Ra-228 in Saturated Zone	37	-0.02	36	-0.02	45	0.00	45	0.00
R-SQUARE		0.10		0.10		0.94		0.94

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Pb-210 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	45	0.00	45	0.00	16	0.09	16	0.02
Density of Unsaturted zone 1	25	0.02	27	0.02	13	-0.10	15	-0.03
Depth of roots	28	-0.02	30	-0.02	27	-0.05	29	-0.01
Saturated zone hydraulic conductivity	43	0.00	43	0.00	30	0.04	31	0.01
Thickness of Unsaturted zone 1	31	0.02	26	0.02	38	-0.02	35	-0.01
Contaminated zone b parameter	29	0.02	29	0.02	6	-0.13	12	-0.03
Saturated zone b parameter	32	0.01	34	0.01	39	-0.01	39	0.00
Contaminated zone erosion rate	4	-0.08	7	-0.08	19	-0.07	20	-0.02
Contaminated zone hydraulic conductivity	19	-0.03	19	-0.03	31	-0.04	32	-0.01
Evapotranspiration coefficient	10	-0.05	14	-0.05	41	0.01	41	0.00
Runoff coefficient	11	-0.05	13	-0.05	46	0.00	46	0.00
Saturated zone hydraulic gradient	1	0.31	1	0.33	40	0.01	40	0.00
Weathering removal constant of all vegetation	3	-0.08	6	-0.08	43	0.01	44	0.00
Wind Speed	20	0.03	21	0.03	22	0.06	23	0.02
Mass loading for inhalation	30	-0.02	31	-0.02	42	0.01	42	0.00
Depth of soil mixing layer	18	-0.03	18	-0.03	24	0.06	26	0.01
Density of contaminated zone	6	0.06	10	0.06	28	0.05	30	0.01
Inhalation rate	15	0.05	16	0.04	26	-0.06	28	-0.01
Soil ingestion	5	-0.07	8	-0.07	18	0.07	18	0.02
Kd of Th-230 in Contaminated Zone	14	-0.05	3	-0.17	12	0.10	5	0.09
Kd of Th-230 in Unsaturated Zone 1	21	0.03	20	0.03	7	0.13	8	0.06
Kd of Th-230 in Saturated Zone	35	-0.01	33	-0.01	34	0.03	25	0.02
Kd of Th-228 in Contaminated Zone	13	0.05	2	0.25	9	-0.11	3	-0.15
Kd of Th-228 in Unsaturated Zone 1	24	0.03	24	0.03	11	0.10	9	0.05
Kd of Th-228 in Saturated Zone	7	-0.06	9	-0.06	14	-0.10	4	-0.10
Area of contaminated zone	2	-0.09	5	-0.08	17	0.09	17	0.02
Thickness of contaminated zone	33	0.01	32	0.02	44	0.00	43	0.00
Cover depth	12	-0.05	15	-0.05	1	-0.95	1	-0.80
Density of cover material	9	-0.06	12	-0.05	2	-0.90	2	-0.52
Cover erosion rate	23	-0.03	23	-0.03	35	0.03	36	0.01
Outdoor time fraction	16	0.04	17	0.04	3	0.16	10	0.04
Meat	34	-0.01	36	-0.01	8	0.12	13	0.03
Kd of Th-230 in Contaminated Zone	17	-0.04	4	-0.16	15	0.09	6	0.08
Kd of Th-230 in Unsaturated Zone 1	41	0.00	41	0.00	4	0.13	7	0.06
Kd of Th-230 in Saturated Zone	36	0.01	37	0.01	29	0.04	19	0.02
Aquatic food	27	0.02	28	0.02	33	-0.04	34	-0.01
Plant food	8	0.06	11	0.06	25	-0.06	27	-0.01
Kd of Ra-226 in Contaminated Zone	46	0.00	46	0.00	36	-0.03	37	-0.01
Kd of Ra-226 in Unsaturated Zone 1	44	0.00	44	0.00	45	0.00	45	0.00
Kd of Ra-226 in Saturated Zone	39	-0.01	39	0.00	37	0.03	38	0.01
Kd of Pb-210 in Contaminated Zone	26	-0.02	25	-0.02	21	-0.07	22	-0.02
Kd of Pb-210 in Unsaturated Zone 1	37	-0.01	35	-0.01	20	-0.07	21	-0.02
Kd of Pb-210 in Saturated Zone	22	-0.03	22	-0.03	5	-0.13	11	-0.03
Kd of Ra-228 in Contaminated Zone	38	-0.01	38	-0.01	10	-0.11	14	-0.03
Kd of Ra-228 in Unsaturated Zone 1	42	0.00	42	0.00	32	-0.04	33	-0.01
Kd of Ra-228 in Saturated Zone	40	0.00	40	0.00	23	0.06	24	0.02
R-SQUARE		0.15		0.15		0.94		0.94

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Pb-210 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	8	-0.08	14	-0.07	17	0.07	20	0.02
Density of Unsaturted zone 1	39	0.02	40	0.02	39	-0.01	39	0.00
Depth of roots	3	0.11	4	0.11	36	-0.02	37	-0.01
Saturated zone hydraulic conductivity	1	0.19	1	0.18	11	0.11	14	0.03
Thickness of Unsaturted zone 1	16	-0.05	16	-0.07	32	-0.03	29	-0.01
Contaminated zone b parameter	9	0.08	15	0.07	12	-0.10	15	-0.03
Saturated zone b parameter	37	0.02	39	0.02	31	0.03	33	0.01
Contaminated zone erosion rate	15	-0.06	21	-0.05	35	-0.02	36	-0.01
Contaminated zone hydraulic conductivity	22	-0.04	27	-0.04	26	0.04	30	0.01
Evapotranspiration coefficient	5	0.09	10	0.09	15	-0.08	18	-0.02
Runoff coefficient	2	0.12	3	0.12	16	-0.08	19	-0.02
Saturated zone hydraulic gradient	45	-0.01	45	-0.01	6	0.13	10	0.04
Weathering removal constant of all vegetation	7	-0.08	12	-0.08	9	0.12	12	0.03
Wind Speed	26	-0.03	30	-0.03	19	0.07	22	0.02
Mass loading for inhalation	21	-0.05	26	-0.04	40	-0.01	40	0.00
Depth of soil mixing layer	42	0.01	42	0.01	46	0.01	46	0.00
Density of contaminated zone	23	0.04	28	0.04	21	-0.06	25	-0.02
Inhalation rate	4	0.10	9	0.09	8	0.12	13	0.03
Soil ingestion	12	0.06	19	0.06	43	0.01	45	0.00
Kd of Th-230 in Contaminated Zone	25	0.04	2	0.14	10	-0.12	4	-0.12
Kd of Th-230 in Unsaturated Zone 1	35	0.02	36	0.02	24	0.05	16	0.03
Kd of Th-230 in Saturated Zone	43	0.01	43	0.01	34	0.03	24	0.02
Kd of Th-228 in Contaminated Zone	40	-0.02	8	-0.09	14	0.09	3	0.13
Kd of Th-228 in Unsaturated Zone 1	34	0.02	34	0.02	44	-0.01	41	0.00
Kd of Th-228 in Saturated Zone	29	-0.03	7	-0.10	29	-0.03	8	-0.05
Area of contaminated zone	30	0.03	32	0.03	20	0.07	23	0.02
Thickness of contaminated zone	14	-0.06	13	-0.08	45	-0.01	43	0.00
Cover depth	32	-0.02	33	-0.02	1	-0.94	1	-0.77
Density of cover material	11	-0.07	18	-0.06	2	-0.88	2	-0.53
Cover erosion rate	20	-0.05	24	-0.05	30	-0.03	32	-0.01
Outdoor time fraction	6	-0.09	11	-0.08	3	0.22	6	0.07
Meat	10	0.07	17	0.06	22	0.05	26	0.02
Kd of Th-230 in Contaminated Zone	31	0.03	6	0.10	18	-0.07	5	-0.08
Kd of Th-230 in Unsaturated Zone 1	46	0.00	46	0.00	28	0.03	21	0.02
Kd of Th-230 in Saturated Zone	27	0.03	5	0.11	38	-0.01	34	-0.01
Aquatic food	24	0.04	29	0.04	23	-0.05	27	-0.01
Plant food	19	-0.05	25	-0.05	33	-0.03	35	-0.01
Kd of Ra-226 in Contaminated Zone	36	-0.02	37	-0.02	37	-0.02	38	0.00
Kd of Ra-226 in Unsaturated Zone 1	38	0.02	38	0.02	25	0.05	28	0.01
Kd of Ra-226 in Saturated Zone	28	-0.03	31	-0.03	5	-0.14	9	-0.04
Kd of Pb-210 in Contaminated Zone	41	-0.01	41	-0.01	27	0.04	31	0.01
Kd of Pb-210 in Unsaturated Zone 1	44	0.01	44	0.01	4	-0.17	7	-0.05
Kd of Pb-210 in Saturated Zone	18	-0.05	23	-0.05	7	-0.13	11	-0.04
Kd of Ra-228 in Contaminated Zone	13	-0.06	20	-0.06	13	-0.09	17	-0.03
Kd of Ra-228 in Unsaturated Zone 1	17	-0.05	22	-0.05	41	0.01	42	0.00
Kd of Ra-228 in Saturated Zone	33	-0.02	35	-0.02	42	0.01	44	0.00
R-SQUARE		0.13		0.13		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Pb-210 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	11	-0.06	15	-0.06	27	-0.03	34	-0.01
Density of Unsaturted zone 1	21	-0.03	21	-0.03	37	-0.02	40	-0.01
Depth of roots	6	0.09	9	0.08	6	0.11	10	0.03
Saturated zone hydraulic conductivity	40	-0.01	37	-0.01	43	-0.01	43	0.00
Thickness of Unsaturted zone 1	5	-0.10	6	-0.13	12	-0.08	9	-0.03
Contaminated zone b parameter	29	-0.03	29	-0.03	46	0.00	46	0.00
Saturated zone b parameter	24	-0.03	25	-0.03	33	-0.03	36	-0.01
Contaminated zone erosion rate	8	-0.07	11	-0.07	7	-0.11	11	-0.03
Contaminated zone hydraulic conductivity	16	-0.05	19	-0.05	18	0.06	23	0.02
Evapotranspiration coefficient	39	0.01	40	0.01	26	-0.03	33	-0.01
Runoff coefficient	9	-0.07	12	-0.07	14	-0.08	18	-0.02
Saturated zone hydraulic gradient	1	0.20	3	0.19	45	0.00	45	0.00
Weathering removal constant of all vegetation	23	-0.03	24	-0.03	15	-0.07	19	-0.02
Wind Speed	37	-0.01	39	-0.01	19	-0.06	24	-0.02
Mass loading for inhalation	13	0.06	17	0.06	25	0.04	32	0.01
Depth of soil mixing layer	2	0.18	4	0.17	10	0.09	15	0.02
Density of contaminated zone	4	0.10	8	0.10	8	0.10	13	0.03
Inhalation rate	45	0.00	45	0.00	13	-0.08	17	-0.02
Soil ingestion	3	-0.11	7	-0.11	44	-0.01	44	0.00
Kd of Th-230 in Contaminated Zone	19	-0.04	5	-0.17	28	0.03	8	0.04
Kd of Th-230 in Unsaturated Zone 1	35	-0.01	35	-0.01	42	-0.01	38	-0.01
Kd of Th-230 in Saturated Zone	41	0.01	41	0.00	31	0.03	25	0.02
Kd of Th-228 in Contaminated Zone	20	0.04	1	0.24	30	-0.03	5	-0.05
Kd of Th-228 in Unsaturated Zone 1	46	0.00	46	0.00	35	0.02	26	0.01
Kd of Th-228 in Saturated Zone	27	0.03	22	0.03	32	0.03	7	0.04
Area of contaminated zone	25	-0.03	26	-0.03	17	-0.07	22	-0.02
Thickness of contaminated zone	18	-0.05	14	-0.06	41	-0.01	39	-0.01
Cover depth	14	0.06	18	0.05	1	-0.94	1	-0.80
Density of cover material	12	-0.06	16	-0.06	2	-0.88	2	-0.53
Cover erosion rate	26	-0.03	27	-0.03	9	-0.09	14	-0.02
Outdoor time fraction	17	0.05	20	0.05	4	0.19	4	0.05
Meat	30	-0.03	31	-0.02	23	0.04	30	0.01
Kd of Th-230 in Contaminated Zone	15	-0.05	2	-0.22	39	0.02	21	0.02
Kd of Th-230 in Unsaturated Zone 1	36	0.01	36	0.01	20	-0.05	12	-0.03
Kd of Th-230 in Saturated Zone	32	-0.02	34	-0.02	36	-0.02	28	-0.01
Aquatic food	7	-0.08	10	-0.08	34	-0.03	37	-0.01
Plant food	10	-0.07	13	-0.06	16	-0.07	20	-0.02
Kd of Ra-226 in Contaminated Zone	44	0.00	44	0.00	21	0.05	27	0.01
Kd of Ra-226 in Unsaturated Zone 1	34	-0.01	33	-0.02	40	-0.02	42	0.00
Kd of Ra-226 in Saturated Zone	28	-0.03	28	-0.03	11	0.08	16	0.02
Kd of Pb-210 in Contaminated Zone	31	-0.02	30	-0.03	24	0.04	31	0.01
Kd of Pb-210 in Unsaturated Zone 1	38	0.01	38	0.01	3	-0.19	3	-0.06
Kd of Pb-210 in Saturated Zone	43	0.00	43	0.00	5	-0.17	6	-0.05
Kd of Ra-228 in Contaminated Zone	22	0.03	23	0.03	22	0.04	29	0.01
Kd of Ra-228 in Unsaturated Zone 1	42	0.00	42	0.00	29	0.03	35	0.01
Kd of Ra-228 in Saturated Zone	33	-0.02	32	-0.02	38	0.02	41	0.00
R-SQUARE		0.15		0.15		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-226 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	40	0.01	40	0.00	9	-0.09	14	-0.02
Density of Unsaturted zone 1	3	0.10	8	0.09	16	-0.07	20	-0.02
Depth of roots	19	0.05	20	0.04	5	-0.12	11	-0.02
Saturated zone hydraulic conductivity	34	-0.01	34	-0.01	15	-0.07	19	-0.02
Thickness of Unsaturted zone 1	7	-0.08	7	-0.10	8	-0.09	9	-0.03
Contaminated zone b parameter	43	0.00	43	0.00	39	-0.02	40	0.00
Saturated zone b parameter	15	0.05	18	0.05	42	-0.01	42	0.00
Contaminated zone erosion rate	17	-0.05	19	-0.05	37	0.02	38	0.00
Contaminated zone hydraulic conductivity	44	0.00	44	0.00	43	-0.01	43	0.00
Evapotranspiration coefficient	8	-0.07	13	-0.07	32	-0.03	34	-0.01
Runoff coefficient	30	0.02	30	0.02	45	0.00	45	0.00
Saturated zone hydraulic gradient	29	0.03	28	0.02	12	0.08	17	0.02
Weathering removal constant of all vegetation	20	-0.05	21	-0.04	17	0.07	21	0.01
Wind Speed	12	-0.07	16	-0.06	27	0.05	30	0.01
Mass loading for inhalation	41	0.00	41	0.00	40	-0.02	41	0.00
Depth of soil mixing layer	4	-0.09	10	-0.09	7	-0.10	13	-0.02
Density of contaminated zone	46	0.00	46	0.00	30	0.04	32	0.01
Inhalation rate	26	-0.03	27	-0.03	31	0.03	33	0.01
Soil ingestion	21	0.04	22	0.04	26	-0.05	31	-0.01
Kd of Th-230 in Contaminated Zone	16	-0.05	3	-0.21	29	0.04	8	0.03
Kd of Th-230 in Unsaturated Zone 1	35	-0.01	35	-0.01	11	0.08	6	0.04
Kd of Th-230 in Saturated Zone	32	0.02	32	0.02	28	0.04	16	0.02
Kd of Th-228 in Contaminated Zone	18	0.05	1	0.29	34	-0.02	10	-0.03
Kd of Th-228 in Unsaturated Zone 1	24	0.03	25	0.03	13	0.08	7	0.03
Kd of Th-228 in Saturated Zone	36	-0.01	36	-0.01	6	-0.10	3	-0.11
Area of contaminated zone	10	-0.07	14	-0.07	46	0.00	46	0.00
Thickness of contaminated zone	11	-0.07	9	-0.09	44	0.00	44	0.00
Cover depth	1	-0.21	2	-0.21	1	-0.97	1	-0.80
Density of cover material	2	-0.16	4	-0.16	2	-0.93	2	-0.53
Cover erosion rate	9	0.07	12	0.07	38	0.02	39	0.00
Outdoor time fraction	25	0.03	26	0.03	3	0.27	4	0.06
Meat	28	0.03	29	0.02	10	-0.09	15	-0.02
Kd of Th-230 in Contaminated Zone	27	-0.03	5	-0.11	41	0.02	27	0.01
Kd of Th-230 in Unsaturated Zone 1	42	0.00	42	0.00	4	0.12	5	0.05
Kd of Th-230 in Saturated Zone	5	-0.08	6	-0.11	22	0.05	12	0.02
Aquatic food	13	-0.06	17	-0.06	19	0.06	23	0.01
Plant food	6	0.08	11	0.08	33	-0.03	35	-0.01
Kd of Ra-226 in Contaminated Zone	31	-0.02	31	-0.02	21	0.06	25	0.01
Kd of Ra-226 in Unsaturated Zone 1	14	0.05	15	0.07	18	-0.07	22	-0.01
Kd of Ra-226 in Saturated Zone	33	0.02	33	0.02	36	0.02	37	0.00
Kd of Pb-210 in Contaminated Zone	38	-0.01	37	-0.01	24	-0.05	28	-0.01
Kd of Pb-210 in Unsaturated Zone 1	39	-0.01	39	-0.01	20	-0.06	24	-0.01
Kd of Pb-210 in Saturated Zone	23	-0.03	24	-0.04	25	0.05	29	0.01
Kd of Ra-228 in Contaminated Zone	45	0.00	45	0.00	23	0.05	26	0.01
Kd of Ra-228 in Unsaturated Zone 1	22	-0.04	23	-0.04	14	0.08	18	0.02
Kd of Ra-228 in Saturated Zone	37	0.01	38	0.01	35	0.02	36	0.00
R-SQUARE		0.13		0.13		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-226 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	24	0.05	25	0.02	42	0.00	43	0.00
Density of Unsaturted zone 1	7	0.08	11	0.03	16	-0.07	17	-0.01
Depth of roots	6	0.12	8	0.05	41	0.01	41	0.00
Saturated zone hydraulic conductivity	45	0.00	44	0.00	9	-0.10	15	-0.02
Thickness of Unsaturted zone 1	33	-0.02	30	-0.01	32	0.02	28	0.01
Contaminated zone b parameter	46	0.00	46	0.00	28	0.03	30	0.01
Saturated zone b parameter	21	-0.05	21	-0.02	44	0.00	45	0.00
Contaminated zone erosion rate	32	0.03	33	0.01	18	0.07	19	0.01
Contaminated zone hydraulic conductivity	26	-0.04	28	-0.01	25	0.04	26	0.01
Evapotranspiration coefficient	5	-0.13	7	-0.05	29	0.03	31	0.01
Runoff coefficient	31	-0.03	32	-0.01	22	0.05	24	0.01
Saturated zone hydraulic gradient	36	-0.02	36	-0.01	38	-0.01	38	0.00
Weathering removal constant of all vegetation	4	0.13	6	0.05	39	0.01	39	0.00
Wind Speed	30	0.03	31	0.01	40	-0.01	40	0.00
Mass loading for inhalation	28	0.04	29	0.01	33	-0.02	33	0.00
Depth of soil mixing layer	10	0.07	13	0.02	36	0.02	36	0.00
Density of contaminated zone	17	0.05	22	0.02	20	-0.06	22	-0.01
Inhalation rate	19	-0.05	20	-0.02	4	0.21	9	0.05
Soil ingestion	25	0.05	26	0.02	21	-0.06	23	-0.01
Kd of Th-230 in Contaminated Zone	12	0.06	3	0.09	13	-0.08	6	-0.06
Kd of Th-230 in Unsaturated Zone 1	1	0.90	1	0.91	30	0.03	20	0.01
Kd of Th-230 in Saturated Zone	27	0.04	27	0.01	6	0.12	8	0.05
Kd of Th-228 in Contaminated Zone	18	-0.05	2	-0.12	10	0.09	3	0.11
Kd of Th-228 in Unsaturated Zone 1	39	0.02	39	0.01	11	0.09	11	0.04
Kd of Th-228 in Saturated Zone	20	-0.05	16	-0.02	12	-0.09	4	-0.10
Area of contaminated zone	34	0.02	35	0.01	34	-0.02	34	0.00
Thickness of contaminated zone	8	-0.07	10	-0.04	45	0.00	42	0.00
Cover depth	3	-0.20	5	-0.08	1	-0.97	1	-0.82
Density of cover material	2	-0.20	4	-0.08	2	-0.93	2	-0.54
Cover erosion rate	23	0.05	24	0.02	19	-0.06	21	-0.01
Outdoor time fraction	40	0.02	40	0.01	3	0.29	5	0.06
Meat	38	-0.02	38	-0.01	46	0.00	46	0.00
Kd of Th-230 in Contaminated Zone	29	0.03	9	0.05	15	-0.07	7	-0.06
Kd of Th-230 in Unsaturated Zone 1	37	-0.02	37	-0.01	7	0.11	10	0.05
Kd of Th-230 in Saturated Zone	43	0.01	43	0.00	23	0.05	14	0.02
Aquatic food	16	0.05	19	0.02	37	0.01	37	0.00
Plant food	22	0.05	23	0.02	27	-0.03	29	-0.01
Kd of Ra-226 in Contaminated Zone	44	0.00	45	0.00	8	-0.10	13	-0.02
Kd of Ra-226 in Unsaturated Zone 1	9	0.07	12	0.03	17	-0.07	18	-0.01
Kd of Ra-226 in Saturated Zone	11	0.06	14	0.02	5	-0.13	12	-0.03
Kd of Pb-210 in Contaminated Zone	42	-0.01	42	0.00	24	-0.04	25	-0.01
Kd of Pb-210 in Unsaturated Zone 1	41	-0.01	41	0.00	14	0.07	16	0.02
Kd of Pb-210 in Saturated Zone	35	-0.02	34	-0.01	35	0.02	35	0.00
Kd of Ra-228 in Contaminated Zone	15	-0.05	18	-0.02	43	0.00	44	0.00
Kd of Ra-228 in Unsaturated Zone 1	13	-0.06	15	-0.02	31	0.03	32	0.01
Kd of Ra-228 in Saturated Zone	14	-0.05	17	-0.02	26	0.04	27	0.01
R-SQUARE		0.87		0.87		0.96		0.96

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-226 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	30	0.02	31	0.02	18	0.06	21	0.01
Density of Unsaturted zone 1	43	0.00	43	0.00	19	-0.06	22	-0.01
Depth of roots	22	-0.04	25	-0.04	24	-0.04	26	-0.01
Saturated zone hydraulic conductivity	1	0.47	2	0.46	38	-0.02	38	0.00
Thickness of Unsaturted zone 1	23	0.04	19	0.04	34	0.02	32	0.01
Contaminated zone b parameter	18	0.05	18	0.05	8	-0.11	11	-0.02
Saturated zone b parameter	16	-0.06	16	-0.05	11	-0.09	14	-0.02
Contaminated zone erosion rate	10	0.07	10	0.06	33	-0.02	34	-0.01
Contaminated zone hydraulic conductivity	26	-0.03	27	-0.03	39	-0.01	39	0.00
Evapotranspiration coefficient	19	0.05	20	0.04	30	0.03	30	0.01
Runoff coefficient	21	-0.04	24	-0.04	16	0.07	18	0.02
Saturated zone hydraulic gradient	44	0.00	44	0.00	31	0.03	31	0.01
Weathering removal constant of all vegetation	39	0.01	38	0.01	13	0.08	17	0.02
Wind Speed	13	0.06	15	0.05	36	0.02	36	0.00
Mass loading for inhalation	41	0.01	41	0.01	42	-0.01	42	0.00
Depth of soil mixing layer	38	0.01	39	0.01	22	0.05	25	0.01
Density of contaminated zone	24	0.04	26	0.03	45	0.00	45	0.00
Inhalation rate	9	0.09	9	0.07	10	-0.10	13	-0.02
Soil ingestion	12	-0.06	12	-0.05	7	0.12	10	0.03
Kd of Th-230 in Contaminated Zone	4	-0.14	3	-0.44	6	0.14	5	0.11
Kd of Th-230 in Unsaturated Zone 1	36	0.01	36	0.01	14	0.07	8	0.03
Kd of Th-230 in Saturated Zone	31	0.02	28	0.03	44	0.00	43	0.00
Kd of Th-228 in Contaminated Zone	5	0.13	1	0.61	4	-0.17	3	-0.20
Kd of Th-228 in Unsaturated Zone 1	46	0.00	46	0.00	23	0.04	15	0.02
Kd of Th-228 in Saturated Zone	34	-0.01	34	-0.01	27	-0.04	7	-0.03
Area of contaminated zone	45	0.00	45	0.00	17	0.06	19	0.01
Thickness of contaminated zone	25	0.03	22	0.04	46	0.00	46	0.00
Cover depth	3	-0.20	6	-0.17	1	-0.97	1	-0.82
Density of cover material	2	-0.22	5	-0.18	2	-0.92	2	-0.52
Cover erosion rate	14	-0.06	14	-0.05	43	0.01	44	0.00
Outdoor time fraction	7	0.12	7	0.10	3	0.20	6	0.05
Meat	8	0.11	8	0.09	9	0.11	12	0.02
Kd of Th-230 in Contaminated Zone	6	-0.12	4	-0.37	5	0.15	4	0.12
Kd of Th-230 in Unsaturated Zone 1	20	0.04	23	0.04	15	0.07	9	0.03
Kd of Th-230 in Saturated Zone	11	-0.07	11	-0.06	26	-0.04	20	-0.01
Aquatic food	35	-0.01	35	-0.01	29	-0.03	29	-0.01
Plant food	37	0.01	37	0.01	37	-0.02	37	0.00
Kd of Ra-226 in Contaminated Zone	15	-0.06	13	-0.05	28	-0.04	28	-0.01
Kd of Ra-226 in Unsaturated Zone 1	28	0.03	29	0.02	32	-0.03	33	-0.01
Kd of Ra-226 in Saturated Zone	42	-0.01	42	-0.01	40	0.01	40	0.00
Kd of Pb-210 in Contaminated Zone	40	0.01	40	0.01	25	-0.04	27	-0.01
Kd of Pb-210 in Unsaturated Zone 1	27	-0.03	21	-0.04	41	0.01	41	0.00
Kd of Pb-210 in Saturated Zone	29	0.02	30	0.02	12	-0.08	16	-0.02
Kd of Ra-228 in Contaminated Zone	33	0.01	33	0.01	21	-0.05	24	-0.01
Kd of Ra-228 in Unsaturated Zone 1	17	0.06	17	0.05	20	-0.06	23	-0.01
Kd of Ra-228 in Saturated Zone	32	0.02	32	0.01	35	0.02	35	0.00
R-SQUARE		0.35		0.35		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-226 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	8	-0.08	12	-0.07	13	0.11	17	0.02
Density of Unsaturted zone 1	7	-0.08	11	-0.08	28	-0.06	29	-0.01
Depth of roots	13	-0.05	19	-0.05	7	-0.14	14	-0.03
Saturated zone hydraulic conductivity	24	-0.03	25	-0.03	10	0.12	15	0.02
Thickness of Unsaturted zone 1	19	0.04	17	0.05	30	0.06	24	0.02
Contaminated zone b parameter	30	0.02	32	0.02	5	-0.15	13	-0.03
Saturated zone b parameter	9	0.07	14	0.07	25	-0.07	26	-0.01
Contaminated zone erosion rate	1	0.18	3	0.18	42	-0.02	42	0.00
Contaminated zone hydraulic conductivity	34	-0.02	35	-0.02	40	0.02	40	0.00
Evapotranspiration coefficient	15	-0.04	20	-0.04	14	-0.11	18	-0.02
Runoff coefficient	18	-0.04	21	-0.04	27	-0.07	28	-0.01
Saturated zone hydraulic gradient	5	0.09	9	0.09	34	-0.03	35	-0.01
Weathering removal constant of all vegetation	39	-0.01	40	-0.01	18	0.10	22	0.02
Wind Speed	10	0.07	13	0.07	11	0.12	16	0.02
Mass loading for inhalation	4	-0.11	8	-0.10	37	0.02	37	0.00
Depth of soil mixing layer	29	0.02	31	0.02	26	-0.07	27	-0.01
Density of contaminated zone	46	0.00	46	0.00	41	0.02	41	0.00
Inhalation rate	12	-0.06	16	-0.05	16	0.11	20	0.02
Soil ingestion	11	0.06	15	0.06	29	0.06	30	0.01
Kd of Th-230 in Contaminated Zone	23	0.03	6	0.13	4	-0.15	5	-0.10
Kd of Th-230 in Unsaturated Zone 1	40	0.01	41	0.01	8	0.13	8	0.04
Kd of Th-230 in Saturated Zone	35	0.02	36	0.02	20	0.09	10	0.04
Kd of Th-228 in Contaminated Zone	17	-0.04	1	-0.24	6	0.14	3	0.14
Kd of Th-228 in Unsaturated Zone 1	44	-0.01	44	-0.01	22	0.09	12	0.03
Kd of Th-228 in Saturated Zone	37	0.02	18	0.05	12	-0.12	4	-0.11
Area of contaminated zone	6	-0.09	10	-0.08	39	-0.02	39	0.00
Thickness of contaminated zone	42	0.01	39	0.01	36	0.03	32	0.01
Cover depth	2	-0.18	4	-0.17	1	-0.97	1	-0.80
Density of cover material	3	-0.11	7	-0.11	2	-0.95	2	-0.56
Cover erosion rate	22	-0.03	24	-0.03	44	-0.01	44	0.00
Outdoor time fraction	45	0.01	45	0.01	3	0.30	7	0.06
Meat	33	0.02	34	0.02	17	0.10	21	0.02
Kd of Th-230 in Contaminated Zone	14	0.05	2	0.19	9	-0.12	6	-0.08
Kd of Th-230 in Unsaturated Zone 1	31	0.02	30	0.02	21	0.09	11	0.03
Kd of Th-230 in Saturated Zone	16	-0.04	5	-0.13	19	0.10	9	0.04
Aquatic food	43	-0.01	43	-0.01	38	0.02	38	0.00
Plant food	21	0.04	23	0.04	43	0.01	43	0.00
Kd of Ra-226 in Contaminated Zone	36	-0.02	37	-0.02	35	-0.03	36	-0.01
Kd of Ra-226 in Unsaturated Zone 1	38	-0.01	38	-0.01	32	-0.04	34	-0.01
Kd of Ra-226 in Saturated Zone	28	0.02	29	0.02	15	-0.11	19	-0.02
Kd of Pb-210 in Contaminated Zone	27	-0.02	28	-0.02	45	-0.01	45	0.00
Kd of Pb-210 in Unsaturated Zone 1	41	0.01	42	0.01	31	-0.05	31	-0.01
Kd of Pb-210 in Saturated Zone	32	-0.02	33	-0.02	46	0.00	46	0.00
Kd of Ra-228 in Contaminated Zone	25	-0.03	26	-0.03	24	0.08	25	0.01
Kd of Ra-228 in Unsaturated Zone 1	26	-0.03	27	-0.03	33	0.04	33	0.01
Kd of Ra-228 in Saturated Zone	20	-0.04	22	-0.04	23	-0.08	23	-0.02
R-SQUARE		0.14		0.14		0.97		0.97

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-226 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	40	0.01	41	0.00	46	0.00	46	0.00
Density of Unsaturted zone 1	6	-0.09	9	-0.09	20	0.05	24	0.01
Depth of roots	18	0.04	18	0.04	18	0.05	22	0.01
Saturated zone hydraulic conductivity	26	-0.03	23	-0.03	32	-0.03	36	-0.01
Thickness of Unsaturted zone 1	17	-0.04	14	-0.06	31	-0.03	26	-0.01
Contaminated zone b parameter	22	-0.03	19	-0.03	33	0.02	37	0.00
Saturated zone b parameter	23	-0.03	25	-0.03	17	0.06	20	0.01
Contaminated zone erosion rate	35	-0.01	35	-0.01	8	-0.10	9	-0.02
Contaminated zone hydraulic conductivity	3	0.19	6	0.18	4	0.14	6	0.03
Evapotranspiration coefficient	14	-0.05	16	-0.05	38	0.01	40	0.00
Runoff coefficient	34	-0.01	34	-0.01	40	0.01	41	0.00
Saturated zone hydraulic gradient	7	-0.08	10	-0.07	37	0.02	39	0.00
Weathering removal constant of all vegetation	4	-0.12	7	-0.11	27	-0.03	33	-0.01
Wind Speed	33	-0.01	33	-0.01	15	-0.07	17	-0.01
Mass loading for inhalation	28	0.03	29	0.02	42	0.00	43	0.00
Depth of soil mixing layer	32	-0.01	32	-0.01	7	0.10	8	0.02
Density of contaminated zone	8	-0.08	12	-0.07	45	0.00	45	0.00
Inhalation rate	19	-0.03	21	-0.03	24	-0.04	32	-0.01
Soil ingestion	5	0.10	8	0.09	43	0.00	44	0.00
Kd of Th-230 in Contaminated Zone	16	-0.05	5	-0.18	39	-0.01	30	-0.01
Kd of Th-230 in Unsaturated Zone 1	10	-0.06	13	-0.06	29	-0.03	18	-0.01
Kd of Th-230 in Saturated Zone	45	0.00	45	0.00	25	0.04	13	0.02
Kd of Th-228 in Contaminated Zone	9	0.07	1	0.40	41	0.01	31	0.01
Kd of Th-228 in Unsaturated Zone 1	27	-0.03	27	-0.02	34	0.02	29	0.01
Kd of Th-228 in Saturated Zone	38	-0.01	38	-0.01	23	0.04	5	0.04
Area of contaminated zone	36	0.01	36	0.01	14	-0.07	16	-0.01
Thickness of contaminated zone	31	-0.02	30	-0.02	26	-0.04	21	-0.01
Cover depth	1	-0.29	2	-0.28	1	-0.97	1	-0.82
Density of cover material	2	-0.21	4	-0.20	2	-0.93	2	-0.53
Cover erosion rate	15	0.05	17	0.04	22	-0.04	27	-0.01
Outdoor time fraction	37	0.01	37	0.01	3	0.30	3	0.06
Meat	21	-0.03	22	-0.03	12	0.07	14	0.02
Kd of Th-230 in Contaminated Zone	12	-0.06	3	-0.23	44	0.00	42	0.00
Kd of Th-230 in Unsaturated Zone 1	43	0.00	43	0.00	5	-0.12	4	-0.05
Kd of Th-230 in Saturated Zone	44	0.00	44	0.00	35	-0.02	28	-0.01
Aquatic food	30	-0.02	31	-0.01	28	0.03	34	0.01
Plant food	20	0.03	20	0.03	30	-0.03	35	-0.01
Kd of Ra-226 in Contaminated Zone	11	-0.06	15	-0.06	6	0.11	7	0.02
Kd of Ra-226 in Unsaturated Zone 1	46	0.00	46	0.00	11	0.08	12	0.02
Kd of Ra-226 in Saturated Zone	41	-0.01	40	-0.01	9	0.09	10	0.02
Kd of Pb-210 in Contaminated Zone	39	-0.01	39	-0.01	36	-0.02	38	0.00
Kd of Pb-210 in Unsaturated Zone 1	25	-0.03	26	-0.03	16	-0.06	19	-0.01
Kd of Pb-210 in Saturated Zone	42	-0.01	42	0.00	21	-0.05	25	-0.01
Kd of Ra-228 in Contaminated Zone	24	0.03	24	0.03	13	0.07	15	0.01
Kd of Ra-228 in Unsaturated Zone 1	13	-0.06	11	-0.07	19	-0.05	23	-0.01
Kd of Ra-228 in Saturated Zone	29	0.02	28	0.02	10	0.08	11	0.02
R-SQUARE		0.20		0.20		0.96		0.96

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Ra-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-228 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-230 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-230 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-230 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-230 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-230 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-232 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	1		1		1		1	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-232 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-232 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-232 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	4		4		4		4	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Th-232 Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	5		5		5		5	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Density of saturated zone	0	0.00	0	0.00	0	0.00	0	0.00
Density of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturted zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone b parameter	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Contaminated zone hydraulic conductivity	0	0.00	0	0.00	0	0.00	0	0.00
Evapotranspiration coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Saturated zone hydraulic gradient	0	0.00	0	0.00	0	0.00	0	0.00
Weathering removal constant of all vegetation	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Density of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Area of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Cover depth	0	0.00	0	0.00	0	0.00	0	0.00
Density of cover material	0	0.00	0	0.00	0	0.00	0	0.00
Cover erosion rate	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Meat	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Th-230 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Plant food	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-226 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Pb-210 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Ra-228 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.