EMERALD COAL RESOURCES, LP

2071 Garards Fort Road, P.O. Box 871 Waynesburg, PA 15370

÷.,

é

RECEIVED Region 1

'05 JAN 24 P12 :58

January 19, 2005

Nuclear Materials Safety Branch 2 Division of Nuclear Materials Safety U.S. NRC Region I 475 Allendale Road King of Prussia, PA 19406-1415 03 0 2974-0

Re: License No: 37-20567-02, Amendment No. 06

Emerald Coal Resources, LP would like to amend its Radioactive Material License No. 37-20567-02, Amendment No. 06 to add the new Sabia On-belt analyzer, Model XC-5000, Serial Number 0204-600289-0005.

The requests are as follows.

- 1. To add :
 - A. 1 each SABIA XC-5000-series 25 On-belt Analyzer's for the elemental analysis of coal.
 - B. Radioisotope- CF-252 for this unit
 - C. Form of material Sealed Sources Frontier Technology Corporation Models 100 and 100S, AEA Technology Inc. Models: CVN. CN2, CVN. CY6, CVN.5, CVN 6, CVN. 10, CVN. 11, CVN-CY6.
 - D. Maximum activity: 10 sources not to exceed 13.5 mCi total.
 - E. 9 mCi for storage capability during source exchange.
- 2. To amend its current Operating and Emergency procedures to reflect the addition of the Sabia On-Belt Analyzer and Sabia support. A copy of emergency procedures is attached.

Signed Jourglas (Montgomen

Douglas A. Montgomery, RSO Sr. Preparation Engineer Emerald Coal Resources, LP 212 Mine Road Rt. 218 South Box 871 Waynesburg, PA 15370

Phone 724-852-5758 FAX 724-852-5868

136348



NMSS/RGNI MATERIALS-002

Phone: 724.627.7500 Fax: 724.852.5885

EMERGENCY PROCEDURES for DEVICES CONTAINING NUCLEAR SOURCES

Emergency procedures in case of an accident involving a device containing a nuclear source or in the event of damage to the source or source shielding.

Secure the area immediately:

Rope off the area around the device using DANGER DO NOT ENTER tape and rope. (50 feet in all directions)

Notify Radiation Safety Officer Immediately:

Doug Montgomery	Work - (724) 852-5758
Emerald RSO	Home-
<u>Terry Dayton</u> Environmental Engineer	Work- (724) 627-2219 Home-

The Radiation Safety Officer will notify the device manufacturer. The device manufacturer will come to the site and assess the danger from or damage to the source.

The Radiation Safety Officer will notify the NRC within 24 hours of any theft, accident or incident involving the gauge.

Nuclear gauges present no major health dangers if basic precautions are taken and common sense used. By following proper procedures and principals of radiation protection, and by helping others to do likewise, you can feel comfortable and assured that your workplace is a safe one.

Copies of the following documents are available for employee review in the Environmental Engineers office.

CFR 10, 19, 20, 21 License # 37-20567-02 Section 206 of Energy Operating and Emergency Reorganization Act of 1974

> PERSONAL INFORMATION WAS REMOVED BY NRC. NO COPY OF THIS INFORMATION WAS RETAINED BY THE NRC.

This is to acknowledge the receipt of your letter/application dated

19/2005

There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

136342 Your action has been assigned Mail Control Number_ When calling to inquire about this action, please refer to this control number. You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (RI) (6-96)

Sincerely, Licensing Assistance Team Leader

	: (FOR LFMS USE)
	: INFORMATION FROM LTS
BETWEEN:	
	:
License Fee Management Branch, ARM	: Program Code: 03120
and	: Status Code: 0
Regional Licensing Sections	: Fee Category: 3P
	: Exp. Date: 20130430
	: Fee Comments:
	: Decom Fin Assur Reqd: N

۲` • •

•

LICENSE FEE TRANSMITTAL

A. REGION I

- 1. APPLICATION ATTACHED
 Applicant/Licensee: EMERALD COAL RESOURSES, LP
 Received Date: 20050124
 Docket No: 3029740
 Control No.: 136348
 License No.: 37-20567-02
 Action Type: Amendment
- 2. FEE ATTACHED Amount: Check No.:
- 3. COMMENTS

M.a. Perbins Signed Date

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /__/)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for: Amendment

- Renewal _____ License _____
- 3. OTHER

Signed ______ Date _____