U.S. NUCLEAR REGULATORY COMMISSION
In the Matter of LOUISIANA ENERGY SERVICES, LP
Docket No. 70-3103-ML Official Exhibit No. 14
OFFERED by: Applicant/Licensee Intervenor NIRS/PC
NRC Staff Other
IDENTIFIED on Witness/Panel G. Rice
Action Taken: ADMITTED REJECTED WITHDRAWN
Reporter/Clerk

R. Allan Freeze
Department of Geological Sciences
University of British Columbia
Vancouver, British Columbia

John A. Cherry
Department of Earth Sciences
University of Waterloo
Waterloo, Ontario

GROUNDWATER

Prentice-Hall, Inc.
Englewood Cliffs, New Jersey 07632

FREEZE, R. ALLAN.
Groundwater.

Bibliography: p.
Includes index.
1. Water, Underground. I. Cherry, John A., joint author. II. Title.
GB1003.2.F73 551.4'98 78-25796
ISBN 0-13-365312-9

Editorial/production supervision by Cathy Brenn/Kim McNeily
Interior design by Chris Gadekar
Manufacturing buyer: Harry Baisley
Chapter logos: Peter Russell

© 1979 by Prentice-Hall, Inc., Englewood Cliffs, N.J. 07632

All rights reserved. No part of this book
may be reproduced in any form or
by any means without permission in writing
from the publisher.

Printed in the United States of America

10 9 8 7 6 5 4 3 2

PRENTICE-HALL INTERNATIONAL, INC., *London*
PRENTICE-HALL OF AUSTRALIA PTY. LIMITED, *Sydney*
PRENTICE-HALL OF CANADA, LTD., *Toronto*
PRENTICE-HALL OF INDIA PRIVATE LIMITED, *New Delhi*
PRENTICE-HALL OF JAPAN, INC., *Tokyo*
PRENTICE-HALL OF SOUTHEAST ASIA PTE. LTD., *Singapore*
WHITEHALL BOOKS LIMITED, *Wellington, New Zealand*

This may well be the only book that either of us will ever write. We cannot save our dedications, as novelists do, to let them forth one by one. We recognize and appreciate the life-long influences of our parents, our wives, our families, our teachers, and our students. This book is dedicated to all of them.

This book is also dedicated to the taxpayers of Canada and the United States, few of whom will ever read it, but all of whom have contributed to its birth through scholarships in our student days and through research support and sabbatical periods in more recent years.

Table 2.2 Range of Values of Hydraulic Conductivity and Permeability



Table 2.3 Conversion Factors for Permeability and Hydraulic Conductivity Units

	Permeability, k*			Hydraulic conductivity, K		
	cm^2	ft^2	darcy	m/s	ft/s	gal/day/ft^2
cm^2	1	1.08×10^{-3}	1.01×10^{8}	9.80×10^{2}	3.22×10^{3}	1.85×10^{9}
ft^2	9.29×10^{2}	1	9.42×10^{10}	9.11×10^{5}	2.99×10^{6}	1.71×10^{12}
darcy	9.87×10^{-9}	1.06×10^{-11}	1	9.66×10^{-6}	3.17×10^{-5}	1.82×10^{1}
m/s	1.02×10^{-3}	1.10×10^{-6}	1.04×10^{5}	1	3.28	2.12×10^{6}
ft/s	3.11×10^{-4}	3.35×10^{-7}	3.15×10^{4}	3.05×10^{-1}	1	5.74×10^{5}
gal/day/ft^2	5.42×10^{-10}	5.83×10^{-13}	5.49×10^{-2}	4.72×10^{-7}	1.74×10^{-6}	1

*To obtain k in ft^2, multiply k in cm^2 by 1.08×10^{-3}.



Figure 2.11 Relation between texture and porosity. (a) Well-sorted sedimentary deposit having high porosity; (b) poorly sorted sedimentary deposit having low porosity; (c) well-sorted sedimentary deposit consisting of pebbles that are themselves porous, so that the deposit as a whole has a very high porosity; (d) well-sorted sedimentary deposit whose porosity has been diminished by the deposition of mineral matter in the interstices; (e) rock rendered porous by solution; (f) rock rendered porous by fracturing (after Meinzer, 1923).

soil or rock matrix [Figure 2.11(a), (b), (c), and (d)], and *secondary porosity*, which may be due to such phenomena as secondary solution [Figure 2.11(e)] or structurally controlled regional fracturing [Figure 2.11(f)].

Table 2.4, based in part on data summarized by Davis (1969), lists representative porosity ranges for various geologic materials. In general, rocks have lower porosities than soils; gravels, sands, and silts, which are made up of angular and

Table 2.4 Range of Values of Porosity

	n(%)
Unconsolidated deposits	
Gravel	25–40
Sand	25–50
Silt	35–50
Clay	40–70
Rocks	
Fractured basalt	5–50
Karst limestone	5–50
Sandstone	5–30
Limestone, dolomite	0–20
Shale	0–10
Fractured crystalline rock	0–10
Dense crystalline rock	0–5