

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------|
| TELEPHONE CONVERSATION RECORD | Date: December 22, 2004 | Time: 08:00 |
| Mail Control No.: N/A Inspection No.: N/A | License No.: 45-19106-01 | Docket No.: 030-16077 |
| Person Called: P. Temple Ballard, Supervisor | Licensee: Infilco Degremont, Inc. | Telephone No.: 800-446-1150 |
| Person Calling: Steven Courtemanche/(610) 337-5075 | | |
| Subject: Failure to submit a renewal application or terminate the license. | | |
| <p><u>Summary:</u> I left a message on Mr. Kelley's voice-mail that a request to renew or terminate the license was not received by the Region. Licensed material must be placed in storage and not used until such time as a request to renew or terminate the license is received by the Region. A request to terminate the license may be requested if all of the licensed material is possessed under a general license. I requested that Mr. Kelley get back in touch with me.</p> <p>I left a message with P. Temple Ballard, Radiation Safety Officer, covering the same information as detailed above.</p> | | |
| Action Required/Taken: Document for ADAMS | | |
| Prepared by Steven Courtemanche | Date: December 22, 2004 | |