

March 22, 2005

Mr. Michael Kansler  
President  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

SUBJECT: PILGRIM NUCLEAR POWER STATION - ISSUANCE OF AMENDMENT RE:  
ELIMINATION OF REQUIREMENTS TO PROVIDE MONTHLY OPERATING  
REPORTS AND ANNUAL OCCUPATIONAL RADIATION EXPOSURE  
REPORTS (TAC NO. MC4277)

Dear Mr. Kansler:

The Commission has issued the enclosed Amendment No. 212 to Facility Operating License No. DPR-35 for the Pilgrim Nuclear Power Station. The amendment consists of changes to the Technical Specifications (TSs) in response to your application transmitted by letter dated September 1, 2004.

The amendment revises TSs by eliminating the requirements to submit monthly operating reports and annual occupational radiation exposure reports.

A copy of the related Safety Evaluation is enclosed. A Notice of Issuance will be included in the Commission's next regular biweekly *Federal Register* notice.

Sincerely,

**/RA/**

John P. Boska, Senior Project Manager, Section 2  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-293

Enclosures: 1. Amendment No. 212 to License No. DPR-35  
2. Safety Evaluation

cc w/encls: See next page

Mr. Michael Kansler  
President  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

SUBJECT: PILGRIM NUCLEAR POWER STATION - ISSUANCE OF AMENDMENT RE:  
ELIMINATION OF REQUIREMENTS TO PROVIDE MONTHLY OPERATING  
REPORTS AND ANNUAL OCCUPATIONAL RADIATION EXPOSURE  
REPORTS (TAC NO. MC4277)

Dear Mr. Kansler:

The Commission has issued the enclosed Amendment No. 212 to Facility Operating License No. DPR-35 for the Pilgrim Nuclear Power Station. The amendment consists of changes to the Technical Specifications (TSs) in response to your application transmitted by letter dated September 1, 2004.

The amendment revises TSs by eliminating the requirements to submit monthly operating reports and annual occupational radiation exposure reports.

A copy of the related Safety Evaluation is enclosed. A Notice of Issuance will be included in the Commission's next regular biweekly *Federal Register* notice.

Sincerely,  
**/RA/**

John P. Boska, Senior Project Manager, Section 2  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-293

Enclosures: 1. Amendment No. 212 to License No. DPR-35  
2. Safety Evaluation

cc w/encls: See next page

DISTRIBUTION:

D. Roberts	C. Anderson, RI	OGC	PUBLIC
C. Raynor	J. Boska	G. Hill (2)	ACRS
T. Quay	F. Arner, RI	J. Bobiak, RI	PDI-2 R/F

Accession Number:ML050470517

OFFICE	CLIIP LPM	PDI-2/PM	PDI-2/LA	PDI-2/SC
NAME	WReckley	JBoska	CRaynor	DRoberts
DATE	2/15/05	3/15/05	3/3/05	3/21/05

OFFICIAL RECORD COPY

Pilgrim Nuclear Power Station

cc:

Resident Inspector  
U. S. Nuclear Regulatory Commission  
Pilgrim Nuclear Power Station  
Post Office Box 867  
Plymouth, MA 02360

Chairman, Board of Selectmen  
11 Lincoln Street  
Plymouth, MA 02360

Chairman, Duxbury Board of Selectmen  
Town Hall  
878 Tremont Street  
Duxbury, MA 02332

Office of the Commissioner  
Massachusetts Department of  
Environmental Protection  
One Winter Street  
Boston, MA 02108

Office of the Attorney General  
One Ashburton Place  
20th Floor  
Boston, MA 02108

Dr. Robert M. Hallisey, Director  
Radiation Control Program  
Commonwealth of Massachusetts  
Executive Offices of Health and  
Human Services  
174 Portland Street  
Boston, MA 02114

Regional Administrator, Region I  
U. S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406-1415

Mr. John M. Fulton  
Assistant General Counsel  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Mr. Steve Brennon  
Supt., Regulatory & Industry Affairs  
Entergy Nuclear Operations, Inc.  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road, M/S 1  
Plymouth, MA 02360-5508

Mr. Jack Alexander  
Manager, Reg. Relations and  
Quality Assurance  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Plymouth, MA 02360-5599

Mr. David F. Tarantino  
Nuclear Information Manager  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Plymouth, MA 02360-5599

Ms. Jane Perlov  
Secretary of Public Safety  
Executive Office of Public Safety  
One Ashburton Place  
Boston, MA 02108

Mr. Stephen J. McGrail, Director  
Attn: James Muckerheide  
Massachusetts Emergency Management  
Agency  
400 Worcester Road  
Framingham, MA 01702-5399

Chairman  
Nuclear Matters Committee  
Town Hall  
11 Lincoln Street  
Plymouth, MA 02360

Mr. William D. Meinert  
Nuclear Engineer  
Massachusetts Municipal Wholesale  
Electric Company  
P.O. Box 426  
Ludlow, MA 01056-0426

Pilgrim Nuclear Power Station

cc:

Mr. Gary J. Taylor  
Chief Executive Officer  
Entergy Operations  
1340 Echelon Parkway  
Jackson, MS 39213

Mr. John T. Herron  
Sr. VP and Chief Operating Officer  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Mr. Michael A. Balduzzi  
Site Vice President  
Entergy Nuclear Operations, Inc.  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Plymouth, MA 02360-5508

Mr. Stephen J. Bethay  
Director, Nuclear Assessment  
Entergy Nuclear Operations, Inc.  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Plymouth, MA 02360-5508

Mr. Bryan S. Ford  
Manager, Licensing  
Entergy Nuclear Operations, Inc.  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Plymouth, MA 02360-5508

Mr. Danny L. Pace  
Vice President, Engineering  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Mr. Brian O'Grady  
Vice President, Operations Support  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Mr. John F. McCann  
Director, Nuclear Safety Assurance  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Ms. Charlene D. Faison  
Manager, Licensing  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Mr. Michael J. Colomb  
Director of Oversight  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601

Senior Resident Inspector  
U.S. Nuclear Regulatory Commission  
Pilgrim Nuclear Power Station  
600 Rocky Hill Road  
Mail Stop 66  
Plymouth, MA 02360-5508

Ms. Stacey Lousteau  
Treasury Department  
Entergy Services, Inc.  
639 Loyola Avenue  
New Orleans, LA 70113

Jim Sniezek  
5486 Nithsdale Drive  
Salisbury, MD 21801

Mr. Kennety L. Graesser  
38832 N. Ashley Drive  
Lake Villa, IL 60046

Mr. Ronald Toole  
1282 Valley of Lakes  
Box R-10  
Hazelton, PA 18202

Ms. Deb Katz, Executive Director  
Nuclear Security Coalition  
c/o Citizens Awareness Network  
Box 83  
Shelburne Falls, MA 01370

ENTERGY NUCLEAR GENERATION COMPANY

ENTERGY NUCLEAR OPERATIONS, INC.

DOCKET NO. 50-293

PILGRIM NUCLEAR POWER STATION

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 212  
License No. DPR-35

1. The Nuclear Regulatory Commission (the Commission) has found that:
  - A. The application for amendment filed by Entergy Nuclear Operations, Inc. (the licensee) dated September 1, 2004, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
  - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.

2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment, and paragraph 3.B of Facility Operating License No. DPR-35 is hereby amended to read as follows:

B. Technical Specifications

The Technical Specifications contained in Appendix A, as revised through Amendment No. 212, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective as of the date of issuance and shall be implemented within 60 days.

FOR THE NUCLEAR REGULATORY COMMISSION

*/RA/*

Darrell J. Roberts, Chief, Section 2  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Attachment: Changes to the Technical Specifications

Date of Issuance: March 22, 2005

ATTACHMENT TO LICENSE AMENDMENT NO. 212

FACILITY OPERATING LICENSE NO. DPR-35

DOCKET NO. 50-293

Replace the following pages of the Appendix A Technical Specifications with the attached revised pages. The revised pages are identified by amendment number and contain marginal lines indicating the areas of change.

Remove

5.0-11

5.0-12

Insert

5.0-11

5.0-12

SAFETY EVALUATION BY THE OFFICE OF NUCLEAR REACTOR REGULATION  
RELATED TO AMENDMENT NO. 212 TO FACILITY OPERATING LICENSE NO. DPR-35  
ENTERGY NUCLEAR GENERATION COMPANY  
ENTERGY NUCLEAR OPERATIONS, INC.  
PILGRIM NUCLEAR POWER STATION  
DOCKET NO. 50-293

## 1.0 INTRODUCTION

By letter dated September 1, 2004, Entergy Nuclear Operations, Inc. (the licensee) submitted a request for changes to the Pilgrim Nuclear Power Station Technical Specifications (TSs). The application is available in the Agencywide Documents Access and Management System (ADAMS) under Accession No. ML042640013. The requested change would delete TS 5.6.1, "Occupational Radiation Exposure Report," and TS 5.6.4, "Monthly Operating Reports," as described in the Notice of Availability published in the *Federal Register* on June 23, 2004 (69 FR 35067).

## 2.0 REGULATORY EVALUATION

Section 182a. of the Atomic Energy Act of 1954, as amended (the Act), requires applicants for nuclear power plant operating licenses to state TSs to be included as part of the license. The Nuclear Regulatory Commission's (NRC or Commission) regulatory requirements related to the content of TSs are set forth in Section 50.36 of Title 10 of the *Code of Federal Regulations* (10 CFR), "Technical Specifications." The regulation requires that TSs include items in five specific categories, including (1) safety limits, limiting safety system settings, and limiting control settings; (2) limiting conditions for operation (LCOs); (3) surveillance requirements; (4) design features; and (5) administrative controls. However, the regulation does not specify the particular requirements to be included in a plant's TSs.

The Commission has provided guidance for the content of TSs in its "Final Policy Statement on Technical Specification Improvements for Nuclear Power Reactors" (58 FR 39132, published July 22, 1993), in which the Commission indicated that compliance with the Final Policy Statement satisfies Section 182a. of the Act. The Final Policy Statement identified four criteria to be used in determining whether a particular item should be addressed in the TSs as an LCO. The criteria were subsequently incorporated into 10 CFR 50.36 (60 FR 36593, published July 19, 1995). While the criteria specifically apply to LCOs, the Commission indicated that the intent of these criteria may be used to identify the optimum set of administrative controls in TSs. Addressing administrative controls, 10 CFR 50.36 states that they are "the provisions relating to

organization and management, procedures, recordkeeping, review and audit, and reporting necessary to assure operation of the facility in a safe manner." The specific content of the administrative controls section of the TSs is, therefore, related to those programs and reports that the Commission deems essential for the safe operation of the facility, which are not adequately covered by regulations or other regulatory requirements. Accordingly, the NRC staff may determine that specific requirements, such as those associated with this change, may be removed from the administrative controls in the TSs if they are not explicitly required by 10 CFR 50.36(c)(5) and are not otherwise necessary to obviate the possibility of an abnormal situation or event giving rise to an immediate threat to the public health and safety.

The impetus for the monthly operating report (MOR) came from the 1973-1974 oil embargo. Regulatory Guide 1.16, Revision 4, "Reporting of Operating Information - Appendix A Technical Specifications," published for comment in August 1975, identifies operating statistics and shutdown experience information that was desired in the operating report at that time. In the mid-1990s, the NRC staff assessed the information that is submitted in the MOR and determined that while some of the information was no longer used by the NRC staff, the MOR was the only source of some data used in the NRC Performance Indicator (PI) Program of that time period (see NRC Generic Letter (GL) 97-02, "Revised Contents of the Monthly Operating Report"). Beginning in the late 1990s, the NRC developed and implemented a major revision to its assessment, inspection, and enforcement processes through its Reactor Oversight Process (ROP). The ROP uses both plant-level PIs and inspections performed by NRC personnel. In conjunction with the development of the ROP, the NRC developed the Industry Trends Program (ITP). The ITP provides the NRC a means to assess overall industry performance using industry level indicators and to report on industry trends to various stakeholders (e.g., Congress). Information from the ITP is used to assess the NRC's performance related to its goal of having "no statistically significant adverse industry trends in safety performance." The ITP uses some of the same PIs as the PI Program from the mid-1990s and, therefore, the NRC has a continuing use for the data provided in MORs. The NRC also uses some data from the MORs to support the evaluation of operating experience, licensee event reports, and other assessments performed by the NRC staff and its contractors.

Licensees are required by TSs to submit annual occupational radiation exposure reports (ORERs) to the NRC. The reports, developed in the mid-1970s, supplement the reporting requirements currently defined in 10 CFR 20.2206, "Reports of Individual Monitoring," by providing a tabulation of data by work areas and job functions. The NRC included data from the ORERs in its annual publication of NUREG-0713, "Occupational Radiation Exposure at Commercial Nuclear Power Reactors and Other Facilities," through the year 1997, but no longer includes the data in that or other reports.

### 3.0 TECHNICAL EVALUATION

#### 3.1 MORs

As previously mentioned, the administrative requirements in TSs are reserved for "the provisions relating to organization and management, procedures, recordkeeping, review and audit, and reporting necessary to assure operation of the facility in a safe manner." The current use of the information from the MORs is not related to reporting on, or confirming to, the safe operation of specific nuclear power plants. Instead, the data is used by the NRC to assess and communicate with stakeholders regarding the overall performance of the nuclear industry. Data

related to PIs for specific plants are reported to the NRC as part of the ROP. The NRC staff has determined that the MORs do not meet the criteria defined for requirements to be included in the administrative section of TSs and the reporting requirement may, therefore, be removed.

Although the MORs do not satisfy the criteria for inclusion in TSs, the NRC staff nevertheless has a continuing need to receive the data in order to compile its reports on industry trends and to support other evaluations of operating experience. In addition, information such as plant capacity factors that are reported in the MORs are useful to the NRC staff and are frequently asked for by agency stakeholders.

The NRC staff interacted with licensees, industry organizations, and other stakeholders during the development of the Consolidated Data Entry (CDE) program (currently being developed and maintained by the Institute of Nuclear Power Operation), regarding the use of an industry database like CDE to provide data currently obtained from MORs. These discussions also involved the related Revision 1 to Technical Specification Task Force (TSTF)-369, "Removal of Monthly Operating Report and Occupational Radiation Exposure Report." As described in Section 4.0 of this Safety Evaluation (SE), the licensee is making a regulatory commitment to continue to provide the data identified in GL 97-02, following the removal of the TS requirement to submit MORs, and will, therefore, continue to meet the needs of the NRC staff for the ITP and other evaluations. The use of an industry database such as CDE is more efficient and cost-effective for both the NRC and licensees than would be having the NRC staff obtain the needed information from other means currently available. Should a licensee fail to satisfy the regulatory commitment to voluntarily provide the information, the NRC could obtain the information through its inspection program (similar to the process described in NRC Inspection Procedure 71150, "Discrepant or Unreported Performance Indicator Data") with the licensee being charged for the time spent by the NRC staff.

The only significant changes resulting from the adoption of TSTF-369 are that the information will be provided quarterly instead of monthly (although the operating data will still be divided by month) and the form of the reporting will be from a consolidated database such as CDE instead of in correspondence from individual licensees. The change of reporting frequency to quarterly has some advantages for both the NRC staff and licensees, since it will coincide with the collection and submission of the ROP PI data. In terms of the specific method used to transmit the data to the NRC, the licensee has committed (see Section 4.0 of this SE) to provide data identified in GL 97-02 on a quarterly basis. The NRC staff believes that the most efficient process for licensees and the NRC will be for all licensees to use a system such as CDE. Such systems have advantages in terms of improved data entry, data checking, and data verification and validation. The NRC will recognize efficiency gains by having the data from all plants reported using the same computer software and format. Although the data may be transmitted to the NRC from an industry organization maintaining a database such as CDE, the licensee provides the data for the system and remains responsible for the accuracy of the data submitted to the NRC for its plant. The public will continue to have access to the data through official agency records accessible through ADAMS.

### 3.2 Occupational Radiation Exposure Reports

The information that the NRC staff needs regarding occupational doses is provided by licensees in the reports required under 10 CFR Part 20. The data from the 10 CFR Part 20 reports are sufficient to support the NRC trending programs, radiation related studies, and preparation of reports such as NUREG-0713. Accordingly, the NRC's limited use of the ORER submitted pursuant to the existing TS requirements no longer warrants the regulatory burden imposed on licensees. Therefore, the NRC staff finds it acceptable that TS 5.6.1 is being deleted and the ORER will no longer be submitted by the licensee.

### 4.0 VERIFICATIONS AND COMMITMENTS

In order to efficiently process incoming license amendment applications, the NRC staff requested each licensee requesting the changes addressed by TSTF-369 using the consolidated line item improvement process to address the following plant-specific regulatory commitment.

- 4.1 Each licensee should make a regulatory commitment to provide to the NRC using an industry database the operating data (for each calendar month) that is described in Generic Letter 97-02, "Revised Contents of the Monthly Operating Report," by the last day of the month following the end of each calendar quarter. The regulatory commitment will be based on use of an industry database (e.g., the industry's Consolidated Data Entry (CDE) program, currently being developed and maintained by the Institute of Nuclear Power Operations).

The licensee has made a regulatory commitment to provide the requested data via an industry database (e.g., the CDE) by the end of the month following each calendar quarter.

The NRC staff finds that reasonable controls for the implementation and for subsequent evaluation of proposed changes pertaining to the above regulatory commitment can be provided by the licensee's administrative processes, including its commitment management program. The NRC staff has agreed that Nuclear Energy Institute 99-04, Revision 0, "Guidelines for Managing NRC Commitment Changes," provides reasonable guidance for the control of regulatory commitments made to the NRC staff (see Regulatory Issue Summary 2000-17, "Managing Regulatory Commitments Made by Power Reactor Licensees to the NRC Staff," dated September 21, 2000). The NRC staff notes that this amendment establishes a voluntary reporting system for the operating data that is similar to the system established for the ROP PI program. Should the licensee choose to incorporate a regulatory commitment into the final safety analysis report or other document with established regulatory controls, the associated regulations would define the appropriate change-control and reporting requirements.

### 5.0 STATE CONSULTATION

In accordance with the Commission's regulations, the Massachusetts State Official was notified of the proposed issuance of the amendment. The State official had no comments.

## 6.0 ENVIRONMENTAL CONSIDERATION

The amendment relates to changes in recordkeeping, reporting, or administrative procedures or requirements. The Commission has previously issued a proposed finding that the amendment involves no significant hazards consideration, and there has been no public comment on such finding (69 FR 64989; November 9, 2004). Accordingly, the amendment meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(10). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of the amendment.

## 7.0 CONCLUSION

The Commission has concluded, based on the considerations discussed above, that: (1) there is reasonable assurance that the health and safety of the public will not be endangered by operation in the proposed manner, (2) such activities will be conducted in compliance with the Commission's regulations, and (3) the issuance of the amendment will not be inimical to the common defense and security or to the health and safety of the public.

Principal Contributor: W. Reckley

Date: March 22, 2005