

From: Frank Ottino <FOttino@washingtonhospital.org>
To: "mrs5@nrc.gov" <mrs5@nrc.gov>
Date: Fri, Feb 18, 2005 9:29 AM
Subject: FW: Close out survey of RIA Lab

Michele,

Here is the statement made by Dr. Parker, the recently retired director of The Washington Hospitals' labs. If I can be of any further help please do not hesitate to give me a call.

Thanks,

Frank Ottino

> -----Original Message-----

> From: Leslie Parker PhD
> Sent: Thursday, February 17, 2005 11:24 PM
> To: Frank Ottino
> Cc: Gary Weinstein; Rich Frank
> Subject: RE: Close out survey of RIA Lab

>
> Frank:

>
> The last time I modified our RIA handling procedures was in 1990.
> It would be shortly after that we stopped working with isotopes. All of
> our records were put on microfilm and stored in the attic. I am sure they
> are long gone. Since we were dealing trace amount of isotopes, we were
> even allowed to dispose of them by pouring them down the Rad sink. We did
> do regular surveys of the working areas and they were never above
> background levels. The surveys consisted of wiping the surfaces of our
> lab and counting these samples in our well counter, a scintillation
> counter. Wipes were obtained from those areas were radioactive
> contamination would most likely be found, i.e. bench tops, centrifuges,
> Rad sink, Rad refrigerator, etc..

>
> As I told you earlier we no longer have any radioactive standard
> sources. Our work area was located in what is now the pathology
> secretaries' office.

>
> Leslie Parker, PhD
> Chief Biochemist

>
>
>

Mail Envelope Properties

(4215FBA2.66F : 19 : 1647)

Subject: FW: Close out survey of RIA Lab
Creation Date: Fri, Feb 18, 2005 9:22 AM
From: Frank Ottino <FOttino@washingtonhospital.org>

Created By: FOttino@washingtonhospital.org

Recipients

nrc.gov
kp1_po.KP_DO
MRS5 (Michelle Simmons)

Post Office
kp1_po.KP_DO

Route
nrc.gov

Files	Size	Date & Time
MESSAGE	1513	Friday, February 18, 2005 9:22 AM
Mime.822	2340	

Options

Expiration Date: None
Priority: Standard
Reply Requested: No
Return Notification: None

Concealed Subject: No
Security: Standard