

March 11, 2005

Mr. Michael Kansler, President
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

SUBJECT: INDIAN POINT NUCLEAR GENERATING UNIT NOS. 2 AND 3 - RESPONSE
TO GENERIC LETTER 2004-01, "REQUIREMENTS FOR STEAM
GENERATOR TUBE INSPECTIONS" (TAC NOS. MC4824 AND MC4825)

Dear Mr. Kansler:

On August 30, 2004, the Nuclear Regulatory Commission (NRC) issued Generic Letter (GL) 2004-01, "Requirements For Steam Generator Tube Inspections." The purpose of GL 2004-01 was to obtain information that would enable the NRC staff to determine whether licensee's steam generator (SG) tube inspection programs comply with the existing tube inspection requirements (the plant Technical Specifications in conjunction with Appendix B to Part 50 of Title 10 of the *Code of Federal Regulations*).

By letter dated October 27, 2004, Entergy Nuclear Operations, Inc., responded to GL 2004-01 for Indian Point Nuclear Generating Unit Nos. 2 and 3 (IP2 and 3). The NRC staff's review of your response to the GL did not identify any concerns with the inspection practices employed at IP2 and 3. The staff, therefore, concludes that your SG tube inspection practices are in compliance with the existing tube inspection requirements.

If you have any questions regarding this matter, please contact me at (301) 415-1457.

Sincerely,

/RA/

Patrick D. Milano, Sr. Project Manager, Section 1
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-247 and 50-286

cc: See next page

Mr. Michael Kansler, President
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

SUBJECT: INDIAN POINT NUCLEAR GENERATING UNIT NOS. 2 AND 3 - RESPONSE
TO GENERIC LETTER 2004-01, "REQUIREMENTS FOR STEAM
GENERATOR TUBE INSPECTIONS" (TAC NOS. MC4824 AND MC4825)

Dear Mr. Kansler:

On August 30, 2004, the Nuclear Regulatory Commission (NRC) issued Generic Letter (GL) 2004-01, "Requirements For Steam Generator Tube Inspections." The purpose of GL 2004-01 was to obtain information that would enable the NRC staff to determine whether licensee's steam generator (SG) tube inspection programs comply with the existing tube inspection requirements (the plant Technical Specifications in conjunction with Appendix B to Part 50 of Title 10 of the *Code of Federal Regulations*).

By letter dated October 27, 2004, Entergy Nuclear Operations, Inc., responded to GL 2004-01 for Indian Point Nuclear Generating Unit Nos. 2 and 3 (IP2 and 3). The NRC staff's review of your response to the GL did not identify any concerns with the inspection practices employed at IP2 and 3. The staff, therefore, concludes that your SG tube inspection practices are in compliance with the existing tube inspection requirements.

If you have any questions regarding this matter, please contact me at (301) 415-1457.

Sincerely,

/RA/

Patrick D. Milano, Sr. Project Manager, Section 1
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-247 and 50-286

cc: See next page

DISTRIBUTION:

PUBLIC	R. Laufer	M. Banerjee	B. McDermott, R-I
PDI-1 Reading File	L. Lund	P. Klein	G. Matakas, R-I
C. Holden	K. Karwoski	J. Terrell	OGC
W. Bateman	P. Milano	M. Yoder	ACRS

ACCESSION NO. ML050700077

OFFICE	PDI-1/PM	DLPM/LPM	PDI-1/LA	PDI-1/SC
NAME	PMilano	MBanerjee	SLittle	RLaufer
DATE	03/07/05	03/10/05	03/9/05	03/10/05

OFFICIAL RECORD COPY

Indian Point Nuclear Generating Unit Nos. 2 & 3

cc:

Mr. Gary J. Taylor
Chief Executive Officer
Entergy Operations, Inc.
1340 Echelon Parkway
Jackson, MS 39213

Mr. John T. Herron
Senior Vice President and
Chief Operating Officer
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Fred Dacimo
Site Vice President
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
450 Broadway, GSB
P.O. Box 249
Buchanan, NY 10511-0249

Mr. Christopher Schwarz
General Manager, Plant Operations
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
295 Broadway, Suite 2
P.O. Box 249
Buchanan, NY 10511-0249

Mr. Danny L. Pace
Vice President Engineering
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Brian O'Grady
Vice President, Operations Support
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. John McCann
Director, Nuclear Safety Assurance
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Ms. Charlene D. Faison
Manager, Licensing
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Michael J. Columb
Director of Oversight
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. James Comiotes
Director, Nuclear Safety Assurance
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
295 Broadway, Suite 1
P.O. Box 249
Buchanan, NY 10511-0249

Mr. Patric Conroy
Manager, Licensing
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
295 Broadway, Suite 1
P. O. Box 249
Buchanan, NY 10511-0249

Mr. John M. Fulton
Assistant General Counsel
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Senior Resident Inspector's Office
Indian Point 2
U. S. Nuclear Regulatory Commission
P.O. Box 59
Buchanan, NY 10511-0038

Indian Point Nuclear Generating Unit Nos. 2 & 3

cc:

Senior Resident Inspector's Office
Indian Point 3
U. S. Nuclear Regulatory Commission
P.O. Box 337
Buchanan, NY 10511-0337

Mr. Peter R. Smith, President
New York State Energy, Research, and
Development Authority
17 Columbia Circle
Albany, NY 12203-6399

Mr. Paul Eddy
Electric Division
New York State Department
of Public Service
3 Empire State Plaza, 10th Floor
Albany, NY 12223

Mr. Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Mayor, Village of Buchanan
236 Tate Avenue
Buchanan, NY 10511

Mr. Ray Albanese
Executive Chair
Four County Nuclear Safety Committee
Westchester County Fire Training Center
4 Dana Road
Valhalla, NY 10592

Ms. Stacey Lousteau
Treasury Department
Entergy Services, Inc.
639 Loyola Avenue
Mail Stop: L-ENT-15E
New Orleans, LA 70113

Mr. William DiProffio
PWR SRC Consultant
139 Depot Road
East Kingston, NH 03827

Mr. Dan C. Poole
PWR SRC Consultant
20 Captains Cove Road
Inglis, FL 34449

Mr. William T. Russell
PWR SRC Consultant
400 Plantation Lane
Stevensville, MD 21666-3232

Mr. Jim Riccio
Greenpeace
702 H Street, NW
Suite 300
Washington, DC 20001