UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JAN 3 1 2005

Michael J. Parrott, Ph.D.
Radiation Safety Officer
Columbus Regional Hospital
2400 East 17th Street
Columbus, IN 47201

Dear Dr. Parrott:

Enclosed is Amendment No. 41 amending your NRC Material License No. 13-01631-05 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note, we have not authorized Dr. Lutz for the materials in 10 CFR 35.300 at this time. The information showing Dr. Lutz's training and experience with 35.300 materials was incomplete. In support of your request to authorize Dr. Lutz for materials permitted under 10 CFR 35.300, please provide the following, as applicable:

a. Previous license number (if issued by NRC) or a copy of the license (if issued by an Agreement State) on which the physician was specifically named as an authorized user for the uses requested; or

b. Copy of the certification(s) for the board(s) recognized by NRC under 10 CFR Part 35, Subparts D, E, F, G, or H, and as applicable to the use requested; or

c. Description of the training and experience identified in 10 CFR Part 35 Subpart J demonstrating that the proposed authorized user is qualified by training and experience for the use requested; or

d. Description of the training and experience identified in 10 CFR Part 35 Subparts D, E, F, G, or H demonstrating that the proposed authorized user is qualified by training and experience for the use requested; and

e. Written certification, signed by a preceptor physician authorized user, that the above training and experience has been satisfactorily completed and that a level of competency sufficient to function independently as an authorized user for the medical uses authorized has been achieved; and

f. If applicable, description of recent related continuing education and experience as required by 10 CFR 35.59.

NRC Form 313A (enclosed) may be used to document this information. Please note that if the board certification, or training and experience, was received more than 7 years ago, evidence of recentness of training in accordance with 10 CFR 35.59 must also be submitted."

If you wish to pursue this matter, please resubmit your request as additional information to **control 313945.**

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.

2. Notify NRC, in writing, within 30 days:

   a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or

   b. When the mailing address listed on the license changes.

3. In accordance with 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.

4. Request and obtain a license amendment before you:

   a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;

   b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;

   c. Change Radiation Safety Officers;

   d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;

   e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or

   f. Change ownership of your organization.

5. Submit a complete renewal application or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Please note that on October 25, 2004, the NRC suspended public access to ADAMS, and initiated an additional security review of publicly available documents to ensure that potentially sensitive information is removed from the ADAMS database accessible through the NRC's web site. Interested members of the public may obtain copies of the referenced documents for review and/or copying by contacting the Public Document Room pending resumption of public access to ADAMS. The NRC Public Document Room is located at NRC Headquarters in Rockville, MD, and can be contacted at 800-397-4209 or 301-415-4737 or pdr@nrc.gov.

Sincerely,

William P. Reichhold

William P. Reichhold
Materials Licensing Branch

License No. 13-01631-05
Docket No. 030-01597

Enclosure: Amendment No. 41
10 CFR Part 35
NRC Form 313