

DIVISION 5 REGULATORY GUIDES
MATERIAL CONTROL AND ACCOUNTING

TABLE OF CONTENTS

Number	Title
5.1	Serial Numbering of Fuel Assemblies for Light-Water-Cooled Nuclear Power Reactors
5.2	Classification of Unirradiated Plutonium and Uranium Scrap
5.3	Statistical Terminology and Notation for Special Nuclear Materials Control and Accountability
5.4	Standard Analytical Methods for the Measurement of Uranium Tetrafluoride (UF ₄) and Uranium Hexafluoride (UF ₆)
5.5	Standard Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets
5.6	Standard Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets and Nuclear-Grade Mixed Oxides ([U,Pu]O ₂)
5.8	Design Considerations for Minimizing Residual Holdup of Special Nuclear Material in Drying and Fluidized Bed Operations
5.9	Specifications of Ge(Li) Spectroscopy Systems for Material Protection Measurements - Part I: Data Acquisition Systems
5.10	Selection and Use of Pressure-Sensitive Seals on Containers for On-site Storage of Special Nuclear Material
5.11	Nondestructive Assay of Special Nuclear Material Contained in Scrap and Waste
5.13	Conduct of Nuclear Material Physical Inventories
5.14	Visual Surveillance of Individuals in Material Access Areas
5.15	Security Seals for the Protection and Control of Special Nuclear Material
5.16	Standard Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions and Plutonium Metal
5.18	Limit of Error Concepts and Principles of Calculation in Nuclear Materials Control

- 5.19 Methods for the Accountability of Plutonium Nitrate Solutions
- 5.21 Nondestructive Uranium-235 Enrichment Assay by Gamma-Ray Spectrometry
- 5.22 Assessment of the Assumption of Normality (Employing Individual Observed Values)
- 5.23 In-Situ Assay of Plutonium Residual Holdup
- 5.24 Analysis and Use of Process Data for the Protection of Special Nuclear Material
- 5.25 Design Considerations for Minimizing Residual Holdup of Special Nuclear Material in Equipment for Wet Process Operations
- 5.26 Selection of Material Balance Areas and Item Control Areas
- 5.28 Evaluation of Shipper-Receiver Differences in the Transfer of Special Nuclear Materials
- 5.29 Nuclear Material Control Systems for Nuclear Power Plants
- 5.30 Materials Protection Contingency Measures for Uranium and Plutonium Fuel Manufacturing Plants
- 5.33 Statistical Evaluation of Material Unaccounted For
- 5.34 Nondestructive Assay for Plutonium in Scrap Material by Spontaneous Fission Detection
- 5.36 Recommended Practice for Dealing With Outlying Observations
- 5.37 In Situ Assay of Enriched Uranium Residual Holdup
- 5.38 Nondestructive Assay of High-Enrichment Uranium Fuel Plates by Gamma-Ray Spectrometry
- 5.39 General Methods for the Analysis of Uranyl Nitrate Solutions for Assay, Isotopic Distribution, and Impurity Determinations
- 5.40 Methods for the Accountability of Plutonium Dioxide Powder
- 5.42 Design Considerations for Minimizing Residual Holdup of Special Nuclear Material in Equipment for Dry Process Operations
- 5.45 Standard Format and Content for the Special Nuclear Material Control and Accounting Section of a Special Nuclear Material License Application (Including That for a Uranium Enrichment Facility)
- 5.47 Control and Accountability of Plutonium in Waste Material
- 5.48 Design Considerations--Systems for Measuring the Mass of Liquids

- 5.49 Internal Transfers of Special Nuclear Material
- 5.51 Management Review of Nuclear Material Control and Accounting Systems
- 5.53 Qualification, Calibration, and Error Estimation Methods for Non-destructive Assay
- 5.57 Shipping and Receiving Control of Special Nuclear Material
- 5.58 Considerations for Establishing Traceability of SNM Accounting Measurements
- 5.67 Enrichment Material Control & Accountability