



Entergy Nuclear Northeast
Entergy Nuclear Operations, Inc.
Vermont Yankee
322 Governor Hunt Rd.
P.O. Box 157
Vernon, VT 05354
Tel 802-257-7711

March 10, 2005
BVY-05-022

United States Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Reference: (a) License No. DPR-28 (Docket No. 50-271)

In accordance with section 6.6.B of the Vermont Yankee Technical Specifications, submitted herewith is the Monthly Statistical Report for the Vermont Yankee Nuclear Power Station for the month of February, 2005.

Sincerely,

A handwritten signature in cursive script, appearing to read "W. F. Maguire".

William F. Maguire
General Manager, Plant Operations

cc: USNRC Region I Administrator
USNRC Resident Inspector
USNRC Project Manager

IE24

VERMONT YANKEE NUCLEAR POWER STATION

MONTHLY STATISTICAL REPORT 05-02

FOR THE MONTH OF FEBRUARY 2005

OPERATING DATA REPORT

DOCKETNO. 50-271
 DATE 050310
 COMPLETED BY G.A. WALLIN
 TELEPHONE (802)258-5414

OPERATING STATUS

1. Unit Name: Vermont Yankee
2. Reporting Period: FEBRUARY
3. Licensed Thermal Power (Mwt): 1593
4. Nameplate Rating (Gross MWe): 540
5. Design Electrical Rating (Net MWe): 522
6. Maximum Dependable Capacity (Gross MWe): 535
7. Maximum Dependable Capacity (Net MWe): 510
8. If changes, occur in capacity ratings (Items Number 3 through 7) since last report, give reasons:
9. Power level to which restricted, if any (Net MWe): N/A
10. Reasons for restrictions, if any: High pressure turbine was replaced during RFO-24 with a unit designed for 1912 Mwt. This results in the unit running at a lower efficiency when at 1593 Mwt or lower.



	This Month	Yr-to-Date	Cumulative
11. Hours in Reporting Period	672.00	1416.00	285121.80
12. Number Of Hours Reactor was Critical	672.00	1416.00	240876.22
13. Reactor Reserve Shutdown Hours	0.00	0.00	0.00
14. Hours Generator On-Line	672.00	1416.00	237144.06
15. Unit Reserve Shutdown Hours	0.00	0.00	0.00
16. Gross Thermal Energy Generated (MWH)	1069944.00	2216071.20	360216148.38
17. Gross Electrical Energy Generated (MWH)	359048.00	740045.00	121009630.00
18. Net Electrical Energy Generated (MWH)	344961.00	710721.00	115195253.00
19. Unit Service Factor	100.00	100.00	83.20
20. Unit Availability Factor	100.00	100.00	83.20
21. Unit Capacity Factor (Using MDC Net)	100.70	98.40	79.90
22. Unit Capacity Factor (Using DER Net)	98.30	96.20	78.20
23. Unit Forced Outage Rate	0.00	0.00	3.88
24. Shutdowns scheduled over next 6 months (Type, Date, and Duration of Each: <u>N/A</u>)			
25. If shut down at end of report period, estimated date of startup: <u>N/A</u>			
26. Units In Test Status (prior to commercial operation): <u>N/A</u>			

INITIAL CRITICALITY
 INITIAL ELECTRICITY
 COMMERCIAL OPERATION

Forecast Achieved

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. 50-271
 UNIT Vermont Yankee
 DATE 050310
 COMPLETED BY G.A. WALLIN
 TELEPHONE (802)258-5414

MONTH FEBRUARY

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1.	513	17.	514
2.	513	18.	513
3.	513	19.	513
4.	513	20.	513
5.	513	21.	513
6.	513	22.	514
7.	513	23.	513
8.	513	24.	513
9.	513	25.	513
10.	513	26.	513
11.	513	27.	513
12.	513	28.	512
13.	513	29.	---
14.	513	30.	---
15.	514	31.	---
16.	514		

INSTRUCTIONS:

On this format, list the average daily unit power level in MWE-Net for each day in the reporting month. Compute to the nearest whole megawatt.

UNIT SHUTDOWNS AND POWER REDUCTIONS

REPORT MONTH FEBRUARY

DOCKET NO 50-271
 UNIT NAME Vermont Yankee
 DATE 050310
 COMPLETED BY G.A. Wallin
 TELEPHONE (802)258-5414

No.	Date	1 Type	Duration (hours)	2 Reason	3 Method of Shutting Down Reactor	License Event Report #	4 System Code	5 Component Code	Cause and Corrective Action to Prevent Recurrence.
(None)									

1 F: Forced
 S: Scheduled

2 Reason:
 A-Equipment Failure (Explain)
 B-Maintenance or Test
 C-Refueling
 D-Regulatory Restriction
 E-Operator Training and
 License Examination
 F-Administrative
 G-Operational Error (Explain)
 H-(Explain) -

3 Method:
 1 - Manual
 2 - Manual Scram
 3 - Automatic Scram
 4 - Other (Explain)

4 Exhibit G- Instructions
 for Preparation of Data
 Entry Sheets for License
 Event Report (LER) File
 (NUREG 0161)

5 Exhibit I - Same Source

VYDPF 0411.03
 DP 0411 Rev. 8
 Page 1 of 1

DOCKET NO. 50-271
DATE 050310
COMPLETED BY G.A. Wallin
TELEPHONE (802)258-5414

REPORT MONTH FEBRUARY

SUMMARY OF OPERATING EXPERIENCES

Highlights

Vermont Yankee operated at 99.9% of rated thermal power for the month. Gross electrical generation was 359,048 MWh or 97.8% design electrical capacity.

Operating Summary

The following is a chronological description of plant operations including other pertinent items of interest for the month:

At the beginning of the reporting period the plant was operating at 99.9% of rated thermal power.

There were no items of interest to report for this month.

At the end of the reporting period the plant was operating at 99.9% of rated thermal power.