



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TEXAS 76011-4005

March 16, 2005

EAs-03-126  
03-190  
04-177

NMED No. 011072

Mr. Michael Barton, Commissioner  
State of Alaska Department of  
Transportation & Public Facilities  
3132 Channel Drive  
Juneau, Alaska 99801

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-07710/04-002 AND NOTICE  
OF VIOLATION

Dear Mr. Barton:

Thank you for your letter of February 24, 2005, in response to our letter and Notice of Violation (Notice) dated January 25, 2005. We have reviewed your reply and find it responsive to the concerns raised in the Notice. We will review the implementation of your corrective actions during future inspections to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/Adams.html>.

Sincerely,

*/RA/*

Patricia K. Holahan, Director  
Division of Nuclear Materials Safety

Docket No.: 030-07710  
License No.: 50-14102-01

cc w/copy of licensee's letter dated 02/24/2005:

Mr. Clyde E. Pearce  
Alaska Radiation Control Program Director  
Radiological Health Program  
State Public Health Laboratories  
Department of Health & Social Services  
4500 Boniface Parkway  
Anchorage, AK 99507

Ms. Kim Stricklan  
Alaska Department of Environmental Conservation  
Environmental Health Division,  
Solid Waste/Pesticide Program  
555 Cordova Street  
Anchorage, AK 99501

Mr. Gary Hogins  
Chief Engineer  
State of Alaska Department of Transportation  
& Public Facilities  
3132 Channel Drive  
Juneau, Alaska 99801

Mr. Michael San Angelo  
Statewide Materials Engineer  
State of Alaska Department of Transportation  
& Public Facilities  
5800 East Tudor Road  
Anchorage, Alaska 99507

Mr. Greg Christensen  
Statewide Radiation Safety Officer  
State of Alaska Department of Transportation  
& Public Facilities  
5800 East Tudor Road  
Anchorage, Alaska 99507

Mr. Gary W. Gantz  
Assistant Attorney General  
State of Alaska Department of Law  
1031 West 4<sup>th</sup> Avenue, Suite 200  
Anchorage, Alaska 99501-5903

bcc w/copy of licensee's ltr dtd 02/24/2005 (via ADAMS distrib):

BSMallett  
PKHolahan  
CLCain  
KSFuller  
WAMaier  
GFSanborn  
GMVasquez  
HAFreeman  
JCruz  
JEWhitten  
JFKatanic  
KEGardin  
GMLongo, OGC  
FJCongel, OE  
DRStarkey, OE  
OEMail  
NMIB File  
RIV File (5th Floor)

SISP Review Completed: JFK

ADAMS:  Yes  No Initials: \_JFK\_

X Publicly Available  Non-Publicly Available  Sensitive X Non-Sensitive

DOCUMENT NAME: s:\dnms\!Nmib\Katanic\40771002-ack.wpd

final r:\\_dnms

RIV:DNMS:NMIB	C:NMIB	D:ACES	OE	D:DNMS
JFKatanic	JCruz	GFSanborn	DRStarkey	PKHolahan
<b>/RA/</b>	<b>/RA/</b>	<b>/RA/</b>	<b>/RA email J.Cruz/</b>	<b>/RA/</b>
03/14/05	03/14/05	03/14/05	03/15/05	03/16/05

OFFICIAL RECORD COPY T=Telephone E=E-mail F=Fax