



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

March 24, 2005

Docket No. 03002522

License No. 29-09701-01

Tim Hogan  
President  
Riverview Medical Center  
One Riverview Plaza  
Red Bank, NJ 07701

**SUBJECT: INSPECTION 03002522/2005001, RIVERVIEW MEDICAL CENTER,  
RED BANK, NEW JERSEY SITE AND NOTICE OF VIOLATION**

Dear Mr. Hogan:

On February 7-8, 2005, Richard McKinley of this office conducted a safety inspection at the above address of activities authorized by the above listed NRC license. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspector, interviews with personnel, and a selected examination of representative records. Additional information provided in your correspondence dated March 2, 2005, and the telephone conversation on February 25, 2005, between Michael Cammarano of your organization and this office were also examined as part of the inspection. The findings of the inspection were discussed with Tony Kava and others of your organization at the conclusion of the inspection.

Based on the results of this inspection, it appears that your activities were not conducted in full compliance with NRC requirements. A Notice of Violation is enclosed that categorizes the violation by severity level in accordance with the "General Statement of Policy and Procedure for NRC Enforcement Actions," (Enforcement Policy), NUREG 1600. You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

Current NRC regulations and guidance are available at the NRC Web sites listed below or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

T. Hogan  
Riverview Medical Center

2

Your cooperation with us is appreciated.

Sincerely,

***Original signed by Pamela J. Henderson***

Pamela J. Henderson, Chief  
Medical Branch  
Division of Nuclear Materials Safety

NRC Web site addresses  
NRC regulations

<http://www.nrc.gov/reading-rm/doc-collections/cfr/>

Licensing guidance

<http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/>

General Policy and Procedure for NRC Enforcement Actions

<Http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>

206 of the Energy Reorganization Act of 1974

<http://www.nrc.gov/who-we-are/governing-laws.html>

cc:

Robert E. Wold, M.D., Radiation Safety Officer  
State of New Jersey

T. Hogan  
Riverview Medical Center

3

Distribution:  
D. J. Holody, RI

DOCUMENT NAME: E:\Filenet\ML050840451.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	RmcKinley rwm1		Phenderson pjh1					
DATE	3/17/05		3/23/05					

OFFICIAL RECORD COPY

## NOTICE OF VIOLATION

Riverview Medical Center  
Red Bank, NJ

Docket No. 03002522  
License No. 29-09701-01

During an NRC inspection conducted on February 7,8, 2005, one violation of NRC requirements was identified. In accordance with the "General Statement of Policy and Procedure for NRC Enforcement Actions," (Enforcement Policy), NUREG-1600, the violation is listed below:

10 CFR 40.61 requires, in part, that each person who receives source material pursuant to a license issued pursuant to the regulations in this part shall keep records showing the receipt, transfer, and disposal of this source material until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

Contrary to the above, on January 31, 1990, the licensee transferred source material (depleted uranium) to another licensed entity but did not keep a record showing the transfer of the source material.

This is a Severity Level IV violation (Supplement VI ).

Pursuant to the provisions of 10 CFR 2.201, Riverview Medical Center is hereby required to submit a written statement or explanation to the U.S. Nuclear Regulatory Commission, ATTN: Document Control Desk, Washington, D.C. 20555, with a copy to the Regional Administrator, Region I, within 30 days of the date of the letter transmitting this Notice of Violation (Notice). This reply should be clearly marked as a "Reply to a Notice of Violation" and should include for each violation: (1) the reason for the violation, or, if contested, the basis for disputing the violation, (2) the corrective steps that have been taken and the results achieved, (3) the corrective steps that will be taken to avoid further violations, and (4) the date when full compliance will be achieved. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. If an adequate reply is not received within the time specified in this Notice, an order or a Demand for Information may be issued as to why the license should not be modified, suspended, or revoked, or why such other action as may be proper should not be taken. Where good cause is shown, consideration will be given to extending the response time.

If you contest this enforcement action, you should also provide a copy of your response to the Director, Office of Enforcement, United States Nuclear Regulatory Commission, Washington, DC 20555-0001. Under the authority of Section 182 of the Act, 42 U.S.C. 2232, any response which contests an enforcement action shall be submitted under oath or affirmation.

Your response will be placed in the NRC Public Document Room (PDR) and on the NRC Web site at <http://www.nrc.gov/reading-rm.html>. To the extent possible, it should, therefore, not include any personal privacy, proprietary, or safeguards information so that it can be made publically available without redaction. However, if you find it necessary to include such information, you should clearly indicate the specific information that you desire not to be placed

Notice of Violation  
Riverview Medical Center

2

in the PDR, and provide the legal basis to support your request for withholding the information from the public.

In accordance with 10 CFR 19.11, you may be required to post this Notice within two working days.

Dated This 24th day of March 2005