



**Antkowiak and Mahoney
Enterprises, Inc.**

29-19918-01
03019526

FINAL STATUS SURVEY

for
Elan Operations, Inc.
Princeton, NJ

Volume 1 of 2

Prepared by



**Antkowiak and Mahoney
Enterprises, Inc.**

3 Valley Court
Chester, NY 10918
845 406-1917

136610

NMSS/RGNI MATERIALS-002



**Antkowiak and Mahoney
Enterprises, Inc.**

**FINAL STATUS SURVEY
for
Elan Operations, Inc.
Princeton, NJ**

Prepared by



**Antkowiak and Mahoney
Enterprises, Inc.**

**3 Valley Court
Chester, NY 10918
845 406-1917**





**Antkowiak and Mahoney
Enterprises, Inc.**

**FINAL STATUS SURVEY
for
Elan Operations, Inc.
Princeton, NJ**

Survey Date:

September - December 2004

Surveys performed by:

Joel Antkowiak
Robert Mahoney

Report prepared by:

Joel Antkowiak

Reviewed and Approved by: _____ Date: _____



Introduction

This report documents the decommissioning survey results of the radioactive materials use areas of the Elan Operations, Inc. (Elan) facility in Princeton, New Jersey. Elan has ceased all operations at the site since mid 2003. All personnel were released and the facility is currently unused awaiting release.

The decommissioning project was managed and performed by Antkowiak and Mahoney Enterprises, Inc. (AME). The AME task manager for this project was Joel Antkowiak. The surveys were performed from September through December 2004 by Joel Antkowiak and Robert Mahoney. The project was delayed by attempts by Elan to sell off the business unit in its entirety.

Site History

The facility was originally owned and operated by The Liposome Company which began operations at the site in the mid 1980's. Elan acquired The Liposome Company in the late 90's and assumed full responsibility for its radioactive materials license (License No. 29-19918-01).

While the facility was licensed to use 16 radioisotopes, a search of the records indicates that only a few were actually ever ordered. These included hydrogen-3, carbon-14, phosphorus-32, phosphorus-33, sulfur-35, niobium-95, iodine-125, and iodine-131. Of these, only carbon-14 and tritium live long enough to be of concern for this survey. Only tritium was used in the last year of operations of the facility.

Phosphorus-32 and phosphorus-33 were used in the area known as the "Trailer Labs." These labs were located inside a trailer that was situated adjacent to the main building with access from the rear door of the building. The trailer was previously decommissioned by Teledyne Brown Engineering, and the survey was submitted at the request of the Nuclear Regulatory Commission (D. Janda) in 2004.

Liposome, and then Elan, contracted with an outside health physics services company to perform monthly radiation contamination surveys as well as other services. The surveys were first performed by Teledyne Isotopes and its successors, followed by Radiation Science Inc. (RSI) beginning in 2001. Research activities at the Princeton site ceased early in 2003.

Based on the most recent monthly surveys performed by RSI personnel, there is no indication of extensive contamination. However, based on information on a past incident, there may be residual tritium contamination in the hood and associated ductwork in the room known as Organic Lab #1. In addition, there may also be contamination in one hood in Main Lab C that was used for radioactive work when the hood in Organic Lab #1 was shut down. The interior of the hoods were not usually surveyed by the health physics consultants due to other potential hazards present during periods of active research.



Objective

The purpose of this project is to survey the radioactive materials use areas of the Elan facility in Princeton, New Jersey to demonstrate levels of residual radioactivity sufficiently low to release the building for unrestricted use. There are 2 areas of concern: the building itself and the low level radioactive waste storage shed behind the building. The surveys were performed by Antkowiak and Mahoney Enterprises, Inc. (AME) under the Elan Pharmaceutical Operations Inc. radioactive materials license. A summary of survey procedures and release criteria was previously submitted in the Decommissioning Plan dated July 2003.

Survey Methodology

The following equation was used to determine the minimum detectable activity of each instrument used:

$$MDA = \frac{2.71 + 4.65 \sqrt{Br \times t}}{t \times E \times A/100}$$

where:

- MDA = activity in dpm/100 cm²
- Br = background rate in counts per minute
- t = counting time in minutes
- E = detector efficiency in counts per disintegration (4π)
- A = probe area or area wiped in cm²

Direct Radioactive Contamination Surveys

Surveys were performed using guidance provided in NUREG 1575, "Multi-Agency Radiation Survey and Site Investigation Manual", or MARSIMM. All decommissioning surveys consisted of 100% scans of the floors, bench tops, drawers and cabinets in the room. Walls were surveyed to a height of six feet.

Measurements of direct radiation were made on all laboratory surfaces using the instruments described in table 1. The survey meter and detectors were checked for operational viability each day prior to use and following re-charging of the gas proportional detectors. This included battery and high voltage checks as well as a one minute count of a dedicated check source to ensure that the detection efficiency of the meter was within a predetermined range. Scans were conducted by moving the probe at a rate of one to two probe widths per second less than 1 centimeter from the surface being surveyed. The audio output of the meter was used to identify areas of contamination.



Table 1: Instruments Used

Instrument	Serial Number	Minimum Detectable Activity
Ludlum Model 12 w/Model 43-68 probe	195030 PR 178507	500 - 550 dpm/100 cm ²
Ludlum Model 12 w/Model 43-68 probe	193772 PR 178433	500 -550 dpm/100 cm ²
Ludlum Model 12 w/Model 43-37-1 probe Floor Monitor	193772 PR 136363	175 – 200 dpm/100 cm ²
Keithley Model 36155	36025	0.01 mR/hr (10 µR/hr)

In addition to the 100% surface scans, 1 minute scalar readings were taken at locations that were determined based on the level of survey that was required of the area (level 1, level 2, or level 3). The level assigned to each of the surveyed areas is noted in the Decommissioning Plan. The results of these measurements are presented in Appendices VI through VIII.

Survey for Removable Radioactive Contamination

Sampling for removable activity was conducted by wiping approximately 100 cm² area with a two inch diameter dry filter paper. The samples were then placed directly into a scintillation vial in a specific location of a uniquely identified rack or tray. The position numbers are then described on the scintillation counter log sheet. The samples remain in the specified container and position throughout sample preparation and analysis. This reduces the risk of mislabeling or cross contamination among the many samples taken during this project.

The samples were analyzed by setting three energy windows on the liquid scintillation counter. The low energy channel (channel 1) is set for optimal tritium efficiency, the second window (channel 2) is set for optimal carbon-14 efficiency, and the third window (channel 3) is set for higher energy beta emitters.

Each day samples are analyzed, NIST traceable tritium and carbon-14 sources are also analyzed at the end of each "batch". The daily counts for both tritium and carbon-14 were within the specified ranges. The minimum detectable activity (MDA) for the counter used (Beckman model 5801; serial number 7040372) is as follows:

Channel 1 MDA = 102 dpm

Channel 2 MDA = 46 dpm

Channel 3 MDA = 33 dpm

For purposes of free release of the rooms, the removable activity exhibited in all three channels is combined to determine compliance with the release criteria. The results are presented in Appendices I through III.



Additional Sampling

In addition to the smear samples taken at the locations indicated on the pictures, samples were also taken inside the sink traps in all rooms surveyed. Because it has been an extended time since these sinks have been used, the traps were all dry. Smear samples were taken using a cotton swab attached to the end of a long tube in order to reach the trap. The samples were analyzed by liquid scintillation counting using the same system that was used to analyze the smear samples. The results are presented in Appendix IV.

Smears were also taken inside each duct in all affected rooms. Nearly all of the rooms had an exhaust duct that was dedicated to a piece of equipment that was situated under or near the duct. The samples were counted by liquid scintillation and the results are presented in Appendix V.

Summary of Decontamination Performed

As expected, some decontamination of the hood in Organic Lab 1 was necessary. The hood was dismantled and all of its parts were vacuumed using a Nilfisk brand portable HEPA vacuum system. All parts were also sprayed with a solution of Radiac Wash and water, and then wiped clean. The same procedure was used to clean the hood housing. The filter housing servicing this hood had been previously removed due to its condition. Survey of the duct leading into the housing showed no residual contamination. Survey of the ductwork leaving the hood was also clean. Therefore, no further decontamination was deemed necessary.

In addition to the hood in the Organic Lab 1, one hood each in Main Lab B and Main Lab C had areas of contamination that were cleaned in the same manner. This contamination appeared to be more consistent with a small spill or light splashing, and no activity was found behind the hood baffle. The hoods were therefore left intact and only the found areas of contamination were cleaned.

Several areas were found that had removable radioactive contamination in excess of the minimum detectable activity of the scintillation counter. These areas were cleaned using the radiac wash solution. No areas were initially above 500 dpm/100cm². All areas were below the MDA after decontamination.

No other contamination above twice the background count rate of the survey instruments was found.



Survey Results – Final Status

No areas exceeded the background radiation exposure rate.

No removable radioactive contamination was found in the rooms surveyed.

No direct radioactive contamination was found in the rooms surveyed.

The final survey results for each of the surveyed areas are presented in Appendices I through VIII. Pre-decontamination survey results are presented in Appendix IX. Copies of the meter calibration certificates are presented in Appendix X.

Understanding the Appendices

The appendices presenting the results of the removable contamination surveys show pictures of each area surveyed. Only the main labs B and C have an accompanying layout, as these two rooms were very large. On each picture, if two smears are shown to be taken on one item (drawers, cabinet, etc.), the odd numbered smear was taken on the outside of the item. The inside is represented by the even numbered smear.

The appendices that present the data from the scaler measurements refer to the numbers of the smear on the pictures in appendices I, II or III as appropriate. For example, reading number one taken in main lab B, view A corresponds to the location represented in the picture for the removable activity. For class I rooms, there is a reading corresponding to each removable sample. Class II and class III rooms have fewer readings. Where readings are indicated on drawers and cabinets, the odd numbered reading was taken on the outside of the item, and the even numbered reading represents the inside. For drawers and cabinets, the inside reading was taken inside the drawer, or on the shelf nearest, the location of the number on the diagram.


Appendix IX shows the status of the facility as found. Direct readings are indicated on the diagrams. Removable activity is presented in the tables below the diagram. The tables were excluded from areas that had only direct readings, or showed direct readings that were decontaminated prior to the taking of a smear sample.



**Antkowiak and Mahoney
Enterprises, Inc.**

Appendix I
Class I Type Surveys
Removable Activity


Pictures of Surveyed Areas with Smear Results



Room: Main Lab B, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab B, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View F

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab B, View K

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab B, View L

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Main Lab B, View N

Name:

Notes:



8


Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab B, View O

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View Q

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Main Lab B, View S

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View T

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab B, View U

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View V

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View X

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab B, View Y

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab B, View Z

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View AA

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Main Lab B, View BB

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab B, View CC

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab B, View DD

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab B, View EE

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View FF

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab B, View GG

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab B, View HH

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View II

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View JJ

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab B, View KK

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Annex I, View A

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex I, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex I, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex I, View D

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex I, View E

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex II, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex II, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Annex II, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Organic Lab 1, Hood

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View F

Name:

Notes: Part 1




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA	18	<MDA	<MDA	<MDA
9	<MDA	<MDA	<MDA	19	<MDA	<MDA	<MDA
10	<MDA	<MDA	<MDA	20	<MDA	<MDA	<MDA

Room: Organic Lab 1, View F

Name:

Notes: Part 2




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
21	<MDA	<MDA	<MDA				
22	<MDA	<MDA	<MDA				
23	<MDA	<MDA	<MDA				
24	<MDA	<MDA	<MDA				
25	<MDA	<MDA	<MDA				
26	<MDA	<MDA	<MDA				
27	<MDA	<MDA	<MDA				
28	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View G

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Organic Lab 1, View H

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Organic Lab I, View I

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View F

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View G

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View H

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Organic Lab 2, View I


Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				



Room: Main Lab C, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View C, part 1

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA	18	<MDA	<MDA	<MDA
9	<MDA	<MDA	<MDA	19	<MDA	<MDA	<MDA
10	<MDA	<MDA	<MDA	20	<MDA	<MDA	<MDA

Room: Main Lab C, View D

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View E

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View F

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View G

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA	18	<MDA	<MDA	<MDA
9	<MDA	<MDA	<MDA	19	<MDA	<MDA	<MDA
10	<MDA	<MDA	<MDA	20	<MDA	<MDA	<MDA

Room: Main Lab C, View H

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View I

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Main Lab C, View J

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View K

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab C, View L

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab C, View M

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab C, View N

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab C, View O

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA	16	<MDA	<MDA	<MDA
7	<MDA	<MDA	<MDA	17	<MDA	<MDA	<MDA
8	<MDA	<MDA	<MDA	18	<MDA	<MDA	<MDA
9	<MDA	<MDA	<MDA	19	<MDA	<MDA	<MDA
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View P

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Main Lab C, View Q

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab C, View R

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab C, View S

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View T

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View U

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View V

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View W

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View X

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View Y

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View Z

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View AA

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View BB

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View CC

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View DD

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View EE

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View FF

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View GG

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View HH

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Main Lab C, View II

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA	15	<MDA	<MDA	<MDA
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Main Lab C, View JJ

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Main Lab C, View KK

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				



**Antkowiak and Mahoney
Enterprises, Inc.**

Appendix II

Class II Type Surveys

Removable Activity

Pictures of Surveyed Areas with Smear Results

Room: Instrument Hall, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Instrument Hall, View B

Name:

Notes:



8


Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Instrument Hall, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Lab Hall, View C

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Lab Prep, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Lab Prep, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Lab Prep, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Lab Prep, View C

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Lab Prep, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Room 316, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 316, View C

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Room 316, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 316, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 316, Hood 1

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 316, Hood 2

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View F

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 228, View F

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 229, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Room 229, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Rooms 231 & 232, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Rooms 231 & 232, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Rooms 231 & 232, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Rooms 231 & 232, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 233, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Room 233, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 241, View A

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 241, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Room 241, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 242, View A

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Room 242, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Stock Room

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View G

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View H

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Tissue Culture Lab, View I

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Cold Room, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA	14	<MDA	<MDA	<MDA
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View D

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA	12	<MDA	<MDA	<MDA
3	<MDA	<MDA	<MDA	13	<MDA	<MDA	<MDA
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View G

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View H

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View I

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View J

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View K

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View L

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Animal Support Lab, View M

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Room 218, View A

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Rooms 225 & 226, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				

Room: Rooms 225 & 226, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Rooms 225 & 226, View C

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				

Room: Rooms 225 & 226, View E

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				

Room: Rooms 225 & 226, View F

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 228, View A

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA	11	<MDA	<MDA	<MDA
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				
8	<MDA	<MDA	<MDA				
9	<MDA	<MDA	<MDA				
10	<MDA	<MDA	<MDA				

Room: Room 228, View B

Name:

Notes:




Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Room 228, View C

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

Room: Room 228, View D

Name:

Notes:



Smear Analysis Results - Analysis by Liquid Scintillation Counting

Smear ID	Channel 1	Channel 2	Channel 3	Smear ID	Channel 1	Channel 2	Channel 3
1	<MDA	<MDA	<MDA				
2	<MDA	<MDA	<MDA				
3	<MDA	<MDA	<MDA				
4	<MDA	<MDA	<MDA				
5	<MDA	<MDA	<MDA				
6	<MDA	<MDA	<MDA				
7	<MDA	<MDA	<MDA				

