

**Summary of WRS/Quantile/Power Calculations**

**DU Igloos <sup>(1)</sup>**

**License Termination Report  
Seneca Army Depot Activity**

Igloo	Alpha Phoswich				Beta Phoswich			
	WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
A0201	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0316	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0317	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0508	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0701	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0706	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0707	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0710	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0711	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0901	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A0905	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A1108	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
A1109	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0109	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0411	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0501	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0602	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0603	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0609	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0610	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0701	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0705	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0707	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0708	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0709	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0711	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0801	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0802	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0804	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0809	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0810	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0811	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
B0909	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0203	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0303	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0307	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0308	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0401	Pass	Fail	16.3	0.16	Pass	Pass	256.5	1.0
C0403	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0

**Summary of WRS/Quantile/Power Calculations**

**DU Igloos <sup>(1)</sup>**

**License Termination Report  
Seneca Army Depot Activity**

Igloo	Alpha Phoswich				Beta Phoswich			
	WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
C0405	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0406	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0407	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0408	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0501	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0503	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0504	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0505	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0508	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0510	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0511	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0513	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0603	Pass	Pass	16.3	0.072	Pass	Pass	256.5	1.0
C0604	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0605	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0606	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0608	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0701	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0706	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
C0707	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0708	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0801	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0803	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0807	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0809	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0901	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0902	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0906	Pass	Pass	16.3	0.072	Pass	Pass	256.5	1.0
C0907	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0908	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
C0909	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0104	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
D0105	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0107	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0108	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
D0110	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0113	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0206	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0207	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0

**Summary of WRS/Quantile/Power Calculations**

**DU Igloos <sup>(1)</sup>**

**License Termination Report  
Seneca Army Depot Activity**

Igloo	Alpha Phoswich				Beta Phoswich			
	WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
D0305	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0306	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0312	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0401	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0406	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0407	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0413	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0601	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0604	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0607	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0704	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0705	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0711	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0712	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0801	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
D0805	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0103	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0105	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
E0112	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0211	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0301	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0302	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0303	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
E0312	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0402	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0410	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0411	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0413	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0504	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0506	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0508	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0510	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0512	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0602	Pass	Pass	16.3	0.072	Pass	Pass	256.5	1.0
E0604	Pass	Pass	16.3	0.16	Pass	Pass	256.5	1.0
E0609	Pass	Pass	16.3	0.072	Pass	Pass	256.5	1.0
E0610	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0702	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0706	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0

**Summary of WRS/Quantile/Power Calculations**  
**DU Igloos <sup>(1)</sup>**  
**License Termination Report**  
**Seneca Army Depot Activity**

Igloo	Alpha Phoswich				Beta Phoswich			
	WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
E0711	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0801	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0
E0802	Pass	Pass	16.3	0.30	Pass	Pass	256.5	1.0

Notes:

(1) Original results for DU Igloos were presented in Section 3 of the report.

(2) cpm = counts per minute.

(3) The desired power for the statistical tests is 0.95 at the background median plus LBGR. Results less than 0.95 are shaded.

**Summary of WRS/Quantile/Power Calculations**

**DU Buildings <sup>(1)</sup>**

**License Termination Report  
Seneca Army Depot Activity**

Building	Room	Alpha Phoswich				Beta Phoswich				Alpha Floor Monitor				Beta Floor Monitor			
		WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
306	1	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	-- <sup>(4)</sup>	--	--	--	--	--	--	--
306	2	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	3	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	4	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	5	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	6	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	7	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	8	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
306	10	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	<b>Fail</b>	<b>Fail</b>	4	0.99	Pass	Pass	1282.7	1.0
306	11	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	<b>Fail</b>	Pass	4	0.97	Pass	Pass	1282.7	1.0
306	12	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	1.0	Pass	Pass	1282.7	1.0
306	13	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	<b>Fail</b>	Pass	4	0.86	Pass	Pass	1282.7	1.0
5	1	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	1.0	Pass	Pass	1282.7	1.0
5	2	Pass	Pass	5.1	0.83	Pass	Pass	721.1	0.93	Pass	Pass	4	0.91	Pass	Pass	1282.7	1.0
5	3	Pass	Pass	5.1	0.83	Pass	Pass	721.1	0.93	Pass	Pass	4	0.95	Pass	Pass	1282.7	1.0
5	4	Pass	Pass	5.1	0.83	Pass	Pass	721.1	0.93	Pass	Pass	4	0.97	Pass	Pass	1282.7	1.0
5	5	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.98	Pass	Pass	1282.7	1.0
5	6	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.99	Pass	Pass	1282.7	1.0
5	7	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.89	Pass	Pass	1282.7	1.0
5	8	Pass	Pass	5.1	0.93	Pass	Pass	721.1	0.98	Pass	Pass	4	0.98	Pass	Pass	1282.7	1.0
5	9	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	1.0	Pass	Pass	1282.7	1.0
5	10	Pass	Pass	5.1	0.95	Pass	Pass	721.1	0.99	Pass	Pass	4	0.99	Pass	Pass	1282.7	1.0
5	11	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.55	Pass	Pass	1282.7	0.92
5	12	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
5	13	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.55	Pass	Pass	1282.7	0.92
5	14	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	0.68	Pass	Pass	1282.7	0.99
5	15	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	N/A <sup>(5)</sup>	4	0.37	Pass	N/A	1282.7	0.66
5	16	Pass	Pass	5.1	0.74	Pass	Pass	721.1	0.87	Pass	Pass	4	0.76	Pass	Pass	1282.7	1.0
2073	1	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	1.0	Pass	Pass	1282.7	1.0
2073	2	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	--	--	--	--	--	--	--	--
2073	3	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	<b>Fail</b>	Pass	4	1.0	Pass	Pass	1282.7	1.0
2084	2	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	Pass	Pass	4	1.0	Pass	Pass	1282.7	1.0
2084	3	Pass	Pass	5.1	1.0	Pass	Pass	721.1	1.0	<b>Fail</b>	Pass	4	1.0	Pass	Pass	1282.7	1.0
2084	6	--	--	--	--	--	--	--	--	Pass	Pass	4	0.99	Pass	Pass	1282.7	1.0

Notes:

- (1) Original results for DU Buildings were presented in Section 4 of the report.
- (2) cpm = counts per minute.
- (3) The desired power for the statistical tests is 0.95 at the background median plus LBGR. Results less than 0.95 are shaded.
- (4) "--" = data were not collected using this instrument at this survey unit.
- (5) N/A = the Quantile test was not performed as a result of too few data points.

**Summary of WRS/Quantile/Power Calculations**  
**Building 612 <sup>(1)</sup>**  
**License Termination Report**  
**Seneca Army Depot Activity**

Building	Room	Alpha Hand-held				Beta Hand-held				Alpha Floor Monitor				Beta Floor Monitor			
		WRS Test	Quantile Test	Background Median Plus LBGR (cpm) <sup>(2)</sup>	Power <sup>(3)</sup>	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power	WRS Test	Quantile Test	Background Median Plus LBGR (cpm)	Power
612	A	Pass	Pass	3.6	0.92	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	AA	Pass	Pass	3.6	0.97	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	B	Pass	Pass	3.6	0.78	Pass	Pass	494	1.0	-- <sup>(4)</sup>	--	--	--	--	--	--	--
612	BB	Pass	Pass	3.6	0.83	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	C	Pass	Pass	3.6	0.57	Pass	Pass	494	1.0	Pass	N/A <sup>(5)</sup>	10	0.50	Pass	N/A	1752	1.0
612	D	Pass	Pass	3.6	0.65	Pass	Pass	494	1.0	Pass	Pass	10	0.91	Pass	Pass	1752	1.0
612	E	Pass	Pass	3.6	0.57	Pass	Pass	494	1.0	Pass	Pass	10	0.99	Pass	Pass	1752	1.0
612	F	Pass	Pass	3.6	0.87	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	G	Pass	Pass	3.6	0.50	Pass	Pass	494	1.0	--	--	--	--	--	--	--	--
612	H	Pass	Pass	3.6	0.50	Pass	Pass	494	1.0	--	--	--	--	--	--	--	--
612	I	Pass	Pass	3.6	0.46	Pass	Pass	494	1.0	--	--	--	--	--	--	--	--
612	J	Pass	Pass	3.6	0.71	Pass	Pass	494	1.0	--	--	--	--	--	--	--	--
612	K	Pass	Pass	3.6	0.83	Pass	Pass	494	1.0	Pass	Pass	10	0.97	Pass	Pass	1752	1.0
612	L	Pass	Pass	3.6	0.79	Pass	Pass	494	1.0	Pass	Pass	10	0.99	Pass	Pass	1752	1.0
612	M	Pass	Pass	3.6	0.98	Pass	Pass	494	1.0	Pass	Pass	10	0.99	Pass	Pass	1752	1.0
612	N	Pass	Pass	3.6	0.72	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	O	Pass	Pass	3.6	0.82	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	P	Pass	Pass	3.6	0.86	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	Q	Pass	Pass	3.6	0.86	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	R	Pass	Pass	3.6	0.72	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	S	Pass	Pass	3.6	0.70	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	T	Pass	Pass	3.6	0.82	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	U	Pass	Pass	3.6	0.95	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	V	Pass	Pass	3.6	0.96	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	W	Pass	Pass	3.6	0.95	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	X	Pass	Pass	3.6	0.95	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	Y	Pass	Pass	3.6	0.97	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0
612	Z	Pass	Pass	3.6	0.95	Pass	Pass	494	1.0	Pass	Pass	10	1.0	Pass	Pass	1752	1.0

- Notes:
- (1) Original results for Building 612 were presented in Section 5 of the report.
  - (2) cpm = counts per minute.
  - (3) The desired power for the statistical tests is 0.95 at the background median plus LBGR. Results less than 0.95 are shaded.
  - (4) "--" = data were not collected using this instrument at this survey unit.
  - (5) N/A = the Quantile test was not performed as a result of too few data points.

**Summary of WRS/Quantile/Power Calculations  
 Datasets Exceeding Background  
 License Termination Report  
 Seneca Army Depot Activity**

Building	Room	Dataset	WRS Test	Quantile Test	Background Median Plus LBGR plus DCGLw (cpm) <sup>(1)</sup>	Power <sup>(2)</sup>
306	10	Alpha Floor Monitor	Pass	Pass	6761	0.99
306	11	Alpha Floor Monitor	Pass	Pass	6761	0.97
306	13	Alpha Floor Monitor	Pass	Pass	6761	0.86
2073	3	Alpha Floor Monitor	Pass	Pass	6761	1.0
2084	3	Alpha Floor Monitor	Pass	Pass	6761	1.0
Igloo C0401		Alpha Phoswich	Pass	Pass	3599.3	0.16

Notes:

(1) cpm = counts per minute.

(2) The desired power for the statistical tests is 0.95 at the background median plus LBGR plus DCGLw. Results less than 0.95 are shaded.