Retrospective Power Curve
Igloo C0203
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

16.3, 0.30

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

256.5, 1.00

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0303
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0307
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0308
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0401
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0403
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0405
## NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0406
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0408
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0407
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0501
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0503
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0504
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0505
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0508
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0510
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0511
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0513
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0603
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.072 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0604
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0605
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0606
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0608
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0701
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0706
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0707
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0708
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0801
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0803
NRC License Termination
## Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Retrospective Power Curve
Igloo C0807
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0809
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0901
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0902
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0906
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.072 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0907
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0908
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

Retrospective Power Curve
Igloo C0909
NRC License Termination
Seneca Army Depot Activity

ALPHA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH

Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).